



[Home](#) » [ICETRO](#) » **ICETRO IM-0350-AC-IM-0350-AH Maestro Modular Ice Maker Cube Style**
Owner's Manual 

ICETRO IM-0350-AC-IM-0350-AH Maestro Modular Ice Maker Cube Style



Contents [[hide](#)]

- 1 [Ice Shape](#)
- 2 [Factory Warranty](#)
- 3 [Accessories](#)
- 4 [Specifications](#)
- 5 [Ice Machine Electric](#)
- 6 [Dimension](#)
- 7 [Specifications](#)
- 8 [Customer Support](#)
- 9 [Documents / Resources](#)
 - 9.1 [References](#)
- 10 [Related Posts](#)

Ice Shape

- **Half Cube**

3/8" x 1/8" x 7/8".

(.95 x 2.86 x 2.22 cm)



- **Cube**

7/8" x 7/8" x 7/8"

(2.22 x 2.22 x 2.22 cm)



Factory Warranty

- Ice Maker

Parts &

3^{YR}

- Evaporator
Labor

5^{YR}

- Compressor
Parts

5^{YR}



Extend ice machine warranty 1 year by installing an Ice Pro 400 with ice machine.

* Applies only to new ice machines, at the time of original installation & start-up.

Accessories

Bin-Stat Kit IBO-150KIT

Recommended when ice machine is installed on soda dispenser.



Water Filtration Ice Pro 400

Reduces sediment and chlorine contaminants with the use of Citrine.



- Up to 367 lbs production capacity (70F/50F, 24 Hours)
- 304 stainless-steel exterior (durable & rust-resistant)
- Simple diagnostic panel to assist service & maintenance
- Cleaning switch for auto cleaning cycle
- Magnetic frame cleanable condenser air filters
- Adjustable flush time to reduce scale & cleaning cost
- ABS antimicrobial interior to reduce slime & cleaning cost
- Water distributor tube & water sump removed w/o tools
- Heavy duty water curtain, pins & hangers for easy removal
- Hinged front doors for easy access
- No screws on side or back panels for easy access
- Sides & top vents for optimal ventilation
- Improved evaporator section to reduce airborne bacteria
- Power cord with NEMA 5-15 plug
- R-404A refrigerant

Specifications

BTU Per Hour: 5,325

Refrigerant: R404A

- **Ambient Temperature Range:** 50 to 100 F (10 to 37 C)
- **Water Temperature Range:** 50 to 90 F (10 to 32 C)
- **Potable Water Pressure:** Min. 20 psi (137.9 kPA) Max. 80 psi (551.1 kPA)
- **Condenser Water Pressure:** Min. 20 psi (1.38 bar) Max. 150 psi (10.34 bar)

Ice Machine Electric

115/60/1

Minimum circuit ampacity:

Air-cooled: 15 1ph


Maximum fuse size:

Air-cooled: 20 1ph


Dimension

IM-0350 Air Cooled


- FRONT VIEW



- SIDE VIEW



• BACK VIEW



Specifications

Dimensions	Width	Depth	Height	Weight
IM-0350 Machine	30"	24.8"	22.6"	152.1 lbs (Net) 171 lbs (Shipping)

		Ice Production 24 Hours	Power Usage kWh/10	Potable Water Usage/

Model		Ice Shape	70°Air/ 50° F Water	90°Air/ 70° F Water	0 lbs. @90°Air/70 °F	100 lbs. 45. 4 kgs. of Ic e
			1 ph	1 ph	1	
AIR C OOLE D	IM-03 50-A C	cube 	367 lbs	304 lbs	6.25	15 Gal.
			166 kgs	138 kgs		15 Gal.
	IM-03 50-A H	half-cube 	367 lbs	304 lbs	6.25	15 Gal.
			166 kgs	138 kgs		15 Gal.

Customer Support



Icetro America, Inc. – 1202 W Struck Ave, Orange, CA 92867

– 6432 Warren Dr, Norcross, GA 30093

Phone [714-215-4864](tel:714-215-4864)

Phone [470-567-8603](tel:470-567-8603)

www.IcetroAmerica.com



Documents / Resources

	ICETRO IM-0350-AC-IM-0350-AH Maestro Modular Ice Maker Cube Style [pdf] Owner's Manual IM-0350-AC, IM-0350-AH, IM-0350-AC-IM-0350-AH Maestro Modular Ice Maker Cube Style, IM-0350-AC-IM-0350-AH, Maestro Modular Ice Maker Cube Style, Modular Ice Maker Cube Style, Ice Maker Cube Style, Maker Cube Style, Cube Style
---	--

References

- 🐶 [One moment, please...](#)
- [User Manual](#)

Related Posts

	Hoshizaki IM-240NE-21 Ice Cube Maker Instruction Manual Hoshizaki IM-240NE-21 Ice Cube Maker Hoshizaki is widely considered to be one of the world's best manufacturers of...
	HOSHIZAKI IM-30CNE-HC Ice Cube Maker Owner's Manual HOSHIZAKI IM-30CNE-HC Ice Cube Maker Product Information Specifications Cooling System: Air Cooled Production Capacity: 30 kg/24h Power Supply:...
	EUHOMY IM-FP 14 Inch Cube Ice Compact Ice Maker Instruction Manual IM-FP 14 Inch Cube Ice Compact Ice Maker ``html Product Information Specifications: Model: SKUIM-FP



[partyrent.com 1767 Ice Cube Maker User Manual](#)

User manual 1767 Ice cube maker ca 2.5 kg per hour

Safety instructions: Do not place the device...

■ ICETRO

◆ Cube Style, Ice Maker Cube Style, ICETRO, IM-0350-AC, IM-0350-AC-IM-0350-AH, IM-0350-AC-IM-0350-AH Maestro Modular Ice Maker Cube Style, IM-0350-AH, Maestro Modular Ice Maker Cube Style, Maker Cube Style, Modular Ice Maker Cube Style

—Previous Post

[ICETRO SSM-52 Slush Freezers Installation Guide](#)

Next Post—

[ICETRO IM-2000 Ice Cube Machine Owner's Manual](#)

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

[Post Comment](#)

Search:

[Search](#)

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.