Manuals+ — User Manuals Simplified.

Icron 3204C 4 Port USB 3 Point-to-Point USB-C Extender System User Guide

Icron 3204C 4 Port USB 3 Point-to-Point USB-C Extender System User Guide


Contents

Package Contents:

- USB 3-2-1 Raven 3204C Local Extender
- USB 3-2-1 Raven 3204C Remote Extender
- USB-C Cable
- 24V 1A AC Adapter
- 24V 2.71A AC Adapter
- 2x Country Specific Power Cords
- Quick Start Guide

For technical support, visit **icron.com/support**.
For sales/general inquiries, visit **icron.com/contact**.

Before starting, install any required drivers for your USB device(s).

1. Place extenders where desired and connect a CAT 6a/7 cable to the Link ports (outermost RJ45 connector) on the Local and Remote units.


2. Power the Local Extender with the included 24V 1A AC adapter and tighten the locking ring.


   Note: If an outlet is unavailable, refer to the online user guide for an alternate Local Extender powering option.

3. Power the Remote Extender with the included 24V 2.71A AC adapter and tighten the locking ring.


4. Connect the Local Extender to the host computer's USB-C port using the included USB-C cable.

5. Attach the USB device(s) to the Remote Extender.

6. **Optional:** Connect the Local and Remote Extender 1Gb Ethernet ports (inner RJ45 connector) to a network or device as necessary for pass-through LAN.

Certification, Compliance, and Warranty Information

FCC Radio Frequency Interference Statement Warning
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received including interference that may cause undesired operation.

CE Statement

We, Icron, an Analog Devices brand, declare under our sole responsibility that the USB 3-2-1 Raven™ 3204C, to which this declaration relates, is in conformity with European Standards EN 55032, EN 55035, EN 61000, EN 62368-1 and RoHS Directive 2011/65/EU + 2015/863/EU.

Industry Canada Statement

This Class B digital apparatus complies with Canadian ICES-003.
CAN ICES-3 (B) / NMB-3 (B)

WEEE Statement

The European Union has established regulations for the collection and recycling of all waste electrical and

electronic equipment (WEEE). Implementation of WEEE regulations may vary slightly by individual EU member states. Please check with your local and state government guidelines for safe disposal and recycling or contact your national WEEE recycling agency for more information.

Product Operation and Storage

Please read and follow all instructions provided with this product and operate for intended use only. Do not attempt to open the product casing as this may cause damage and will void the warranty. Use only the power supplies provided with this product. When not in use, this product should be stored in a dry location between -20°C and 70°C. Product user guides are available online at **icron.com**.

Limited Hardware Warranty

Icron warrants that any hardware products accompanying this documentation shall be free from significant defects in material and workmanship for a period of two years from the date of purchase. Icron's hardware warranty extends
to Licensee, its customers and end users. The warranty does not include repair of failures caused by misuse, neglect, accident, modification, operation outside a normal operating environment, service of the device by nonauthorized servicers or a product for which Icron is not responsible.

Icron | An Analog Devices Brand
4664 Lougheed Hwy., Suite 221
Burnaby, BC V5C 5T5
Canada

t +1 604.638.3920
Visit **icron.com**

Documents / Resources

Icron 3204C 4 Port USB 3 Point-to-Point USB-C Extender System [pdf] User Guide
3204C 4 Port USB 3 Point-to-Point USB-C Extender System, 3204C, 4 Port USB 3 Point-to-Point USB-C Extender System, USB 3 Point-to-Point USB-C Extender System, Point-to-Point USB-C Extender System, USB-C Extender System, Extender System, System

References

- ▶ **Contact | Icron | An Analog Devices Brand**
- **User Manual**