



ideal lux D090 Oracle Slim L Round LED Instruction Manual

[Home](#) » [ideal lux](#) » ideal lux D090 Oracle Slim L Round LED Instruction Manual 

ideal lux[®]

Oracle slim
rev. 24-01-2023
Instructions



Contents


- [1 General info](#)
- [2 Technical info](#)
- [3 Source info](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)

General info

DECORATIVO – Hanging

Ean	8021696304434
Item	ORACLE SLIM SP D050 ROUND 3000K DALI WH
Installation	Hanging
Guarantee	5 years
Gross weight	2.44 kg
Volume	0.027225 m³

Technical info




Net weight	1.1 kg
Insulation class	II
Protection index	IP20
Operating temperature	—
Dimmer	Dimmable
Power output	220-240 V AC
Power supply	—

Source info

Integrated source	—
Repleaceable source	—
Power	29W
Emission	—
Max consupcion	—
Features LED	LED SMD
CCT	3000 K
Duration LED (t. 25°C)	20000 h
CRI	> 80
SDCM	3
Light beam	115°
Light beam flux	3000 lm
Useful light flux	—

IDEAL LUX s.r.l.
Via Taglio Destro, 32, 30035 Mirano (Venezia)
Tel +39 041 5790500 | Fax +39 041 8872349 | E-mail info@ideal-lux.com
www.ideal-lux.com

Documents / Resources

	ideal lux D090 Oracle Slim L Round LED [pdf] Instruction Manual D090 Oracle Slim L Round LED, D090, Oracle Slim L Round LED, L Round LED
---	--

References

-  [Fragrant Bar Soap, Body Wash and Shower Gel from LUX | LUX India](#)
-  [Ideal-Lux | Home - IT](#)

Manuals+.