

*GO link Max*

GO LINK MAX Portable  
DAC and Headphone  
Amplifier



# GO LINK MAX Portable DAC and Headphone Amplifier User Guide

[Home](#) » [ifi](#) » GO LINK MAX Portable DAC and Headphone Amplifier User Guide 

*GO link Max*

## Contents

- [1 GO LINK MAX Portable DAC and Headphone Amplifier](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Quick Start Guide](#)
- [5 Audio Format LED](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)
- [7 Related Posts](#)

**GO LINK MAX Portable DAC and Headphone Amplifier**



## Product Information

### Specifications

- Audio Format LED
- S-Balanced 3.5mm
- USB-C Input / Power
- Balanced 4.4mm Power & Audio Input Output
- S-Balanced 3.5mm USB-C
- Balanced 4.4mm
- Audio Format LED:
  - Green: PCM 44.1/48/88.2/96kHz
  - Yellow: PCM 176.4/192/352.8/384kHz
  - Cyan: DSD 64/128
  - Blue: DSD 256

## Product Usage Instructions

### Connecting the Device

1. plug the USB-C cable into the USB-C input for power.
2. Connect your audio source to the appropriate input/output port based on your device's compatibility.

### LED Indicators:

The LED lights indicate the audio format being processed:

- Green LED: PCM 44.1/48/88.2/96kHz
- Yellow LED: PCM 176.4/192/352.8/384kHz
- Cyan LED: DSD 64/128
- Blue LED: DSD 256

### Powering On and Off:

To power on the device, ensure the USB-C input is connected and press the power button. To power off, press and hold the power button until the device shuts down.

### Frequently Asked Questions (FAQ):

- **Q: How do I know which audio format is currently being processed?**

A: The LED indicator will display the corresponding color for the audio format being processed.


- **Q: Can I use both the balanced and S-Balanced ports simultaneously?**

A: Yes, you can connect different audio sources to the balanced and S-Balanced ports for simultaneous use.

### Quick Start Guide



#### 1. Power & Audio Input



#### 2. Output



## Audio Format LED



Green: PCM 441/48/88)/96kH



cyan: DSD 64/128





Yellow: PCM 1764/192/3528/384kHz



Blue: DSD 256

Ver1.0

## Documents / Resources

	<a href="#">ifi GO LINK MAX Portable DAC and Headphone Amplifier</a> [pdf] User Guide V10, GO LINK MAX Portable DAC and Headphone Amplifier, GO LINK MAX, Portable DAC and Headphone Amplifier, DAC and Headphone Amplifier, Headphone Amplifier, Amplifier
	<a href="#">ifi GO link Max Portable DAC and Headphone Amplifier</a> [pdf] User Manual GO link Max Portable DAC and Headphone Amplifier, GO link Max, Portable DAC and Headphone Amplifier, DAC and Headphone Amplifier, Headphone Amplifier, Amplifier

## References

- [ifi iFi audio | the Award-Winning Audio Technology Company](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.