



iiyama WP D002C Wireless Presentation Dongle with USB-C Connector User Guide

[Home](#) » [iiyama](#) » iiyama WP D002C Wireless Presentation Dongle with USB-C Connector User Guide 

Contents

- [1 iiyama WP D002C Wireless Presentation Dongle with USB-C Connector](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Frequently Asked Questions \(FAQ\)](#)
- [5 TECHNICAL SPECIFICATION](#)
- [6 MANAGEMENT 03 POWER SUPPLY](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



iiyama WP D002C Wireless Presentation Dongle with USB-C Connector



Product Information

Specifications

- **Product Name:** WP D002C
- **Compatibility:** USB-C (DP-Alt mode)
- **Video Streaming:** Up to 4K
- **Audio Output:** Stereo, radio quality 16bits 48kHz

- **Supported Resolutions:** 720×480, 720×576, 1280×720, 1920×1080(1080P), 3840×2160@30Hz
- **Wireless Protocol:** IEEE 802.11n, 5GHz up to 300Mbps
- **Authentication Protocol:** WPA2 (WPA2-PSK (Pre-Shared key) / WPA2-Enterprise)
- **Range:** Up to 20m
- **Color:** Silver, black
- **Software Compatibility:** EShare app version 7.3 and higher

Product Usage Instructions

Step 1: Connecting the Dongle

1. Ensure your computer has a USB-C (DP-Alt mode) port.
2. If your computer doesn't have a USB-C port, use the included USB Type-C to A adapter.
3. Connect the dongle to the USB-C port on your computer or the USB Type-C to A adapter.

Step 2: Pairing with the Android Receiver

4. Make sure the Android receiver is turned on and within range (up to 20m).
5. Open the EShare app on the iiyama (i)LFD.
6. On the dongle, press and hold the pairing button until the LED indicator starts flashing.
7. Using the EShare app, follow the on-screen instructions to complete the pairing process.

Step 3: Sharing Content

8. Once the dongle is paired, you can start sharing content from your computer.
9. Launch the desired video or application on your computer.
10. Select the dongle as the display output in your computer's display settings.
11. The content will be wirelessly transmitted to the iiyama (i)LFD with smooth video streaming up to 4K resolution.

Frequently Asked Questions (FAQ)

Q: What devices are compatible with the WP D002C dongle?

A: The WP D002C dongle is compatible with computers equipped with USB-C (DP-Alt mode) and iiyama (i)LFD with the pre-installed EShare app.

Q: How far is the wireless range of the dongle?

A: The dongle has a maximum wireless range of up to 20 meters.

Q: What is the supported video streaming resolution?

A: The dongle supports smooth video streaming up to 4K resolution.

Q: Can I use the dongle with a computer that doesn't have a USB-C port?

A: Yes, you can use the included USB Type-C to A adapter if your computer doesn't have a USB-C port.

Q: What software version is required for compatibility with the dongle?


A: The dongle requires the EShare app version 7.3 and higher for compatibility. USB-C adapter for wireless presentation. The wireless presentation dongle allows to share content (e.g. videos, applications) from your computer to an iiyama (i)LFD with the pre-installed Share app. It is compatible with computers equipped with USB-C (DP-Alt mode) and supports smooth video streaming up to 4K. To use the dongle you need to pair it with the Android receiver. The included USB Type-C to A adapter can be used if the Android receiver doesn't have a Type-C connection.

DEVICE

- **DisplayPort Output:** x1 (1.2, complies with HDCP)
- **Audio:** stereo, radio quality 16bits 48kHz
- **Output resolution:** 720×480, 720×576, 1280×720, 1920×1080(1080P), 3840×2160@30Hz
- **Input resolution Video:** 480p, 576p, 720p, 1080p
- **Wireless IEEE:** 802.11n, 5GHz
- **Wireless data transfer speed up to** 300Mbps
- **Authentication protocol WPA2 (WPA2-PSK (Pre-Shared key)) :** WPA2-Enterprise)
- **Security (encryption):** WPA2
- **Range:** 20 m max.

TECHNICAL SPECIFICATION

- **Color silver:** black
- **Software:** Connects with EShare app version 7.3 and higher.



MANAGEMENT 03 POWER SUPPLY


- External power supply
- Power consumption % 1W typical

SUSTAINABILITY

- CE regulations, RoHS support, WEEE, REACH

DIMENSIONS / WEIGHT

- Product dimensions W x H x D 57 x 175 x 17mm
- Box dimensions W x H x D 100 x 123 x 33mm
- Weight (without box) 0.81kg
- Weight (with box) 0.217kg
- EAN code 4948570032891



CONDITIONS 06 ENVIRONMENT

- Operating temperature range 0°C – 40°C
- Air humidity (during operation) 10% – 80%
- Storage temperature range – 10°C – 60°C
- Humidity (storage) 5% – 90%

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241- 307:2008 in connection with pixel defects. © IIYAMA CORPORATION. ALL RIGHTS RESERVED

Documents / Resources

	iiyama WP D002C Wireless Presentation Dongle with USB-C Connector [pdf] User Guide WP D002C Wireless Presentation Dongle with USB-C Connector, WP D002C, Wireless Presentation Dongle with USB-C Connector, Presentation Dongle with USB-C Connector, USB-C Connector
---	--

References

- [User Manual](#)

