

IMI HEIMEIER Eclipse Thermostatic Inserts Instruction Manual




4385-00.480 Index 00
01.2024

Contents


- [1 Eclipse – 4385-00.300](#)
- [2 Documents / Resources](#)
 - [2.1 References](#)
- [3 Related Posts](#)

Eclipse – 4385-00.300




(1)




(2)



3930-02.142




	l/h
1	10
	20
	30
	40
5	50
	60
	70
	80
	90
10	100
	110
	120
	130
	140
15	150




Q [W]	Δt [K] l/h	5	8	10	15
200		3	2	2	1
250		4	3	2	1
300		5	3	3	2
400		7	4	3	2
500		9	5	4	3
600		10	7	5	3
700		12	8	6	4
800		14	9	7	5
900			10	8	5
1000			11	9	6
1200			13	10	7
1400			15	12	8
1600				14	9
1800					10
2000					12
2200					13
2400					14
2600					15

Δp min. 10-100 l/h = 10 kPa
 Δp min. 100-150 l/h = 15 kPa



Documents / Resources

	IMI HEIMEIER Eclipse Thermostatic Inserts [pdf] Instruction Manual 4385-00.300, 3930-02.142, Eclipse Thermostatic Inserts, Eclipse, Inserts, Eclipse Inserts, Thermostatic Inserts
---	---

References

- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.