


Imou

Light1-vip 3D Smart Lock



Imou Light1-vip 3D Smart Lock Owner's Manual

[Home](#) » [imou](#) » Imou Light1-vip 3D Smart Lock Owner's Manual 

Contents

- [1 Imou Light1-vip 3D Smart Lock](#)
- [2 FAQs](#)
- [3 PRODUCT INFORMATION](#)
- [4 FEATURES](#)
- [5 Stay close with what you care](#)
- [6 DIMENSION](#)
- [7 Specifications](#)
- [8 What's in the box](#)
- [9 MORE INFORMATION](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)



Imou Light1-vip 3D Smart Lock



FAQs

- **Q: How do I reset the facial recognition data on the Smartlock?**
 - A: To reset facial recognition data, go to the settings menu, find the facial recognition option, and choose the reset or clear data option.
- **Q: Can I disable the auto-lock feature temporarily?**
 - A: Yes, you can temporarily disable the auto-lock feature by accessing the settings menu and toggling off the auto-lock function.

PRODUCT INFORMATION

The Imou Light1-vip is a cutting-edge product, with a leather-like design and minimalist aesthetic. It boasts a skillfully crafted integrated handle and a sleek waistline, projecting an image of elegance and stability. The product prominently features a 3D depth facial recognition module for enhanced security and reliability, along with a cascading, streamlined lighting design. It supports a variety of door-opening methods, including fingerprint, password, card, facial recognition, temporary password, combination unlocking, remote access, and mechanical key. The exterior panel features a 3-megapixel high-definition camera, while the interior panel is fitted with a 4-inch high-definition full-color LCD screen, providing real-time, full-color views of the area outside the door. The product is compatible with the Imou Life APP for wireless connectivity, allowing for real-time intercom, weather updates, and reminder alerts, as well as live streaming through the APP.

FEATURES



- **Facial Recognition**

- Supply 3D depth facial recognition.



- **Remote two-way video intercom**

- Supports remote video unlocking /one-click remote video unlocking



- **Auto-Lock**

- Automatic unlocking time <0.5 seconds.



- **Electronic peephole function**

- 300W ultra-clear, ultra-clear night vision with a wide angle.



- **24-hour real-time monitoring**

- One-click camera wake-up with a mobile phone, supports video playback



- **APP Remote Management**

- Supports user management, door opening record, and real-time status checks.



- **High-definition screen**

- 4-inch high-definition screen.



- **Dual battery long endurance**

- Dual power supply system with independent power supply.



- **11 layers of security protection**

- Alarm for unusual patterns / illegal user alarm/coercion alarm / anti-tamper alarm / high-temperature alarm...

Stay close with what you care

Utilizing the smart ecosystem of the APP, as long as the Internet is available, you can access the content you care about. You can manage your devices on the APP, set user permissions, and check the status and messages of the door lock anytime, anywhere.

DIMENSION



Specifications

• Applicable Scenarios

- Suitable Door Thickness: 40~100mm
- Installation Location: Doors with eaves or indoors.

• Opening Method

- Face capacity: 20 faces
- Facial recognition range: Height: 1.3-1.9m,
- Recommended distance: 0.4-1.0m
- Card Type Used: Mifare 1
- Sensitivity Distance: < 10mm
- Sensitivity Time: < 0.5 seconds
- Password Length: 6 to 12 digits
- Password Capacity: 10 sets (password series)
- Fingerprint Module: Capacitive (biometric technology)
- Fingerprint Capacity: 100 fingerprints (fingerprint series)

• APP Management

- User Management
- Real-Time Notification
- Door set
- Low Battery Notification

• Network

- Wi-Fi: IEEE802.11b/g/n, 2.4GHz

- imou App: iOS, Android

• Auxiliary Interface

- Outdoor Unit:
- Camera and Facial recognition module
- Built-in Speaker
- Full touch buttons
- Indoor Unit:
- Indoor screen
- Mechanical Quick-Release Knob
- Electronic Door Opening Button
- Reset Button

• General

- Color: Metal Gray
- Panel Material: Aluminum Alloy
- Battery Life: Approximately 12 months (with 10 uses per day)
- Power Source: Lithium battery, AA LR6
- Emergency Charging: Type-C
- Working Environment: -10°C~ +55°C (Outdoor Unit) ,
- 0°C~+55°C (Indoor Unit) , Less Than 95%RH


What's in the box

- 1x Outdoor Unit
- 1x Quick Start Guide
- 2x M1 Card
- 4x AA and 1x Lithium battery
- 1x Installation Accessory Kit
- 1x Indoor Unit
- 2x Mechanical Key
- 1x Installation Position Map
- 1x 6068 Automatic Lockbody

MORE INFORMATION

- <http://www.imoulife.com>

Documents / Resources

	<p>Imou Light1-vip 3D Smart Lock [pdf] Owner's Manual Light1-vip 3D Smart Lock, 3D Smart Lock, Smart Lock, Lock</p>
---	---

References

-  [Imou Life](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.