



INTERMATIC DT620 Plug-In Timer User Manual

[Home](#) » [Intermatic](#) » INTERMATIC DT620 Plug-In Timer User Manual 

Contents

- 1 INTERMATIC DT620 Plug-In Timer
- 2 Product Information
- 3 Technical Data
- 4 Mechanical Specifications
- 5 Load Ratings
- 6 Electrical Specifications
- 7 Packaging
- 8 Environmental Specifications
- 9 Standards and Certifications
- 10 Product Usage Instructions
- 11 PRODUCT DESCRIPTION
- 12 FEATURES
- 13 APPLICATIONS
- 14 TECHNICAL DATA
- 15 Documents / Resources
 - 15.1 References
- 16 Related Posts



INTERMATIC DT620 Plug-In Timer



Product Information

- **Model Number:** DT620
- **Description:** 7-Day Indoor Digital Plug-In Timer
- **Brand:** Intermatic
- **Country of Origin:** Mexico
- **Warranty Period:** 1-Year limited

Technical Data

- **Maximum ON/OFF Operations:** 28
- **Operation Features:** Full 7-day programming options, including astronomical clock, automatic DST adjustment, and random mode
- **Operation Mode:** Astronomic
- **Backup Type:** Battery
- **Battery Type:** LR44 (included)
- **Mechanism Type:** Digital/Electrical
- **Application Compatibilities:** CFL; LED

Mechanical Specifications

- **Number of Plugs:** 2
- **Plug Configurations:** 5-15
- **Dimensions (H x W x D):** 3 1/5 x 3 1/3 x 2 1/4 in
- **Material Specifications:** White

Load Ratings

- **Resistive:** 15 A, 120 VAC
- **Heater:** 12 A, 120 VAC
- **Inductive Motor:** 1/2 HP
- **Tungsten Incandescent:** 1000 W, 120 VAC
- **Inductive (Fluorescent):** 12 A, 120 VAC

Electrical Specifications

- **Input Voltage Range(s):** 120 VAC, 60 Hz

Packaging

- **Carton Dimensions (H x W x L):** 3.375 x 3.375 x 3.062 in

Environmental Specifications

- **Usage Environments:** Indoor

Standards and Certifications

- **UL Certification:** cULus
- **Other Certifications and Compatibilities:** None
- **California Proposition 65:** Title 20

Product Usage Instructions

The DT620 Plug-In Timer is designed for quick and easy automation of various applications, particularly air movement, ventilation, and indoor lighting control. Follow the steps below to use the timer:

1. Plug the DT620 timer directly into a wall outlet.
2. Set the current time on the timer using the digital interface.
3. Program the desired ON/OFF events. You can program up to 28 events with options for a full 7-day schedule, including astronomical clock and automatic DST adjustment.
4. Utilize the random mode feature if desired.
5. Connect your devices to the two grounded receptacles of the timer.
6. Ensure that the included LR44 battery is properly inserted for backup in case of power outage.

Please note that technical specifications and other information are subject to change without notice. The actual product may vary from the images shown.

PRODUCT DESCRIPTION

Full feature plug-in timer provides full 7-day programming with astronomical clock and Daylight Saving Time (DST) adjustment in a convenient plug-in for quick and easy automation.

FEATURES

- 28 ON/OFF programmable events
- Full 7-day programming options, including astronomical clock, automatic DST adjustment and random mode
- Two grounded receptacles and a grounded plug
- LR44 battery backup (included)
- Plugs directly into wall outlet

APPLICATIONS

- Air Movement & Ventilation
- Indoor Lighting Control

TECHNICAL DATA

General	
Model Number	DT620
Description	7-Day Indoor Digital Plug-In Timer
UPC Code	078275125322
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited

Control Specifications	
Maximum ON/OFF Operations	28
Operation Features	Astronomic
Operation Mode	7 day
Backup Type	Battery
Battery Type	LR44
Mechanism Type	Digital/Electrical
Application Compatibilities	CFL; LED

Mechanical Specifications	
Number of Plugs	2
Plug Configurations	5-15

Dimensions	
Product Dimensions (H x W x D) in	3 1/5 x 3 1/3 x 2 1/4 in

Material Specifications	
Color	White

Load Ratings	
--------------	--

Resistive Heater	15 A, 120 VAC
Inductive	12 A, 120 VAC
Motor	1/2 HP
Tungsten Incandescent	1000 W, 120 VAC
Inductive (Fluorescent)	12 A, 120 VAC

Electrical Specifications

Input Voltage Range(s)	120 VAC, 60 Hz
------------------------	----------------

Packaging

Unit Carton Dimensions (H x W x L) in	3.375 x 3.375 x 3.062 in
---------------------------------------	--------------------------

Environmental Specifications

Usage Environments	Indoor
--------------------	--------

Standards and Certifications

UL Certification	cULus
Other Certifications and Compatibilities	Title 20
California Proposition 65	None

Documents / Resources

	<p>INTERMATIC DT620 Plug-In Timer [pdf] User Manual DT620 Plug-In Timer, DT620, Plug-In Timer, Timer</p>
---	--

References

- [🌐 Intermatic timers and manuals](#)