

[Home](#) » [Intesis](#) » **Intesis INKNXHAI016C000 Commercial and VRF Systems to KNX Interface**  
**Owner's Manual** 

## Intesis INKNXHAI016C000 Commercial and VRF Systems to KNX Interface



## Contents [ [hide](#) ]

- 1 Important Information
- 2 Features And Benefits
- 3 General
- 4 Identification And Status
- 5 Physical Features
- 6 Certifications And Standards
- 7 Use Case
- 8 Documents / Resources
  - 8.1 References

## Important Information

**Item number:** INKNXHAI016C000

The Haier-KNX gateway allows bidirectional communication between Haier Commercial and VRF systems and KNX installations. This communication brings total control of the AC unit from KNX, including monitoring of the AC unit's internal variables, running hours counter (for filter maintenance control), and error codes.

## Features And Benefits

### ✔ ETS configuration

The interface is configured using the ETS standard configuration tool software.

### ✔ Smooth KNX thermostat integration.

KNX thermostats are allowed to control the AC unit via the thermostat's temperature sensor.

### ✔ AC unit control by both remote controller and KNX

The AC unit can be simultaneously controlled by the manufacturer's remote controller and KNX.

### ✔ Compatible with all KNX thermostats in the market

All the required DPT objects to be compatible with all KNX thermostats in the market are available.

### ✔ Total unit control and monitoring from KNX

Through internal variables, running hours counter (for maintenance purposes), and error indication.

### ✔ **Small footprint**

The interface can be quickly installed inside the AC unit thanks to its reduced dimensions.

## **General**

Net Width (mm)	88
Net Height (mm)	56
Net Depth (mm)	90
Net Weight (g)	160
Packed Width (mm)	12
Packed Height (mm)	6
Packed Depth (mm)	9
Packed Weight (g)	200
Operating Temperature ° C Min	0
Operating Temperature ° C Max	60
Storage Temperature °C Min	-40
Storage Temperature °C Max	85
Power Consumption (W)	5.8
Input Voltage (V)	29 VDC

Power Connector	2-pole
Configuration	ETS
Capacity	Up to 16 indoor units.
Installation Conditions	This gateway is designed to be mounted inside an enclosure. If the unit is mounted outside an enclosure, precautions should always be taken to prevent electrostatic discharge to the unit. When working inside an enclosure (e.g., making adjustments, setting switches, etc.), typical anti static precautions should always be followed before touching the unit.
AC Model Compatibility	Haier VRV systems
Content of Delivery	Intesis gateway and installation manual.
Not Included (in delivery)	Communication cables.
Mounting	Wall mount
Housing Materials	Plastic
Warranty (years)	3 years
Packaging Material	Cardboard

## Identification And Status

Product ID	INKNXHAI016C000
Country of Origin	Spain
HS Code	8517620000
Export Control Classification Number (ECCN)	EAR99

## Physical Features


Connectors / Input / Output	KNX, HVAC port
LED Indicators	Gateway and communication status.
DIP & Rotary Switches	EIA-485 serial port configuration. Gateway settings.

## Certifications And Standards

ETIM Classification	EC001604
WEEE Category	IT and telecommunications equipment


## Use Case

Integration example.



**Intesis**<sup>®</sup>  
BY HMS NETWORKS

## Documents / Resources

	<p><a href="#">Intesis INKNXHAI016C000 Commercial and VRF Systems to KNX Interface [pdf]</a> Owner's Manual</p> <p>INKNXHAI016C000, INKNXHAI016C000 Commercial and VRF Systems to KNX Interface, Commercial and VRF Systems to KNX Interface, VRF Systems to KNX Interface, KNX Interface</p>
--	---

## References

- [User Manual](#)

Intesis

Commercial and VRF Systems to KNX Interface, INKNXHAI016C000, INKNXHAI016C000 Commercial and VRF Systems to KNX Interface, Intesis, KNX Interface, VRF Systems to KNX Interface

---

## Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment**

**Search:**

e.g. whirlpool wrf535swhz

**Search**

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.