



**Contents** [ [hide](#) ]

- [1 INTEX 48404NP Frame Pet Pool](#)
- [2 IMPORTANT SAFETY RULES](#)
- [3 PARTS REFERENCE](#)
- [4 POOL SETUP](#)
- [5 POOL MAINTENANCE & CHEMICALS](#)
- [6 LONG TERM STORAGE & DRAINAGE](#)
- [7 GENERAL AQUATIC SAFETY](#)
- [8 TROUBLESHOOTING](#)
- [9 LIMITED WARRANTY](#)
- [10 FAQ](#)
- [11 Documents / Resources](#)
  - [11.1 References](#)

# INTEX®

## INTEX 48404NP Frame Pet Pool



**Special Introductory note:**

Thanks for buying an Intex pool. Please read this manual before setting up your pool. This information will help extend the pool life and make the pool safer for your family's enjoyment. A team of 2 people is recommended for pool set up. Additional people will speed up the installation.

No tools are required for the assembly

## **IMPORTANT SAFETY RULES**

Read and follow all safety information and instructions. Failure to follow these warnings and instructions can result in serious injury or death to users, especially children. Refer to the model name or number stated on the packaging.

### **WARNING**

- Continuous and competent adult supervision of children and the disabled is required at all times.
- Never leave your child unattended – drowning hazard.
- Apply only to children above 3 years of age.
- Children, especially children younger than 5 years, are at high risk of drowning.
- Children can drown in very small amounts of water. Empty the pool when not in use.
- Keep children in your direct sight, stay close, and actively supervise them when they are in or near the pool and when you are filling and emptying the pool. When searching for a missing child, check the pool first, even if child is thought to be in the house.
- Store the empty pool in such a way that it does not collect water from rain or any other source.
- Keep unsupervised children from accessing the pool by installing fencing or other approved barrier around all sides of pool. State or local laws or codes may require fencing or other approved barriers. Check state or local laws and codes before setting up pool.
- Keep all electrical lines, radios, speakers and other electrical appliances away from the pool. Do not place pool near or under overhead electrical lines.
- Do not allow children to use or play with the pet ramp.
- Secure all doors, windows and safety barriers to prevent unauthorized, unintentional or unsupervised pool entry.

- Install a safety barrier that will eliminate access to the pool for young children and pets.
- Pool and pool accessories are to be assembled and disassembled by adults only.
- Never dive, jump or slide into an above-ground pool or any shallow body of water.
- Failure to set up pool on flat, level, compact ground or over filling could result in the pool's collapse and the possibility that a person lounging in the pool could be swept out/ejected.
- Do not lean, straddle, or exert pressure on the inflatable ring or top rim as injury or flooding could occur. Do not allow anyone to sit on, climb, or straddle the sides of the pool.
- Remove all toys and flotation devices from, in, and around the pool when it is not in use. Objects in the pool attract young children.
- Keep toys, chairs, tables, or any objects that a child could climb on at least four feet (1.22 meters) away from the pool.
- Keep rescue equipment by the pool and clearly post emergency numbers at the phone closest to the pool. Examples of rescue equipment: coast guard approved ring buoy with attached rope, strong rigid pole not less than twelve feet (12') [3.66m] long.
- Never swim alone or allow others to swim alone.
- Keep your pool clean and clear. The pool floor must be visible at all times from the outside barrier of the pool.
- If swimming at night use properly installed artificial lighting to illuminate all safety signs, ladders, pool floor and walkways.
- Stay away from the pool when using alcohol or drugs/medication.
- Keep children away from pool covers to avoid entanglement, drowning, or other serious injury.
- Pool covers must be completely removed before pool use. Children and adults cannot be seen under a pool cover.
- Do not cover the pool while you or anyone else is in the pool.
- Keep the pool and pool area clean and clear to avoid slips and falls and objects that may cause injury.
- Protect all pool occupants from recreational water illnesses by keeping the pool water sanitized. Don't swallow the pool water. Practice good hygiene.
- All pools are subject to wear and deterioration. Certain types of excessive or accelerated deterioration can lead to an operation failure, and can ultimately cause

the loss of large quantities of water from your pool. Therefore, it is very important that you properly maintain your pool on a regular basis.

- This pool is for outdoor use only. Only for domestic use.
- Properly store the pool when it is not in use for an extended period of time, such as during winter months. Please see “Long Term Storage & Drainage” section.
- While the swimming pool is in use, you will need to operate the filter pump to ensure that there is at least one complete turnover of water a day. Consult your pump’s manual to calculate the necessary operating hours.

POOL BARRIERS AND COVERS ARE NOT SUBSTITUTES FOR CONTINUOUS AND COMPETENT ADULT SUPERVISION. POOL DOES NOT COME WITH A LIFEGUARD. ADULTS ARE THEREFORE REQUIRED TO ACT AS LIFEGUARDS OR WATER WATCHERS AND PROTECT THE LIVES OF ALL POOL USERS, ESPECIALLY CHILDREN, IN AND AROUND THE POOL.

FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN PROPERTY DAMAGE, SERIOUS INJURY OR DEATH.

**Advisory:**

Pool owners may need to comply with local or state laws relating to childproof fencing, safety barriers, lighting, and other safety requirements. Customers should contact their local building code enforcement office for further details.

**SAVE THESE INSTRUCTIONS**

Please read, understand, and follow all instructions carefully before installing and using this product. These warnings, instructions, and safety guidelines address some common risks of water recreation, but they cannot cover all risks and dangers in all cases. Always use caution, common sense, and good judgment when enjoying any water activity. Keep for future reference. Packaging must be read carefully and kept for future reference. See product for additional warnings.

**General**

- Check pins, bolts and/or screws for rust; splinters or any sharp edges regularly, especially accessible surfaces, to avoid injuries.

## **Non swimmers safety**

- Continuous, active, and vigilant supervision of weak swimmers and non-swimmers by a competent adult is required at all times (remembering that children under five are at the highest risk of drowning).
- Designate a competent adult to supervise the pool each time it is being used.
- Weak swimmers or non-swimmers should wear personal protection equipment when using the pool.
- When the pool is not in use, or unsupervised, remove all toys from the swimming pool and its surrounding to avoid attracting children to the pool.

## **Safety devices**

- It is recommended to install a barrier (and secure all doors and windows, where applicable) to prevent unauthorized access to the swimming pool.
- Barriers, pool covers, pool alarms, or similar safety devices are helpful aids, but they are not substitutes for continuous and competent adult supervision.

## **Safety equipment**

- It is recommended to keep rescue equipment (e.g. a ring buoy) by the pool.
- Keep a working phone and a list of emergency phone numbers near the pool.

## **Safe use of the pool**

- Encourage all users especially children to learn how to swim.
- Learn Basic Life Support (Cardiopulmonary Resuscitation – CPR) and refresh this knowledge regularly. This can make a life-saving difference in the event of an emergency.
- Instruct all pool users, including children, what to do in case of an emergency.
- Never dive into any shallow body of water. This can lead to serious injury or death.
- Do not use the swimming pool when using alcohol or medication that may impair your ability to safely use the pool.
- When pool covers are used, remove them completely from the water surface before entering the pool.


- Protect pool occupants from water related illnesses by keeping the pool water treated and practicing good hygiene. Consult the water treatment guidelines in the user's manual.
- Store chemicals (e.g. water treatment, cleaning or disinfection products) out of the reach of children.
- Removable ladders shall be placed on a horizontal surface.
- Observe and follow the warnings and safety signs on the pool wall.

## **SAFETY WARNING FOR PET**

- Do not let your pet enter the pool before it is filled with water.
- Familiarize your pet with the product. Never force the pet to enter the pool.
- Supervise and keep a close eye on your pet in the pool. Accidental pet drownings do happen.
- Do not allow your pet to enter the pool if the water is too cold to avoid hypothermia.
- Check with a veterinarian prior to using this product if your pet is sick or has an open wound.
- Do not allow your pet to drink the pool water, provide a separate source of drinking water.
- Do not allow your pet to bite, chew, or stand on the edge of the product.
- Watch your pet's play behavior in and around the pool, especially if you have more than one pet, to avoid injury to pets and especially to children if they are around.
- Trim your pet's nails before use to avoid scratching or puncturing the product.
- De-shed or brush, and hose off your pet before allowing them to enter the pool.
- Remove any sharp objects such as pet chew toys from the pool.
- Replace water after use by your pet.
- Ramp for pet use only. Remove ramp when not in use.

## **PARTS REFERENCE**


Before assembling your product, please take a few minutes to check the contents and become familiar with all the parts.



**SIZE:** 60" X 60" X 12"

(1.52m x 1.52m x 30.5cm)

NOTE: Drawings for illustration purpose only. Actual product may vary. Not to scale.



**SIZE: 90" X 60" X 18"**

(2.29m x 1.52m x 45.7cm)

NOTE: Drawings for illustration purpose only. Actual product may vary. Not to scale.

REF. NO.	DESCRIPTION	60" x 60" x 12" (1.52m x 1.52m x 30.5cm)		90" x 60" x 18" (2.29m x 1.52m x 45.7cm)	
		SPARE PART NO.	QUANTITIES	SPARE PART NO.	QUANTITIES



1	HORIZONTAL BEAM (A)	10947	4	10947	4
2	HORIZONTAL BEAM (B)	10952	4	10952	2
3	HORIZONTAL BEAM (C)	/	/	10947	2
4	HORIZONTAL BEAM (D)	/	/	10952	2
5	CORNER JOINT (WITH CORNER SEAT)	10573A	4	10573A	4
6	PIN (WITH 2 EXTRA)	10574	12	10574	12
7	“T” JOINT	10967A	4	10967A	6
8	SIDE LEG	13476	4	13478	6
9	“INVERTED T” SIDE LEG END CAP	11874	4	11874	6
10	VERTICAL CORNER LEG (E)	13477	4	13479	4
11	VERTICAL LEG END CAP	10576	4	10576	4
12	POOL LINER (DRAIN VALVE CAP INCLUDED)	13467	1	13468	1
13	STRAINER HOLE PLUG	10127	3	10127	3
14	DRAIN CONNECTOR	10201	1	10201	1
15	DRAIN VALVE CAP	10649	1	10649	1
16	SKIMMER NUT	13473	1	13473	1
17	SKIMMER WASHER	13474	1	13474	1
18	SKIMMER BODY	13475	1	13475	1
19	SKIMMER FILTER SCREEN	13472	1	13472	1

20	POOL COVER	13469	1	13470	1
21	DRAIN VALVE FILTER (PRE-INSTALLED INSIDE DRAIN VALVE)	13480	1	13480	1
22	RAMP	/	/	13471	1

## POOL SETUP

### IMPORTANT SITE SELECTION AND GROUND PREPARATION INFORMATION

#### WARNING

- The pool location must allow you to secure all doors, windows, and safety barriers to prevent unauthorized, unintentional or unsupervised pool entry.
- Install a safety barrier that will eliminate access to the pool for young children and pets.
- Failure to set up the pool on flat, level, compact ground and to assemble and fill with water in accordance with the following instructions could result in the pool's collapse or the possibility that a person lounging in the pool could be swept out/ejected, resulting in serious injury or property damage.
- Risk of electric shock: connect the filter pump only to a grounding type receptacle protected by a ground-fault circuit interrupter (GFCI) or residual current device (RCD). To reduce the risk of an electrical shock, do not use extension cords, timers, plug adapters or converter plugs to connect the pump to an electrical supply. Always provide a properly located outlet. Locate the cord where it cannot be damaged by lawn mowers, hedge trimmers, and other equipment. See the filter pump manual for additional warnings and instructions.
- Risk of serious injury: do not attempt to assemble pool in high wind conditions.

Select an outdoor location for the pool with the following requirements in mind:

1. Do not set up the pool on a slope or inclined surfaces. The area where the pool is to be set up must be absolutely flat and level, and at least 2m away from any structure or obstruction such as a fence, garage, house, overhanging branches, laundry lines or


electrical wires.

2. The ground surface must be compacted and firm enough to withstand the pressure and weight of a fully set up pool.
3. Do not install the paddling pool on mud, sand, soft or loose soil condition, deck, platform, balcony, concrete, asphalt or any other hard surfaces.
4. Grass under the pool will be damaged. Splash out chlorinated pool water could damage the surrounding vegetation.
5. Eliminate all aggressive grasses first. Certain types of grass such as St. Augustine and Bermuda, may grow through the liner. Grass growing through the liner it is not a manufacture defect and is not covered under warranty.
6. The area shall facilitate drainage of the pool water after each use and/or for long term pool storage.

The pump has its own separate set of installation instructions. First assemble your pool unit and then set up the filter pump.

Estimated assembly time 30 minutes. (Note the assembly time is only approximate and individual assembly experience may vary.)

1. Find a flat, level location that is free and clear of stones, branches or other sharp objects that may puncture the pool liner or cause injury.
    - Open the carton carefully as this carton can be used to store the pool during the winter months or when not in use.
- Remove the liner (12) from carton and spread it out over the ground with the drain valve towards the draining area. Place the drain valve away from the house. Spread it out completely with its edges being at least 6' (2.0m) from any obstacle such as walls, fences, trees, etc. Open it up to warm it in the sun. This warming will make installation easier. Be sure to face the end with the hose connectors towards the electrical power source.





**IMPORTANT:** Always set up the pool unit with at least 2 persons. Do not drag the liner across the ground as this can cause liner damage and pool leakage (see drawing 1).

During the set-up of the pool liner, point the hose connections or openings in the direction of the electric power source. The outer edge of the pool should be within reach of the pump's electrical connection.

2. Remove all the parts from the carton(s) and place them on the ground in the location where they are to be assembled. Check the parts listing and be sure all the pieces to be assembled are accounted for (see drawing 2 & 2.1).

**IMPORTANT:** Do not start assembly if any pieces are missing. For replacement pieces call the Consumer Service telephone number in your area.

After all pieces are accounted for, move the pieces away from the liner for of installation.




3. For 60" X 60" X 12" (1.52m x 1.52m x 30.5cm):

Starting with one side, slide the "A" beams first into the sleeve openings located in each corner. Continue with "B" beam snapping into the "A" beam. Insert the beam through the "T" joint at each liner sleeve middle opening (see drawing 3).



**For 90" X 60" X 18" (2.29m x 1.52m x 45.7cm):**

Starting with one side, slide the “A” beams first into the sleeve openings located in each corner. Continue with “B” beam snapping into the “A” beam. Insert the beam through the “T” joint at each liner sleeve middle opening (see drawing 3.1). Continue inserting all “A-B & C-D” beams into the sleeve openings. Start the “C-D” combination for pool’s short sides by inserting the “C” beam first into the opening. The combinations for beams are different for different sizes of pools, see the chart below for detail.





Size of Pool	No. of “Inv erted T” si des suppor t leg on lon ger side	No. of “Inv erted T” si des suppor t Leg on sh orter side	Horizontal Beam Combinatio ns on long er side	Horizontal Beam Com binations o n shorter si de
60" x 60" x 12" (1.52m x 1.52 cm x 30.5cm)	1	1	A-B	A-B
90" x 60" x 218" (2.29m x 1.5 2m x 45.7cm)	2	1	A-A-B	C-D


- Connect the corner joints (5) to the horizontal beams at 4 corners. Secure the joints with the pins (6) by inserting them into the pre-drilled holes (see drawing 4).
- Connect the vertical corner legs (10) to the corner top rail joints (5) (see drawing 5).  
NOTE: The vertical corners legs (10) are marked with the letter (E). Make sure they are not used as side legs (8) or vice versa.
- Attached the leg’s end cap (11) to the bottom of the vertical legs (10) (see drawing 5).




7. Connect the “Inverted T” side leg end cap (9) to the side leg (8) (see drawing 6.1). Push the side leg (8) downward to ensure the “Inverted T” side leg end cap is fully inserted. NOTE: The side legs (8) have a notch on one side of the leg. Make sure they are not used as vertical corner legs (10). Pull the restrainer straps out from under the liner. Stretch the restrainer straps towards the matching sides support legs. Hook the respective sleeves of the restrainer strap to the base of the sides support legs (8) (see drawing 6.2).
8. Connect the side legs (8) to the “T” joints (7). NOTE: The side leg (8) simply fit snugly in the “T” joint (7) without any pin. Make sure the “Inverted T” is aligned and parallel with the pool wall (see drawing 6.2).



## 9. Skimmer installation




10. Ramp installation for 90" X 60" X 18" (2.29m x 1.52m x 45.7cm): **CAUTION:** Risk of pinching: keep fingers and hands away from hinges and movable openings. Remove the pins first. Fully extend and open the ramp. Ensure the pet resting platform vertical supports are locked in place before use. Pet resting platform maximum weight capacity: 50 kg (110 lb). Do not step, stand and/or sit on the ramp or platform. Ramp for pet use only.



11. Before filling the pool with water, ensure that the drain plug inside the pool is closed and that the drain cap on the outside is screwed on tightly. Fill the pool with no more than 1 inch (2.5 cm) of water. Check to see whether the water is level. **IMPORTANT:** If the water in the pool flows to one side, the pool is not completely level. Setting up the pool on unlevelled ground will cause the pool to tilt resulting in the sidewall material to bulge and a potential collapse of the pool. If the pool is not completely level, you must drain the pool, level the area and re-fill the pool, following the above directions.

Smooth out the remaining wrinkles (from inside the pool) by pushing out where the pool floor and pool sides meet. Or (from outside pool) reach under the pool side of the pool, grasp the pool floor and pull it out.

12. Fill the pool with water between the MAX and MIN marked on the skimmer (see drawing 9). Frame structure will lean inward after having been filled with water to the recommended level. Do not be concerned by the inward leaning of the side walls, this is to accommodate the water movement and pressure when the pool is in use.



## **IMPORTANT**

Before allowing anyone to use the pool, hold a family meeting. Establish a set of rules that include, at a minimum, the important safety rules and general aquatic safety information in this manual. Review these rules on a regular basis and with all users of the pool, including guests.

## **POOL MAINTENANCE & CHEMICALS**

### **WARNING**

### **REMEMBER TO**



- Protect all pool occupants from possible water-related illnesses by keeping the pool water clean and sanitized. Do not swallow the pool water. Always practice good hygiene.
- Keep your pool clean and clear. The pool floor must be visible at all times from the outside barrier of the pool.
- Keep children away from pool covers to avoid entanglement, drowning, or other serious injury.

## **Water maintenance**

The maintenance of a proper water balance through appropriate use of sanitizers is the single most important factor in maximizing the life and appearance of the liner as well as ensuring clean, healthy and safe water. Proper technique is important for testing and treating the pool water. See your pool professional for chemical, test kits and testing procedures. Be sure to read and follow the written instructions from the chemical manufacturer.

1. Never let chlorine come in contact with the liner if it is not completely dissolved.  
Dissolve granular or tablet chlorine first in a bucket of water, then add it to the pool water. Likewise with liquid chlorine; mix it immediately and thoroughly with the pool water.
2. Never mix chemicals together. Add the chemicals to the pool water separately.  
Thoroughly dissolve each chemical before adding another one to the water.
3. An Intex pool skimmer and an Intex pool vacuum are available to assist in maintaining clean pool water. See your pool dealer for these pool accessories.
4. Do not use a pressure washer to clean the pool.

**CAUTION ALWAYS FOLLOW THE CHEMICAL MANUFACTURER'S DIRECTIONS, AND THE HEALTH AND HAZARD WARNINGS.**


Do not add chemicals if the pool is occupied. This can cause skin or eye irritation. Concentrated chlorine solutions can damage the pool liner. In no event is Intex Recreation Corp., Intex Development Co. Ltd., their related companies, authorized agents and service centers, retailers or employees liable to the buyer or any other party for costs associated with the loss of pool water, chemicals or water damage. Keep spare filter cartridges on hand. Replace cartridges every two weeks. We recommend the use

of a Krystal Clear® Intex Filter Pump with all of our above-ground-pools.

**EXCESSIVE RAIN:** To avoid damage to the pool and over filling, immediately drain rain water that causes the water level to be higher than the maximum.

## LONG TERM STORAGE & DRAINAGE








1. Check local regulations for specific directions regarding disposal of swimming pool water.
2. Attach the female end of the garden hose to the drain connector (14).
3. Place the other end of the hose in an area where the water can be safely drained away from the house and other nearby structures.
4. If the drain valve filter (21) is not inside the drain valve: from inside of the pool, open the drain valve plug and insert the drain valve filter (21) into the drain valve (see drawing 10).
5. From outside of the pool, open the drain cap and attach the drain connector with garden hose.



6. When the water stops draining, start lifting the pool from the side opposite the drain, leading any remaining water to the drain and emptying the pool completely.
7. Disconnect hose and adapter when finished.
8. Clean any hair, debris from the drain valve filter (21), keep the drain valve filter inside the drain valve, and re-insert drain plug in drain valve on inside of pool.
9. Replace drain cap on outside of pool.
10. Reverse the set-up instructions to disassemble the pool, and remove all connecting parts.
11. Be sure that the pool and all parts are completely dry before storage. Air dry the liner

in the sun until completely dry before folding (see drawing 11). Sprinkle some talcum powder to prevent the vinyl from sticking together and to absorb any residual moisture.

12. Create rectangular shape. Starting at one side, fold one-sixth of liner in on itself twice. Do the same on the opposite side (see drawings 12.1 & 12.2).
13. Once you have created two opposing folded sides, simply fold one over the other like closing a book (see drawings 13.1 & 13.2).
14. Fold the two long ends to the middle (see drawing 14).
15. Fold one over the other like closing a book and finally compact the liner (see drawing 15).
16. Safely store the empty pool in such a way that it does not collect water from rain or any other source, and to prevent from being blown away by strong wind. Store the liner and accessories in a dry, temperature controlled, between 32 degrees Fahrenheit (0 degrees Celsius) and 104 degrees Fahrenheit (40 degrees Celsius), storage location.
17. The original packing can be used for storage.



## GENERAL AQUATIC SAFETY

Water recreation is both fun and therapeutic. However, it involves inherent risks of injury and death. To reduce your risk of injury, read and follow all product, package and package insert warnings and instructions. Remember, however, that product warnings, instructions and safety guidelines cover some common risks of water recreation, but do not cover all risks and or dangers.

For additional safeguards, also familiarize yourself with the following general guidelines as well as guidelines provided by nationally recognized Safety Organizations:

- Demand constant supervision. A competent adult should be appointed as a “lifeguard” or water watcher, especially when children are in and around the pool.
- Learn to swim.
- Take the time to learn CPR and first aid.
- Instruct anyone who is supervising pool users about potential pool hazards and about the use of protective devices such as locked doors, barriers, etc.
- Instruct all pool users, including children what to do in case of an emergency.
- Always use common sense and good judgement when enjoying any water activity.
- Supervise, supervise, supervise.

## TROUBLESHOOTING

PROBLEM	DESCRIPTION	CAUSE	SOLUTION
<b>ALGAE</b>	<ul style="list-style-type: none"> <li>• Greenish water.</li> <li>• Green or black spots on pool liner.</li> <li>• Pool liner is slippery and/or has a bad odor.</li> </ul>	<ul style="list-style-type: none"> <li>• Chlorine and pH level need adjustment.</li> </ul>	<ul style="list-style-type: none"> <li>• Super chlorinate with shock treatment. Correct pH to your pool store’s recommended level.</li> <li>• Vacuum pool bottom.</li> <li>• Maintain proper chlorine level.</li> </ul>
<b>COLORED WATER</b>	<ul style="list-style-type: none"> <li>• Water turns blue, brown, or black when first treated with chlorine.</li> </ul>	<ul style="list-style-type: none"> <li>• Copper, iron or manganese in water being oxidized by the added chlorine.</li> </ul>	<ul style="list-style-type: none"> <li>• Adjust pH to recommended level.</li> <li>• Run filter until water is clear.</li> <li>• Replace cartridge frequently.</li> </ul>

<b>FLOATING MATTER IN WATER</b>	<ul style="list-style-type: none"> <li>• Water is cloudy or milky.</li> </ul>	<ul style="list-style-type: none"> <li>• “Hard water” caused by a too high pH level.</li> <li>• Chlorine content is low.</li> <li>• Foreign matter in water.</li> </ul>	<ul style="list-style-type: none"> <li>• Correct the pH level. Check with your pool dealer for advice.</li> <li>• Check for proper chlorine level.</li> <li>• Clean or replace your filter cartridge.</li> </ul>
<b>CHRONIC LOW WATER LEVEL</b>	<ul style="list-style-type: none"> <li>• Level is lower than on previous day.</li> </ul>	<ul style="list-style-type: none"> <li>• Rip or hole in pool liner or hoses.</li> </ul>	<ul style="list-style-type: none"> <li>• Repair with patch kit.</li> <li>• Finger tighten all caps.</li> <li>• Replace the hoses.</li> </ul>
<b>SEDIMENT ON POOL BOTTOM</b>	<ul style="list-style-type: none"> <li>• Dirt or sand on pool floor.</li> </ul>	<ul style="list-style-type: none"> <li>• Heavy use, getting in and out of pool.</li> </ul>	<ul style="list-style-type: none"> <li>• Use Intex pool vacuum to clean bottom of pool.</li> </ul>
<b>SURFACE DEBRIS</b>	<ul style="list-style-type: none"> <li>• Leaves, insects etc.</li> </ul>	<ul style="list-style-type: none"> <li>• Pool too close to trees.</li> </ul>	<ul style="list-style-type: none"> <li>• Use Intex pool skimmer.</li> </ul>

## LIMITED WARRANTY

Your Intex Pool has been manufactured using the highest quality materials and workmanship. All Intex products have been inspected and found free of defects prior to leaving the factory. This Limited Warranty applies to the Intex Pool only.

This limited warranty is in addition to, and not a substitute for, your legal rights and remedies. To the extent that this warranty is inconsistent with any of your legal rights, they take priority. For example, consumer laws across the European Union provide statutory warranty rights in addition to the coverage you receive from this limited

warranty: for information on EU-wide consumer laws, please visit the European Consumer Center website at [http://ec.europa.eu/consumers/ecc/contact\\_en/htm](http://ec.europa.eu/consumers/ecc/contact_en/htm) .

The provisions of this Limited Warranty apply only to the original purchaser and are not transferable. This Limited Warranty is valid for the period noted below from the latter of the date of the initial retail purchase or delivery. Keep your original sales receipt with this document, as proof of purchase will be required and must accompany warranty claims or the Limited Warranty will be invalid.

- Pool Liner and Frame Warranty – 1
- Year Ramp & Skimmer Accessory Warranty – 1 Year

If you find a manufacturing defect in the Intex Pool during the warranty period noted above, please contact the appropriate Intex Service Center listed in the separate “Authorized Service Centers” sheet. If the item is returned as directed by the Intex Service Center, the Service Center will inspect the item and determine the validity of the claim. If the item is covered by the provisions of the warranty, the item will be repaired or replaced, with the same or comparable item (at Intex’s choice) at no charge to you. Other than this warranty, and other legal rights in your country, no further warranties are implied. To the extent possibly in your country, in no event shall Intex be liable to you or any third party for direct or consequential damages arising out of the use of your Intex Pool, or Intex or its agents’ and employees’ actions (including the manufacture of the product). If your country does not allow the exclusion or limitation of incidental or consequential damages, this limitation or exclusion does not apply to you.

You should note that this limited warranty does not apply in the following circumstances:

- If the Intex Pool is subject to negligence, abnormal use or application, accident, improper operation, improper maintenance or storage.
- If the Intex Pool is subject to damage by circumstances beyond Intex’s control, including but not limited to, punctures, tears, abrasions, ordinary wear and tear and damage caused by exposure to fire, flood, freezing, rain, or other external environmental forces;
- To parts and components not sold by Intex; and/or
- To unauthorized alterations, repairs or disassembly to the Intex Pool by anyone other than Intex Service Center personnel.

The costs associated with the loss of pool water, chemicals or water damages are not covered by this warranty. Injury or damage to any property or person is not covered by this warranty.

Read the owner’s manual carefully and follow all instructions regarding proper operation and maintenance of your Intex Pool. Always inspect your product prior to use. This limited warranty will be void if use instructions are not followed.

©2025 Intex Marketing Ltd. – Intex Development Co. Ltd. – Intex Recreation Corp. All rights reserved

®™ Trademarks used in some countries of the world under license from  
The Netherlands • Distributed in the UK by  
Unitex Service (UK) Limited, 124 City Road, London, England, EC1V 2NX, UK.  
[www.intexcorp.com](http://www.intexcorp.com)

FAQ

- **Q: Do I need any tools for assembling the pool?**  
A: No, tools are not required for assembly.
- **Q: How many people are recommended for setting up the pool?**  
A: A team of 2 people is recommended for pool setup, but additional help can expedite the process.

Documents / Resources

	<a href="#">INTEX 48404NP Frame Pet Pool [pdf]</a> Owner's Manual 48404NP, 124IO-R2-2501, 48404NP Frame Pet Pool, Frame Pet Pool, Pet Pool
---	---

References

- [User Manual](#)

🔖 124IO-R2-2501 , 48404NP, 48404NP Frame Pet Pool, Frame Pet Pool, INTEX, Pet

# Leave a comment

Your email address will not be published. Required fields are marked \*

Comment \*

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

**Post Comment**

**Search:**

e.g. whirlpool wrf535swhz

**Search**

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.