



intratone 32-0003 Dita Create Module Camera Instructions

[Home](#) » [intratone](#) » intratone 32-0003 Dita Create Module Camera Instructions 

Contents

- [1 intratone 32-0003 Dita Create Module Camera](#)
- [2 AUDIO CALL](#)
- [3 VIDEO CALL](#)
- [4 DIMENSION](#)
- [5 Drill the support](#)
- [6 Numbering of the buttons:](#)
- [7 Warranty Operating Guarantees](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)




intratone 32-0003 Dita Create Module Camera




AUDIO CALL




VIDEO CALL



DIMENSION




Drill the support




Support:

- Thickness 8 mm maximum.
- Push the rear support in as far as possible, then adjust the tightening with the screws.
- Check that all notches in the frame are in place.

Space between two modules (example):




Connection of the different éléments :




For laying a label number (32-0004) greater than 28, use a Repeater (32-1002).




03-0102




VENTOUSE / MAGNET LOCK



GACHE / ELECTRIC LOCK



Numbering of the buttons:



- We must define the number of each label, this number will be useful in the management site www.intratone.info
- At the back of the camera module, there is an "Init" button. Press it for 10 seconds.
- All screens will show "???" . Press the label keys in the desired order from first to last. 30 seconds of inactivity close the configuration.

www.intratone.info.

1

Go to the residence

2

Click "Create", choose your intercom and name it

3

Now let's configure the digital labels :

4

Now you need to "Central unit settings "

5

Choose the button to configure and fill in the fields.
Repeat for all digital labels.

6

Update the residence

Warranty Operating Guarantees

- The VIDEO INTERCOM WITH DIGITAL NAME is guaranteed within a temperature range of -20°C and +60°C and at a relative humidity level not exceeding 70%.
- It must be installed according to the Top/Bottom directions given in these instructions and on the device.
- The installation must be carried out by qualified personnel with the necessary knowledge for a safe assembly of the equipment.
- This kit includes the necessary elements to ensure a safe installation of the equipment. Finland, Norway, Sweden: Do not install outside because of extreme temperature.


End-of-life recycling of the product:

- The VIDEO INTERCOM WITH DIGITAL NAME and its accessories must not be discarded with unsorted municipal waste, but must be disposed of via the WEEE (Waste Electrical and Electronic Equipment) collection and recycling system.

Simplified declaration of conformity

- The undersigned, COGELEC, declares that access control type radio equipment for collective housing is in compliance with Directive 2014/53 / EU (RED).
- The full text of the EU Declaration of Conformity is available at the following internet address:
<http://www.intratone.fr/documentation>. <http://certificates.intratone.com/>.
- V233-5032-AD 17

Documents / Resources

	<p>intratone 32-0003 Dita Create Module Camera [pdf] Instructions 32-0003, 03-0102, 03-0101, 32-0003 Dita Create Module Camera, Dita Create Module Camera, Create Module Camera, Module Camera</p>
---	---

References

- [Cogelec :: certifications](#)
- [Documentations - Intratone](#)
- [Intratone - Site de gestion](#)
- [User Manual](#)