

IQUNIX L80 Series Formula Typing Wireless Mechanical Keyboard User Guide

Home » IQUNIX » IQUNIX L80 Series Formula Typing Wireless Mechanical Keyboard User Guide





L80 Series Formula Typing Wireless Mechanical Keyboard User Guide



Start Reading

Please read this manual guide and cautions to ensure that using this product correctly. **Details**





- A .Type-C Port
- B. Indicator
- C . Feet
- D. Mode Switch
- E . Silicone Pads

Contents [hide

- 1 Product Specification
- 2 Three Ways of Connecting Devices
- **3 LED Indicator Status Description**
- 4 Mac / Windows Layout Switch
- 5 Documents / Resources
- **6 Related Posts**

Product Name: LIME 80

Keyboard Type: Mechanical Keyboard

Key Quantity: 83 Keys

Keyboard Material: ABS Case + PBT

Keycaps Character Technology Dye Sublimation

Large Key Structure: Costar Stabilizers Rating: 5V-1A

Connect Interface: USI3 Type-C Cable

Length: 180cm

Dimensions: 325.162,45mm Origin: Shenzhen, China Web: <u>www. IQUNIX.store</u>

Support E-mail: support@iqunix.store
Three Ways of Connecting Devices
Bluetooth Connection Mode

Three Ways of Connecting Devices

Bluetooth Connection Mode








- 1. Toggle the keyboard Mode and Switch to the wireless side
- 2. Press FN+1, then hold FN+1 for 5 seconds if the Indicator blinks in blue light. (Bluetooth matching mode on

when blue light blinks.)

- 3. Enable Bluetooth matching (Computer / Phone / Tablet)
- 4. Select the matching device (IQUNIX LIME80 BT 1]
- 5. Indicator light turning off when matching successfully.

If you need to connect a new device, please hold FN+1 for 5 seconds to remove the previous device. When the LED indicator blinks blue light, you can connect your device following Step 3.

2.4GHz Connection Mode






- 1. Toggle the keyboard Mode Switch to the wireless side.
- 2. Plug the 2.4GHz receiver into your computer.
- 3. Press FN+4 to enter 2.4GHz matching mode (2.4GHz matching mode on when pink light blinks.)




4. The indicator light turning off means successful matching.

Wired Connection Mode




For Wireless Version, toggle the keyboard



2. Thay the GGB dable line year device

Function Keys Combinations




LED Indicator Keys Combinations (RGB Version)




Special Keys Combinations (Hold for 5 seconds)

Mac / Windows Layout Switching



Special Keys Combinations us (Wireless Mode)



The LED Indicator blinks 1, 2, 3,...10 times, which stands for 10%, 20%, 30%,...100% battery level.

LED Indicator Status Description

Device Charging and Battery Status

*	*	•	*
Yellow Light Blinking	Green Light Blinking 3 Times	Green Light On	Red Light Blinking
Charging	Charging Completed (Wired Mode)	Charging Completed (Wireless Mode)	Less than 10% (Wireless Mode)


Bluetooth Device Matching



Special Status




2.4GHz Mode








Hold for 5 seconds to switch the layout between macOS and Windows systems.



To learn more details, please reach out to us on the official website or on social media. Official website : www.lQUNIX.store

Follow us: @ IQUNIX



Download IQUNIX Official App



https://www.iqunix.com/downloadh5.html

(Brand: IQUNIX
Origin: China
Shenzhen Silver Storm Technology Co., Ltd.
400-1788-905

Documents / Resources



<u>IQUNIX L80 Series Formula Typing Wireless Mechanical Keyboard</u> [pdf] User Guide L80 Series, Formula Typing Wireless Mechanical Keyboard, Wireless Mechanical Keyboard, M echanical Keyboard

Manuals+, home

privacy