



ITC 69722 and 69723 High Output Docking Light Installation Guide

[Home](#) » [ITC](#) » ITC 69722 and 69723 High Output Docking Light Installation Guide 

Contents


- [1 ITC 69722 and 69723 High Output Docking Light](#)
- [2 PARTS NEEDED](#)
- [3 Safety Instructions](#)
- [4 INSTALLATION INSTRUCTION](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)



ITC 69722 and 69723 High Output Docking Light



PARTS NEEDED


		
Docking Light	Power Drill (not provided)	Wire Nuts (not provided)

Safety Instructions

- Disconnect power before installing, adding or changing any component.
- To avoid a hazard to children, account for all parts and destroy all packing materials.
- **Operating Voltage:** 10 – 14V DC

INSTALLATION INSTRUCTION


1. Cut hole in mounting surface using 0.875" hole saw
2. Thread nut onto back of light and tighten securely
3. Attach wires to the power source, red is positive, black is neutral



For warranty information please visit www.itc-us.com/warranty-return-policy

3030 Corporate Grove Dr. Hudsonville, MI 49426 Phone: 616.396.1355
itc-us.com

Documents / Resources

	ITC 69722 and 69723 High Output Docking Light [pdf] Installation Guide 69722 and 69723 High Output Docking Light, 69722, 69723, 69722 High Output Docking Light, 69723 High Output Docking Light, High Output Docking Light, High Output Light, Docking Light, Light
---	--

References

-  [ITC Warranty & Return Policy](#)

Manuals+.