



J-TECH DIGITAL JTD-653 Vertical Mouse User Manual


[Home](#) » [J-TECH DIGITAL](#) » J-TECH DIGITAL JTD-653 Vertical Mouse User Manual 

Contents

- [1 J-TECH DIGITAL JTD-653 Vertical Mouse](#)
- [2 Contents](#)
- [3 Button Function](#)
- [4 Features](#)
- [5 Specification](#)
- [6 Receiver Connection](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)



J-TECH DIGITAL JTD-653 Vertical Mouse




Thank you for choosing our wireless vertical mouse.
Please read the user manual carefully when using this product.

Contents

- Wireless vertical mouse —X1
- User manual —X1
- AA battery (optional) —X1
- USB Nano receiver (stored in the battery compartment) —X1

Button Function



①	Forward
②	DPI cycle
③	Backward
④	Scroll wheel
⑤	Left click
⑥	Right click
⑦	ON/OFF button
⑧	USB receiver

Features

- Ergonomic vertical left-handed design
- 2.4G wireless mouse, 10m effective distances
- Small and portable

Specification

DPI	800 /1200 /1600/2400
Polling rate	125Hz
Working Voltage	1.5V
Working Current	< 10mA

Receiver Connection

Slide the ON/OFF button(Button 8) to the “ON” position, then plug and play.

The red light(below the side keys) will flash once if you shift the DPI to the first gear, will flash twice when you shift

the DPI to the second gear, and so on. Also it will flash when the voltage is low.


Building Up the Connection Between Mouse and Receiver

If the connection brake off, try to rematch the code as the following steps:
Insert the receiver to device, then press the left and right button at the same time and slide the ON/OFF button (Button 8) to the “ON” position. After 3s the mouse can work normally. If the rebuilding failed, repeat the above steps.

Debugging Tips

- Make sure the receiver is plugged in the USB port.
- Make sure the distance between mouse and device in 1 Om.
- Make sure the ON/OFF button are slide to”ON”position

Documents / Resources

	<p>J-TECH DIGITAL JTD-653 Vertical Mouse [pdf] User Manual JTD-653 Vertical Mouse, JTD-653, Vertical Mouse</p>
---	---