Skip to content

Manuals+

User Manuals Simplified.

j5create JVA14 4K Game Capture Station feature j5create JVA14 4K Game Capture Station feature Capture Station Installation

Guide

Home » j5Create » j5create JVA14 4K Game Capture Station Installation Guide 🖫

Contents


- 1 j5create JVA14 4K Game Capture Station
- 2 Inside the box
- **3 Connection**
- **4 Features**
- **5 System Requirements**
- **6 Recommended Software**
- **7 Installation**
- **8 LED Indicator**
- **9 TECHNICAL SUPPORT**
- 10 Documents / Resources
- **10.1 References**
- **11 Related Posts**




j5create JVA14 4K Game Capture Station



Inside the box



Connection



Features

- Uncompressed 4K@30 Capture + 4K@60 HDR passthrough
- Ultra-low latency stream with high-performance USB-C® 3.2 connection
- LED indicator to keep track of USB™ speeds and compression rates
- No driver installation required

System Requirements

- Available USB-C® or USB™ Type-A port (USB™ 3.2 / 3.0 is recommended)
- Recommended system requirements to achieve 4K@30 capture and 4K@60 passthrough:
- Windows® 7 or later
- macOS® 10.12 or later
- Android[™] 8.1 and higher
- CPU: Intel® Core™ i7 6700HQ or above
- GPU: NVIDIA® GTX 960M or above
- RAM: 8 GB or above

Recommended Software

Windows®: OBS™, XSplit® Broadcaster

macOS® : OBS™, QuickTime®
 Android™ : CameraFi™ Live

Installation

- Step 1. Connect the HDMI[™] cable from JVA14 HDMI[™] input port to the HDMI[™] port on the source device (such as a game console) that will be recorded/streamed live.
- Step 2. Connect to the computer using the supplied USB-C® to Type-A or USB-C® cable.
- Step 3. Use a third-party program (such as OBS™, etc.) to begin the livestream or recording.

LED Indicator

USB3.0 connection: Purple (Uncompressed)
USB 2.0 connection: Blue (Uncompressed)

• Power Only: Orange

TECHNICAL SUPPORT

Technical Support: 888-689-4088 Email: <u>service@j5create.com</u>

Documents / Resources



References

• j5create International

Manuals+,