



JAMESON 31-HDLP Rechargeable LED Headlamp Instruction Manual

[Home](#) » [JAMESON](#) » JAMESON 31-HDLP Rechargeable LED Headlamp Instruction Manual 



Contents


- [1 JAMESON 31-HDLP Rechargeable LED Headlamp Instruction Manual](#)
- [2 OPERATING HEADLAMP](#)
- [3 RECHARGEABLE LED HEADLAMP](#)
- [4 FEATURES](#)
- [5 CHARGING INSTRUCTION/BATTERY TIPS](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)

JAMESON 31-HDLP Rechargeable LED Headlamp Instruction Manual



OPERATING HEADLAMP

The 31-HDLP provides 3 different light modes for different situations. You can toggle between the modes with the press of the ON/OFF button or waving of the hand. The headlamp records the last setting used after 5 seconds and will turn back on in that setting the next use.



The sequence above can be duplicated with the motion-sensor button activated. The motion sensor button on the bottom will illuminate blue when enabled. Wave the hand from a left to right motion and back to left again in front of the headlamp to get it to work. The optimal distance for the motion sensor to work is 6 inches (max) in front of the headlamp. The motion sensor also works best in a darker area setting to recognize the hand motion.

Scan QR Code to learn more



RECHARGEABLE LED HEADLAMP

3 LIGHT MODES: FLOOD, SPOT, AND UPCLOSE LIGHT

| Part Number | Description |
|-------------|---|
| 31-HDLP | Rechargeable LED Detachable Headlamp with Motion-Activated Sensor |

| Specifications | | | |
|------------------|-----------------------|--------|----------|
| Luminous flux | Spot | Flood | Up-Close |
| Light source | 150 Lm | 250 Lm | 120 Lm |
| Operating time | 2.5h | 2.5h | 3h |
| Charging time | 2-3h | | |
| Li-poly battery | 3.8V 1600mAh Li-poly | | |
| Temperature | 32°F to 110°F | | |
| Protection class | IP65 / IK07 | | |
| Dimensions | 3.25" x 2.25" x 1.75" | | |
| Weight | 0.3 lbs. | | |

FEATURES

- Front COB LED provides lights with up to 250 Lm
- Headlamps can be detached and used separately

- Magnetic back will adhere to any ferrous surface



- Glow-in-the-dark fluorescent reflector makes lamp easy to locate in the dark
- Lights will flash as a low power warning prior to the battery running out
- IP65 dust and water resistant
- Setting is recorded after 5 seconds of activation
- Recorded setting is recalled next time the device is activated
- 31-HDLP has three light modes – Spot, Flood, and Up-Close
- Motion sensor activates ON/OFF with a wave of the hand

CHARGING INSTRUCTION/BATTERY TIPS


- Press the button to switch the modes
- Avoid looking directly into the beam of light, as this will result in temporary blindness
- Do not use the lamp near a flame
- Before using the lamp for the first time, the battery must be fully charged
- To prolong the life of battery, charge the light fully every three months
- Do not leave the battery without charge for an extended period
- Deep discharge risks damaging the battery
- The red charging indicator lights up during charging
- The green charging indicator lights up when charging is completed
- Before use, please connect light with cable and charger/adaptor with 5V output, until the indicator turns to green (fully charged)



Discarded electrical products must not be disposed of together with household waste.
Please use recycling facilities. Ask your local authority or retailer for advice on recycling.
– Please dispose of the battery safely

Read More About This Manual & Download PDF:

Documents / Resources

| | |
|---|---|
|  | <p>JAMESON 31-HDLP Rechargeable LED Headlamp [pdf] Instruction Manual 31-HDLP, 31-HDLP Rechargeable LED Headlamp, Rechargeable LED Headlamp, LED Headlamp, Headlamp</p> |
|---|---|

References

- [Lineman Tools | Jameson Tools | Wiring Equipment Arborist Tools](#)