




# JAMESON ML24-R-SM Marker Light User Manual

[Home](#) » [JAMESON](#) » JAMESON ML24-R-SM Marker Light User Manual 

## Contents

- [1 JAMESON ML24-R-SM Marker Light](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 High Visibility Indicator Lamp For Off Road](#)
- [5 ML MARKER LIGHTS WARRANTY STATEMENT](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)



## JAMESON ML24-R-SM Marker Light



## Product Information

- Product Name: ML-24 Marker Lights
- Usage: High Visibility Indicator Lamp for Off Road
- Features: Fully encapsulated, hardened borosilicate lens for waterproofing
- Power: 8-20W
- Operating Voltage: 10-32VDC
- Raw Lumens: 1,340
- Effective Lumens: 1,206
- Current @28VDC: [information missing]

## Product Usage Instructions

1. Mounting: Choose a suitable location on your off-highway equipment to mount the ML-24 Marker Lights. Ensure that the lights are securely fastened and positioned for maximum visibility.
2. Connection: Connect the ML-24 Marker Lights to a power source with an operating voltage of 10-32VDC. Follow the wiring diagram provided in the user manual to ensure correct connections.
3. Power: The ML-24 Marker Lights have a power range of 8-20W. Adjust the power output according to your requirements.
4. Lumens: The ML-24 Marker Lights provide a raw lumens output of 1,340 and an effective lumens output of 1,206. These values indicate the brightness of the lights.

Note: For detailed information on current specifications @28VDC, please refer to the user manual or contact our customer support.

## High Visibility Indicator Lamp For Off Road

The ML-24 penetrates thick layers of dust or mud buildup, fog, snow, and rain. It is fully encapsulated and features a hardened borosilicate lens for waterproofing -the ultimate upgrade to off-highway equipment.

### Mounting and Connection

Max Power	8-20W
Operating Voltage	10-32VDC
Raw Lumens1	,340
Effective Lumens1	,206
Current @28VDC	<700mA
Ingress Protection	IP69K
Lifetime (hrs)	50,000

Mounting Screws  
1/4-20 Thread

Pin A Positive  
Pin B Ground  
Pin C Dim

**DANGER**

Risk of electric shock. Disconnect all sources of supply prior to installation or service.

## ML MARKER LIGHTS WARRANTY STATEMENT


## END USER AGREEMENT

### EXTENT OF LIMITED WARRANTY

1. Jameson, LLC (Jameson) warrants to the customer that all ML products will be free from defects in materials and workmanship for a period of 60 months from date of purchase. Customer is responsible for maintaining proof of purchase date.
2. For ML LED lighting products, Jameson's limited warranty applies only to a total failure. Jameson does not warrant that the operation of any product will be without reduction of light output.
3. For ML LED lighting products, Jameson's warranty covers all failures associated with such product except for those that arise from damage due to negligence, vandalism or using the ML products outside the intended applications or specified operational limits.
4. This warranty is void if product is installed improperly, misused, opened, or modified in any manner.
5. If Jameson receives, during the applicable warranty period, notice of a defect in any ML product which is covered by Jameson's warranty, Jameson shall either repair or replace the defective product, at Jameson's option.
6. If Jameson is unable to repair or replace, as applicable, a ML defective product covered by Jameson's warranty, Jameson shall, within a reasonable time after being notified of the defect, refund the purchase price for the product either directly to the end-user customer or through its appointed reseller.
7. Jameson shall have no obligation to repair, replace, or refund until the customer returns the defective product to Jameson in sufficient protective packaging. Contact Jameson Customer Service at 800-346-1956 for return authorization prior to returning.
8. Any replacement product may be either new or like-new, provided it has functionality at least equal to that of the product being replaced.
9. ML replacement products may contain remanufactured parts or components equivalent to new in performance or may have been subject to incidental use.
10. Jameson's limited warranty for ML products is valid in any country/region or locality where Jameson has a support presence for this product and where Jameson has marketed this product. The level of warranty service you receive may vary according to local standards. Jameson will not alter form, fit or function of the product to make it operate in a country/region for which it was never intended to function for legal or regulatory reasons. Contracts for additional services may be available for any authorized Jameson service facility where the listed Jameson product is distributed by Jameson or an authorized importer.

800-346-1956 | [JAMESONTOOLS.COM](http://JAMESONTOOLS.COM)

## Documents / Resources

	<p><a href="#">JAMESON ML24-R-SM Marker Light</a> [pdf] User Manual ML24-R-SM Marker Light, ML24-R-SM, Marker Light, Light</p>
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

## References

-  [Lineman Tools](#) | [Jameson Tools](#) | [Wiring Equipment Arborist Tools](#)

Manuals+.