



JB SYSTEMS B05149 Accu Mini-Par 12TC Ultra-Compact LED Projector User Manual

[Home](#) » [JB SYSTEMS](#) » JB SYSTEMS B05149 Accu Mini-Par 12TC Ultra-Compact LED Projector User Manual 

Contents

- [1 JB SYSTEMS B05149 Accu Mini-Par 12TC Ultra-Compact LED Projector User Manual](#)
- [2 Description](#)
- [3 FEATURES](#)
- [4 TECHNICAL Specifical](#)
- [5 Read More About This Manual & Download PDF:](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

JB SYSTEMS B05149 Accu Mini-Par 12TC Ultra-Compact LED Projector User Manual



Description

FEATURES



- Ultra-compact LED projector with 12 high power RGB Led's.
- The ACCU MINI-PAR 12TC is equipped with a rechargeable Lithium battery !
- Battery run time @ full power / single color (red, green or blue) = 7 hours
- Battery run time @ full power / color fade = > 5 hours
- Charging time: 3-4 hours • Beam of 17°
- Use the unit in any way you like it !
 - o Standalone: sound activated (internal mic) or automatic shows.
 - o Master/slave function for wonderful synchronized shows when several units are used.
 - o Can be controlled with the optional IR REMOTE controller (order code B05545).
 - o DMX-control: via 3, 4, 5 or 6 Channels.
 - 4-digit LED display for easy menu navigation.
 - Compatible with the LEDCON-02 Mk2 and LEDCON-XL controllers.
- The double hanging bracket can be used as a floor stand.



TECHNICAL Specifical

General : Application	DJ & Club
General : Series	No
General : Dimensions (cm)	15 x 16 x 9
General : Weight (kg)	0.6
General : Energy Label	No
General : Power consumption W	10
General : Color	black
General : Display	LED
General : IP rating	indoor
Control : Modes	standalone, DMX, DMX Master/Slave
Control : manual	Yes
Control : Master/Slave	Yes
Control : SMART-DMX	No
Control : Standalone	automatic, sound, fixed
Control : optional remote	IR REMOTE
Control : programmable	No
Control : upgradable software	No
Control : maximum DMX channels	6
Light : lamp socket	none
Light : lamp	LED
Light : colors	Red, Green, Blue, RGB
Light : mix colors	No
Light : min. beam angle (°)	17
Light : min. refresh rate (kHz)	No
Light : max. refresh rate (kHz)	No
Connections : input	3 pin XLR, usb
Connections : output	3 pin XLR
Brand	JB SYSTEMS
EANCode	5420025651493

Read More About This Manual & Download PDF:

Documents / Resources

	<p>JB SYSTEMS B05149 Accu Mini-Par 12TC Ultra-Compact LED Projector [pdf] User Manual B05149, Accu Mini-Par 12TC Ultra-Compact LED Projector, B05149 Accu Mini-Par 12TC Ultra-Compact LED Projector</p>
---	---