


  
**JB SYSTEMS**  
**VIBE10 MK2**  
**speaker**  
**Passive**



## JB SYSTEMS VIBE10 MK2 speaker Passive Owner's Manual

[Home](#) » [JB SYSTEMS](#) » JB SYSTEMS VIBE10 MK2 speaker Passive Owner's Manual 

### Contents

- [1 JB SYSTEMS VIBE10 MK2 speaker Passive](#)
- [2 Product Usage Instructions](#)
- [3 DESCRIPTION](#)
- [4 FEATURES](#)
- [5 TECHNICAL SPECIFICATIONS](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)
- [7 Related Posts](#)



**JB SYSTEMS VIBE10 MK2 speaker Passive**



## Specifications

- **Pro speaker:** 10 – 200Wrms / 8ohm
- **General Dimensions:** 33 x 51 x 30.2 cm
- **General Weight:** 15 kg
- **General Color:** Black
- **General Fixation:** 35mm stand adaptor, M8 indoor
- **General IP rating:** Not specified
- **Audio max. SPL:** 120 dB
- **Audio frequency range:** 65 Hz – 20000 Hz
- **Audio Wrms 8 stereo, per channel:** 200
- **Connections input:** Speakon
- **Connections output:** Speakon
- **Brand:** JB SYSTEMS
- **EAN Code:** 5420025606905
- **SKU:** B00690

## Product Usage Instructions

### Setup and Installation

1. Place the speaker on a stable surface or mount it using the provided fixation options.
2. Connect the input source to the speaker using a Speakon cable.
3. If using multiple speakers, ensure proper channel allocation for stereo output.
4. Adjust the speaker position and angle for optimal sound distribution.

### Usage and Performance

The speaker is designed to deliver high-quality audio with a frequency range of 65 Hz to 20,000 Hz. Ensure that the power output does not exceed the recommended 200Wrms to prevent damage.

## Maintenance and Care

Regularly inspect the speaker for any damage or debris that may affect performance. Clean the speaker using a soft, dry cloth to maintain its appearance.

## Frequently Asked Questions (FAQ)

- **Q: What is the maximum SPL (Sound Pressure Level) of the speaker?**

A: The maximum SPL of the speaker is 120 dB.

- **Q: What types of connections are supported by the speaker?**

A: The speaker supports Speakon connections for both input and output.

## VIBETO MK2

### DESCRIPTION

Pro speaker: 10" – 200Wrms / 8ohm

### FEATURES

- Superior, crystal clear, sound quality from a compact full range speaker cabinet.
- Remarkable low frequency reproduction for a small sized cabinet Perfect for permanent installation in bars, clubs and all kinds of venues where small cabinet size and sound quality at high SPL are important!
- Perfect for portable use: DJ, hiring companies, ...
- VIBE10 Mk2 and VIBE15-SUB Mk2 make a perfect couple for more demanding situations.
- Solid, high strength, MDF enclosure
- Scratch resistant polyurethane painting
- Strong Metal grill with acoustic foam on the inside: improved look and better protection the speaker components against dust and splashing water.
- Strong M8 Rigging Points
- Built-in 35mm Speaker stand adapter
- High Power 10inch (25cm) Woofer
- High Power 1,5inch Titanium Driver
- 2 Neutrik Speakon® connectors
- Specially designed Glass fiber horn
- Built-in heavy duty carrying handles
- Heavy duty rubber feet

### TECHNICAL SPECIFICATIONS

- General : Dimensions (cm) 33 x 51 x 30.2 cm
- General : Weight (kg) 15
- General : Color black
- General : Fixation 35mm stand adaptor, M8
- General : IP rating indoor
- Audio : max. spl (dB) 120

- Audio : frequency range 65 Hz – 20000 Hz
- Audio : Wrms 8Ω stereo, per channel 200
- Connections : input speakon
- Connections : output speakon
- Brand JB SYSTEMS
- EANCode 5420025606905
- SKU B00690



**YOUR DEALER**




[WWW.JB-SYSTEMS.EU](http://WWW.JB-SYSTEMS.EU) | [WWW.FACEBOOK.COM/JBS.BELGIUM/](http://WWW.FACEBOOK.COM/JBS.BELGIUM/)

BEGLEC NY HAS THE RIGHT TO CHANGE PRODUCTS AND SPECIFICATIONS WITH AND WITHOUT NOTICE. MAJOR AS WELL AS MINOR CHANGES BEGLEC NV HAS THE RIGHT TO CHANGE PRODUCTS AND SPECIFICATIONS WITH AND WITHOUT NOTICE. MAJOR AS WELL AS MINOR CHANGES CAN RE INVOLVED, THIS LEAFLET CAN CONTAIN ERRORS, THEREORE WE ADVICE TO CONSULT YOUR LOCAL DALER TOLENSURE THAT ARTLAI CAN BE INVOLVED. THIS LEAFLET CAN CONTAIN ERRORS,

THEREFORE WE ADVICE TO CONSULT YOUR LOCAL DEALER TO ENSURE THAT ACTUAL FEATURES AND SPECIFICATIONS MATCH YOUR REQUIREMENTS. COPYRIGHT © 2024 BY BEGLEC NV. ALL RIGHTS RESERVED.

Documents / Resources

	<p><a href="#">JB SYSTEMS VIBE10 MK2 speaker Passive</a> [pdf] Owner's Manual VIBE10 MK2 speaker Passive, VIBE10 MK2, speaker Passive, Passive</p>
---	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.