JBL Quantum Stream Wireless MIC For Lightning User Manual

JBL Quantum Stream Wireless MIC For Lightning

Contents

JBL HEADPHONES APP

ON YOUR IPHONE, DOWNLOAD THE JBL HEADPHONES APP FROM APPLE APP STORE TO GAIN EVEN MORE CONTROL AND PERSONALIZATION ON YOUR JBL QUANTUM STREAM WIRELESS, SUCH AS MICROPHONE GAIN, NOISE SUPPRESSION, AND SOUND EFFECTS.

WHAT'S IN THE BOX

MICROPHONE   2.4GHz RECEIVER   CHARGING CASE   WINDSCREEN / USB CHARGING CABLE   QSG | WARRANTY CARD | WARNING CARD

HOW TO WEAR

CLIP THE MICROPHONE TO YOUR DESIRED POSITION TO CAPTURE SOUND FROM ALL DIRECTIONS

INSTALL THE WINDSCREEN TO REDUCE WIND NOISE WHILE RECORDING.


**FIRST TIME USE**

POWER ON & CONNECT

①

②

BUTTON CONTROLS

PRESS × 1
HOLD (5s)

🎤 / 🔇

MANUAL PAIRING

POWER OFF

DO MORE WITH THE APP

QUANTUM STREAM WIRELESS

Mic Gain
30
0 100

QUANTUM STREAM WIRELESS

Noise Suppression
Low Mid High

Sound Effect
◄ DEFAULT ►

QUANTUM STREAM WIRELESS

LED Brightness

Auto Power Off
30 min 1hr 2hr

🔍 JBL HEADPHONES

CHARGING

CHARGE 🔋 → 🔋 2HR
15 MIN ⚡ = 1HR 🎵

LED BEHAVIORS

			LOW BATTERY
CHARGING			
			FULLY CHARGED

○	🔗	2.4GHz CONNECTED
☼	🔗	2.4GHz PAIRING
●	🎤	MICROPHONE MUTED

●	🎤	MICROPHONE MUTED
✖	🔋	LOW BATTERY
☼	🔋	BATTERY CHARGING
●	🔋	FULLY CHARGED

TECH SPECEFICATIONS

Model: Quantum Stream Wireless
Power supply: xxx
Type: xxx
Polar Pattern: Omnidirectional
Frequency response: 20 Hz – 20 kHz
Sensitivity: xxx
Maximum SPL: xxx
Bit rate: xxx
Sample rates: 16 kHz / 48 kHz
Microphone: x grams
Dongle: x grams
Charging case: x grams
Microphone battery type: Lithium-ion polymer (x mAh / x V)
Charging case battery type: Lithium-ion polymer (x mAh / x V)

Charging time: 2 hrs from empty
Signal to noise: xxx
2.4GHz Wireless Transmitter Modulation: xxx
2.4GHz Wireless Transmitting Power: xxx
Max. Operating Temperature: 45°C

IPX4

Documents / Resources

	JBL Quantum Stream Wireless MIC For Lightning [pdf] User Manual Quantum Stream Wireless MIC For Lightning, Quantum Stream, Wireless MIC For Lightning, MIC For Lightning, Lightning

References

- **User Manual**