



JETSON Spark Light Up Training Wheels User Manual

[Home](#) » [Jetson](#) » JETSON Spark Light Up Training Wheels User Manual 

Contents

- [1 JETSON Spark Light Up Training Wheels](#)
- [2 Spark Light-Up Training Wheels](#)
- [3 Safety Warnings](#)
- [4 Warranty Coverage](#)
- [5 What's in the Box](#)
- [6 TOOL INCLUDED](#)
- [7 Specs & Features](#)
- [8 COMPATIBILITY & INTENDED USE](#)
- [9 Online Resources](#)
- [10 Getting Started](#)
- [11 Making Moves](#)
- [12 Care & Maintenance](#)
- [13 STORAGE](#)
- [14 Documents / Resources](#)

JETSON

JETSON Spark Light Up Training Wheels



Spark Light-Up Training Wheels

A guide for your ride.

IMPORTANT: READ CAREFULLY AND RETAIN FOR FUTURE REFERENCE.

MODELS: JSPARK-BLK

Safety Warnings

This product can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65warnings.ca.gov.

Warranty Coverage

What's in the Box

- 2 WHEELS
- 2 BRACKETS
- 2 BRACKET
- STABILIZERS
- 2 SHOULDER
- BOLTS
- 4 WASHERS
- 2 NUTS

TOOL INCLUDED: ALLEN KEY X 1 WRENCH X 1

Specs & Features

COMPATIBILITY & INTENDED USE: INTENDED FOR USE WITH MOST BIKES WITH 12, 14, 16, 18, AND 20-WHEELED BICYCLES THAT USE A SOLID AXLE WITH NUTS THAT ATTACH TO THE REAR WHEEL IN THE FRAME.

NOTE: AXLE EXTENDERS (NOT INCLUDED) MAY BE NECESSARY FOR THE INSTALLATION OF THESE

TRAINING WHEELS ON SOME 20 BIKES.

Online Resources

Scan for our most updated Spark Light-Up Training Wheels onboarding materials and support resources.

Getting Started

Attach the Wheel to the Wheel Bracket



Attach the Wheel Bracket to the Bike

For installation on some 20 bikes, you may need to use an axle extender (not included).



A. Indented



B. Spiral



C. Smooth

Making Moves

Getting Going & Keeping Momentum



Multi-Node



Ridged



Smooth

Care & Maintenance

It's important to regularly clean and lubricate between the wheel and support bracket. Before each ride, check all bolts and nuts for proper tightness. Contact your local dealer for appropriate replacement parts. Training wheels are intended for use with most 12, 16, 18, or 20-wheeled bicycles that use a solid axle with nuts that attach the rear wheel to the frame. Recommended for ages 3 years and up. Maximum rider weight is 198 lb.

Stay connected

Be sure to follow @ridejetson on social media to learn about fantastic offers, giveaways, and all the latest Jetson news.

Loving your ride? Then be sure to leave a review at ridejetson.com/reviews. We can't wait to hear from you!

Questions? Let us help.

ridejetson.com/support

ridejetson.com/chat

To exercise your product's warranty or inquire about warranty coverage, contact us directly.

US/CANADA: 1-888-976-9904

UK: +44 (0) 1355 241 222

Manufactured in Hebei, China

Imported by Jetson Electric Bikes LLC.

P.O. Box 320149, 775 4th Ave #2, Brooklyn, NY 11232

www.ridejetson.com

Spark Light-Up Training Wheels

A guide for your ride.

IMPORTANT: READ CAREFULLY AND RETAIN FOR FUTURE REFERENCE.

MODELS: JSPARK-BLK

Jetson's top MO riding rules: Be safe. Have fun!

Safety Warnings

- **WARNING:** CYCLING CAN BE DANGEROUS. BICYCLE PRODUCTS SHOULD BE INSTALLED AND SERVICED BY A PROFESSIONAL MECHANIC. NEVER MODIFY YOUR BICYCLE OR ACCESSORIES. READ AND FOLLOW ALL PRODUCT INSTRUCTIONS AND WARNINGS INCLUDING INFORMATION ON THE MANUFACTURER'S WEBSITE. INSPECT YOUR BICYCLE BEFORE EVERY RIDE. ALWAYS WEAR A HELMET.
- Before use, please read the user manual and safety warnings carefully, and make sure you understand and accept all the safety instructions. The user will be responsible for any loss or damage caused by improper use.
- Before each cycle of operation, the operator shall perform the preoperation checks specified by the manufacturer: That all guards and pads originally supplied by the manufacturer are in proper place and in serviceable condition; That the braking system IS properly; That any and all axle guards, chain guards, or other covers or guards supplied by the manufacturer are in place and in serviceable condition; T attires are in good condition, inflated properly, and have sufficient tread remaining; The area that the product is to be operated should be safe and suitable for safe operation.
- The child rider should wear protective clothing while riding, including an approved helmet and shoes
- Ensure that all parts of the bicycle and training wheels are securely tightened and in good condition before each ride.
- Do not remove the stabilizer brackets. Doing so may allow the brackets to turn or become damaged, resulting in a fall.
- Training wheels prevent bicycles from achieving their regular lean angle when turning. Turning suddenly or at a fast speed may cause a fall. Teach the child rider to ride and turn slowly and monitor their riding.
- Ensure that the bicycle is the correct size for the rider and that the saddle height and handlebar are adjusted appropriately
- Components shall be maintained and repaired in accordance with the manufacturer's specifications and using only the manufacturer's authorized replacement parts with installation performed by dealers or other skilled persons.
- Don't allow hands, feet, hair, body parts, clothing, or similar articles to come in contact with moving parts, wheels, or drive trains, while the motor is running.

- This product should not be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge unless they have been given supervision or instruction (IEC 60335-1 /A2:2006). • Unsupervised children should not play with the product (IEC 60335-1 /A2:2006).
- Adult supervision is required.
- The rider should not exceed 198 lb.
- Units shall not be operated to perform racing Stunt riding, or other maneuvers, which may cause loss Of control or may cause uncontrolled operator/ passenger actions or reactions.
- Never use near motor vehicles.
- Avoid sharp bumps, drainage Kates, and sudden surface changes. Bicycle may suddenly stop.
- Avoid streets and surfaces with water, sand, gravel, dirt, leaves, and other debris. Wet weather impairs traction, braking, and visibility.
- Avoid riding around flammable gas, steam, liquid, or dust that could cause fire.
- Operators Shall here to all of the manufacturer's recommendations and
- instructions, as well as comply with all laws and ordinances: Units without headlights shall be operated only with adequate daylight conditions of visibility, and; Owners shall be encouraged to highlight (for conspicuity) using lighting, reflectors, and for low-riding units, signal flags on flexible e poles.
- Persons with the following conditions Shau be cautioned to operate: Those with heart conditions; Pregnant women; Persons With head, back, or neck ailments, or prior surgeries to those areas of the body; and persons with any mental or physical conditions that may make them susceptible to injury or impair their physical dexterity or mental capabilities to recognize, understand, and perform all of the safety instructions and to be able to assume the hazards inherent in unit use.
- Do not ride at night.
- Do not ride after drinking or taking prescription medication.
- Do not carry items when riding.
- Never operate the product barefoot.
- Always wear shoes and keep shoelaces tied.
- Make sure your feet are always placed securely on the deck.
- Operators always shall use appropriate protective clothing including but not limited to a helmet, with the appropriate certification, and any other equipment recommended by the manufacturer: Always wear protective equipment such as a helmet, knee pads, and elbow pads.
- Always give way to pedestrians.
- Be alert to things in front and far away from you.
- Do not allow distractions when riding, such as answering the phone or engaging in any other activities. The product cannot be ridden by more than one person.
- When you ride the product along. with other riders, always keep a safe distance to avoid a collision.
- When turning, be sure to maintain your balance.
- Riding with improperly adjusted brakes is dangerous and can result in serious injury or death.
- The brake may become hot while operating, do not touch the brake with your bare skin. Applying brakes too hard or too suddenly can lock up a wheel, which could cause you to lose control and fall. Sudden or excessive application Of the brake may result in injury or death
- If the brake loosens, please adjust with the hexagon wrench, or please contact Jetson Customer Care.
- Replace worn or broken parts Immediately.
- Check whether all safety labels are in place and understood before riding.

- The owner shall allow the use and operation of the unit after a demonstration so that such operators can understand and operate all components of the unit before use.
- Do not ride without proper training. Do not ride at high speeds, on uneven terrain, or on slopes. Do not perform stunts or turn abruptly.
- Prolonged exposure to UV rays, rain, and the elements may damage the enclosure materials, stored indoors when not in use.

California Proposition 65

WARNING:

This product can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65warnings.ca.gov.

Warranty Coverage


GENERAL LIMITED WARRANTY

Your new Jetson product is warranted against defects in materials and workmanship as indicated on ridejetson.com/warranty for a period of time from the date of original retail purchase when used in accordance with Jetson's user manuals (refer to ridejetson.com/support). Under this warranty, you will be able to direct your claims to Jetson even in situations where you purchased the Jetson Product from one of our authorized retailers. To read the full terms of our warranty, visit ridejetson.com/warranty.

What's in the Box

- 2 WHEELS
- 2 BRACKETS
- 2 BRACKET
- STABILIZERS
- 2 SHOULDER BOLTS
- 4 WASHERS
- 2 NUTS

TOOL INCLUDED



ALLEN KEY X 1



WRENCH X 1

Specs & Features

- PRODUCT DIMENSIONS: 4" (L) x 4" (W) x 10" (H)
- WHEEL SIZE: 4"
- PRODUCT WEIGHT: 2 LBS
- MAX WEIGHT: 198 LBS
- RECOMMENDED AGE: 3+

COMPATIBILITY & INTENDED USE

INTENDED FOR USE WITH MOST BIKES WITH 12", 14", 16", 18", AND 20" WHEELED BICYCLES THAT USE A SOLID AXLE WITH NUTS THAT ATTACH TO THE REAR WHEEL IN THE FRAME.

NOTE: AXLE EXTENDERS (NOT INCLUDED) MAY BE NECESSARY FOR THE INSTALLATION OF THESE TRAINING WHEELS ON SOME 20" BIKES.

Online Resources



Scan for our most updated Spark Light-Up Training Wheels onboarding materials and support resources.

WARNING:


FAILURE TO COMPLY WITH THE FOLLOWING INSTRUCTIONS MAY RESULT IN INJURY TO THE CHILD OR OTHERS.

- KEEP SMALL PARTS AWAY FROM CHILDREN DURING ASSEMBLY.
- ACCESSORY MUST BE ASSEMBLED AND REMOVED BY AN ADULT.
- FREQUENTLY INSPECT THE PRODUCT FOR DAMAGE.
 - * ADULTS MUST ASSIST CHILDREN IN THE ASSEMBLY AND INITIAL ADJUSTMENT PROCEDURES OF THE PRODUCT.

Getting Started

Attach the Wheel to the Wheel Bracket

- ATTACH THE WHEEL TO THE WHEEL BRACKET USING SHOULDER BOLT, 2 x WASHERS AND NUT.




- TIGHTEN BOLT & NUT, MAKING SURE THE WHEEL ROTATES SMOOTHLY.




Attach the Wheel Bracket to the Bike

- ON THE WHEEL BRACKET FIND THE HOLE THAT CORRESPONDS TO YOUR BIKE'S WHEEL SIZE.



- REMOVE AXLE NUT FROM BIKE'S REAR WHEEL.



BICYCLE IS NOT INCLUDED.

- INSERT STABILIZER BRACKET BEHIND SELECTED WHEEL BRACKET HOLE.



- PLACE THE STABILIZER BRACKET AND WHEEL BRACKET ONTO THE AXLE. TIGHTEN THE AXLE NUT USING A WRENCH.
- REPEAT PROCESS ON OTHER SIDE OF THE BIKE.
- ONCE BOTH BRACKETS ARE CONNECTED, MAKE SURE THEY ARE TIGHTLY SECURED.



FOR INSTALLATION ON SOME 20" BIKES, you MAY NEED TO USE AN AXLE EXTENDER. (NOT INCLUDED)



- THE TRAINING WHEELS SHOULD EXTEND A MINIMUM OF 175MM FROM THE CENTER OF THE BICYCLE'S REAR WHEEL.
- MAKE SURE THERE IS NO MORE THAN 25MM OF CLEARANCE BETWEEN EACH WHEEL AND THE GROUND.

Making Moves

Getting Going & Keeping Momentum

- NOW YOU HAVE YOUR TRAINING WHEELS ATTACHED, IT'S TIME TO GO OUT AND SHOW OFF YOUR RIDE. YOUR LIGHTS WILL TURN ON ONCE YOU START RIDING.

Care & Maintenance

IT'S IMPORTANT TO REGULARLY CLEAN AND LUBRICATE BETWEEN THE WHEEL AND SUPPORT BRACKET. BEFORE EACH RIDE CHECK ALL BOLTS AND NUTS FOR PROPER TIGHTNESS. CONTACT YOUR LOCAL DEALER FOR APPROPRIATE REPLACEMENT PARTS. TRAINING WHEELS ARE INTENDED FOR USE WITH MOST 12, 16, 18, OR 20" WHEELED BICYCLES THAT USE A SOLID AXLE WITH NUTS THAT ATTACH THE REAR WHEEL IN THE FRAME. RECOMMENDED FOR AGES 3 YEARS AND UP. MAXIMUM RIDER WEIGHT IS 198 LB.

WARNING: EXCEEDING RIDER WEIGHT MAY CAUSE THE PRODUCT TO BEND OR BREAK, RESULTING IN A FALL. THIS PRODUCT IS NOT INTENDED FOR USE BY ADULTS OR RIDERS WEIGHING MORE THAN 198 LB.

FEW MUST-DOS

- KEEP AWAY FROM FIRE AND EXCESSIVE HEAT.
- AVOID INTENSE PHYSICAL SHOCK, SEVERE VIBRATION, OR IMPACT.
- PLEASE RIDE ON A SMOOTH, FLAT SURFACE.
- PROTECT FROM WATER OR MOISTURE.
- CONTACT JETSON CUSTOMER CARE IF THERE ARE ANY ISSUES WITH YOUR SPARK LIGHT-UP TRAINING WHEELS AT [SUPPORT.RIDEJETSON.COM](https://support.ridejetson.com)

STORAGE

- STORE IN A DRY PLACE.
- COVER TO PROTECT AGAINST DUST.

Stay connected.

Be sure to follow @ridejetson on social media to learn about fantastic offers, giveaways, and all the latest Jetson news.



Loving your ride?

Then be sure to leave a review at ridejetson.com/reviews. We can't wait to hear from you!

Questions?

Let us help.

ridejetson.com/support

ridejetson.com/chat

To exercise your product's warranty or inquire about warranty coverage, contact us directly.

US/CANADA: 1-888-976-9904

UK: +44 (0) 1355 241 222

Manufactured in Hebei, China

Imported by Jetson Electric Bikes LLC.

P.O. Box 320149, 775 4th Ave #2,


Brooklyn, NY 11232

www.ridejetson.com



Made in China Date Code: 10/2023 Document Edition: vl.I

© 2023, JETSON. ALL RIGHTS RESERVED. Manufactured by JETSON ELECTRIC BIKES LLC. No portion of this document, including shape, copy, graphics, and design, may be reproduced or transmitted in any form or by any means.

	<p>JETSON Spark Light Up Training Wheels [pdf] User Manual</p> <p>Spark Light Up Training Wheels, Spark, Light Up Training Wheels, Up Training Wheels, Training Wheels</p>
--	---