



Home » jhs » JHS 3 Series Tape Delay User Manual 📆

Contents [hide]

- 1 JHS 3 Series Tape Delay
- 2 Specifications
- 3 Product Usage Instructions
- 4 Jacks
- 5 FAQs
- 6 Documents / Resources
 - 6.1 References



JHS 3 Series Tape Delay



Specifications

- Warranty: 6-month limited warranty in the USA
- Power Requirements: 9VDC negative centre power, consumes 65mA
- Input Jack: 1/4 jack on the right side of the pedal
- Output Jack: 1/4 jack on the left side of the pedal

Product Usage Instructions

Controls

- MIX: Controls how much clean signal is blended with the wet (delayed) signal. Left for more dry signal, right for more wet signal.
- **TAPE SPEED:** Controls the length of the delay effect. Left for shorter delay, right for longer delay.
- **REPEATS:** Controls the number of repeats after you play. Left for fewer repeats, right for more repeats.
- **FLUTTER:** Switch down for standard effect, switch up for mild modulation reminiscent of vintage units.

Jacks

• **INPUT:** 1/4 jack on the right side of the pedal.

• OUTPUT: 1/4 jack on the left side of the pedal.

Power

Requires 9VDC negative centre power and consumes 65mA. Do not use more than 9VDC to avoid voiding the warranty.

WARRANTY INFO

Thanks for buying a JHS 3 Series Pedal. This pedal is backed by a 6-month limited warranty in the USA. Outside of the USA, various international distributor warranty policies may supersede our original manufacturer's warranty. If you are concerned about a potential faulty, defective, or broken product, please contact support@jhspedals.com or contact the original place of purchase. Thanks again for purchasing a JHS pedal. We are proud to stand behind what we create for you!

REGISTRATION INFO

Registration of purchase is required for the Manufacturer's Warranty coverage. To register your product, please visit: www.JHSpedals.info/warranty-registration

FAQs

Q: What should I do if I think my product is faulty?

A: Contact <u>support@jhspedals.com</u> or the original place of purchase for assistance.

Q: How do I register my product for warranty coverage?

A: To register your product, visit www.JHSpedals.info/warranty-registration

Q: What happens if I use a power supply with more than 9VDC?

A: Using more than 9VDC can void your warranty and damage the pedal.

Documents / Resources

JHS 3 Series Tape Delay [pdf] User Manual

JHS_3S_TAPE_DELAY, 3 Series Tape Delay, 3 Series, Tape Delay, Delay

References

- User Manual
 - 3 Series, 3 Series Tape Delay, Delay, jhs, JHS_3S_TAPE_DELAY, Tape

ihs Delay

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *
Name
Email
Website
☐ Save my name, email, and website in this browser for the next time I comment.
Post Comment
Search:
Searcii.
e g_whirlpool_wrf535swhz

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos

are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of
these marks on this website does not imply any affiliation with or endorsement.