



Jiangxi Taloya Technology RC001 Remote Control Instructions

[Home](#) » [Jiangxi Taloya Technology](#) » Jiangxi Taloya Technology RC001 Remote Control Instructions 

Jiangxi Taloya Technology RC001 Remote Control Instructions

Contents

1

REMOTE CONTROL

2

Pairing Operation Instructions


3

Documents / Resources

4

Related Posts


REMOTE CONTROL




Pairing Operation Instructions

If the remote controller can not work normally, please follow the steps to reset the remote to match the light fixture:
Firstly, ensure the light in the state of turn off

1. Turn on the light by wall switch



2. When light on, long press the ON/OFF switch within 8 seconds



3. The light flash 3 times, pairing successfully



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:


- (1) this device may not cause harmful interference, and
 - (2) this device must accept any interference received, including interference that may cause undesired operation.
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction

Documents / Resources



[Jiangxi Taloya Technology RC001 Remote Control](#) [pdf] Instructions
RC001, 2A4ZG-RC001, 2A4ZGRC001, RC001 Remote Control, Remote Control