



Jimeicheng SKL20RM Bluetooth remote shutter User Manual

[Home](#) » [Jimeicheng](#) » Jimeicheng SKL20RM Bluetooth remote shutter User Manual 

Contents

- [1 Jimeicheng SKL20RM Bluetooth remote shutter](#)
- [2 To use the wireless remote](#)
- [3 FCC Statement](#)
- [4 ISED Statement](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Jimeicheng


Jimeicheng SKL20RM Bluetooth remote shutter



To use the wireless remote

1. Put the wireless remote's power switch in the on position. The remote's indicator light turns on.
2. Open the wireless (BT) settings on your phone and search for the remote control in the list of possible connections.
3. Choose "AB Shutter 3" in the list and connect to it. The wireless remote will control the shutter of your phone's camera. Use the button that matches the kind of phone you have (OS for iPhone, or Android).

IMPORTANT: Turn the wireless remote off when you're not using it. The wireless remote uses a replaceable CR2032 coin-cell battery.



FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference, and

2. this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. **NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure conditions without restriction.

ISED Statement


This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause interference, and

2. This device must accept any interference, including interference that may cause undesired operation of the device. The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

This radio transmitter (ISED certification number: 26325-SKL20RM) has been approved by Industry Canada to operate with the antenna types listed with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Documents / Resources

	<p>Jimeicheng SKL20RM Bluetooth remote shutter [pdf] User Manual SKL20RM Bluetooth remote shutter, Bluetooth remote shutter, remote shutter</p>
---	---