



JSP ABEK1 P3 Press Check Filters Owner's Manual

[Home](#) » [JSP](#) » JSP ABEK1 P3 Press Check Filters Owner's Manual 



TECHNICAL SPECIFICATION
PressToCheck™ ABEK1 P3 Filters
Pack of 2 / BMN750-000-600

Contents

- [1 ABEK1 P3 Press Check Filters](#)
- [2 DESCRIPTION](#)
- [3 OPTIONS](#)
- [4 SAFETY STANDARDS](#)
- [5 SPECIFICATIONS](#)
- [6 FEATURES](#)
- [7 VIDEOS](#)
- [8 DOWNLOADS](#)
- [9 Documents / Resources](#)
 - [9.1 References](#)
- [10 Related Posts](#)

ABEK1 P3 Press Check Filters



DESCRIPTION

PressToCheck™ is the easiest way to face-fit check the seal of your respirator, every time you put it on! The range features HEPA filtration exceeding 99.97%, Low profile design maximising compatibility and low breathing resistance across the range.

F-4713 ABEK1P3 multi- gas / vapour + dust replacement encapsulated filters, featuring PressToCheck™ technology for daily face-fit reassurance.

Winner of the BSIF Product Innovation Award.

OPTIONS

Pack of 2 (BMN750-000-600)

SAFETY STANDARDS

EN 14887

SPECIFICATIONS

Classification

ABEK1P3

Usage

R (Reusable)



Activated Carbon Filter

Yes

Maximum Total Inward Leakage (TIL)

2% when fitted to Force8 Half Mask

Nominal Protection Factor

1000 When Fitted To A Force10 Full Face Mask

UK Assigned Protection Factor

20 When Fitted To A Force10 Full Face Mask

Latex free

Yes

Filter Material

Pleated media & activated carbon

Filter Shelf Life

10 Years



Product Weight

2459 Per Pair



Filter Type

Organic, Inorganic, Acidic, Ammonia Vapours and Particulate

D

(D) Resistance to dust clogging

Yes — D marking = passes optional clogging test

Minimum Filtration Efficiency

99.95% For P3 Rated

Nominal Protection Factor

12 When Fitted To A Force8 Half Mask

UK Assigned Protection Factor

10 When Fitted To A Force8 Half Mask



Type

Press to Check Technology

Metal Free

Yes

Filter Casing Material

ABS



BSI Kitemark

Yes

Maximum Total Inward Leakage (TIL)

0.05% when fitted to a Force10 Full Face Mask

FEATURES



Increased Product Life

PressToCheck™ encapsulated filters offer ultimate longevity — the durable design makes the filters easy to clean and reuse. Correct cleaning, maintenance and storage increases the useful life of the product.

VIDEOS

- ▶ youtu.be/1YOGBEIKEXQ
- ▶ youtu.be/Ecyu_ftPPX4
- ▶ youtu.be/-0USyP9_NsA

DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [doc-force-press-to-check-filter-f-4713.pdf \(PDF\)](#)

JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 OTA. England.

Tel: +44 (0)1993 826050 / **Fax:** +44 (0)1993 824411 / **Email:** sales@jspsafety.com / **Web:** www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com.

Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.


Page 2 of 2/ Issued 15 Sep 2023 / Copyright 2018 – 2023. JSP Limited. All Rights Reserved.



<https://cms.jspdighub.com/pdf/tech-spec/?id=r7cy10fp>



Documents / Resources

	<p>JSP ABEK1 P3 Press Check Filters [pdf] Owner's Manual</p> <p>ABEK1 P3 Press Check Filters, ABEK1 P3, Press Check Filters, Check Filters, Filters</p>
---	---

References

-  [Above-the-Neck Personal Protective Equipment \(PPE\) | jspsafety.com](https://www.jspsafety.com)
-  cms.jspdighub.com/get-image-pack/products/press-to-check-abek1-p3-filters/pack-of-2

-  [Above-the-Neck Personal Protective Equipment \(PPE\) | jspsafety.com](https://jspsafety.com)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.