





JUBEE GW2001 Smart Gateway User Manual

[Home](#) » [JUBEE](#) » JUBEE GW2001 Smart Gateway User Manual 




Contents


- [1 Product Description](#)
- [2 Product Specifications](#)
- [3 Packing List](#)
- [4 Adaptor Characteristics](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Product Description

The JUBEE Smart gateway is the control center for Smart devices. You can add Smart devices to design and implement smart scenes.



Preparation



1. Connect your mobile phone to the Wi-Fi network.

Connect your mobile phone and the JUBEE Smart gateway to the same Wi-Fi network to ensure effective connectivity between them.

2. Download and log in to the app.


Search for “JUBEE” on your app platform or scan the QR code on the package or in this manual to download and install the app.

If you are using this app for the first time, first register an account. If you already have an account, use your account to log in to the app.



Scan the QR code to download the JUBEE app.

- Power on the gateway and use a network cable to connect it to a 2.4 GHz home router.
- Ensure that the network pairing indicator is steady green. If not, press and hold the Reset button until the indicator is steady green.



- connect your mobile phone to the 2.4 GHz home router so that your mobile phone is on the same LAN as the gateway.

Network Settings

- Open the “JUBEE” app. On the Home page, tap the plus sign (+) in the upper right corner.
- Add the gateway to the app as prompted.
- After you add the gateway, you can view it from the device list on the Home page.

Product Specifications

Product Name	JUBEE Smart gateway
Product Model	GW2001
Input Power	5 V=1 A (=: Direct Current)
Working Temperature	-10°C to +55°C
Working Humidity	10% to 90% RH (non-condensing)
Wireless Protocol	2.4GWiFi, Zigbee
Dimensions	85.0 mm x85.0 mm x 15.0 mm
Net Weight	About 62.0 g

Packing List

- JUBEE Smart gateway x 1
- Power cable x 1
- Product manual x 1
- Adapter x 1
- Network cable x 1

Adaptor Characteristics

Model	S005AYU0500100
Rated Input voltage:	100-240V
Rated Input Frequency:	50-60HZ
Steady AC Current:	Less than 0.2Aat 100-240V AC input
Rated Output Voltage:	5V
Rated Power	5W

RSS-102 Statement:

This equipment complies with Industry Canada radiation exposure limits set forth for an uncontrolled environment.

RSS-Gen & RSS-210 statement:

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

FCC statement:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and

used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution:

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC RF Radiation Exposure Statement Caution: This Transmitter must be installed to provide a separation distance of at least 20 cm from all persons.

Before You Start

Manufacturer/Fabricant: Kee Tat Innovative Technology Holdings Ltd

Tel.:0769-21991888

Documents / Resources



[JUBEE GW2001 Smart Gateway](#) [pdf] User Manual

GW2001, 2A2WY-GW2001, 2A2WYGW2001, Smart Gateway, GW2001 Smart Gateway