



jura X10c Professional Automatic Coffee Machine Installation Guide

August 23,
2025



Contents [[hide](#)]

1 X10c (EA/SA/INTA) / X4c (EA/SA/INTA)

1.1 Installation guideline for permanent water connection

1.1.1 Overview: On-site requirements and installation instructions

1.1.2 Installation of permanent water connection

1.1.2.1 Fitting the residual water hose

1.1.2.2 Prepare and connect the metal hose

2 Documents / Resources

2.1 References


X10c (EA/SA/INTA) / X4c (EA/SA/INTA)

Installation guideline for permanent water connection

JURA Type 780

i In order to enable the X10c/X4c to be installed properly on site, some preparations are necessary **on site**. The following preparations must be carried out **professionally** (in accordance with European standard EN 1717). Therefore, please give this document to your installer.

Overview: On-site requirements and installation instructions



A: X10c/X4c: Mains water version in accordance with DVGW W540

B: Shut-off valve

C: Fine filter

D: Open, unpressurised connection between residual water hose and waste water pipe

E: Drain, siphon

(1) Mains connection

(2) Metal hose (1.5 m)

(3) Residual water hose

(1) Mains connection

- The mains connection must be protected by a residual current device (RCD).
- It must be possible to interrupt the power supply using a main switch.

(2) On-site permanent water connection (external thread G 3/8")

- Must have a stopcock and filter
- Water pressure from local network: max. 10 bar

(3) Residual water hose and drain

- Use of the residual water hose supplied is expressly recommended!
- The hose should be installed as short as possible and with the maximum possible inclination (in the fall line).
- During installation, avoid a counter-inclination of the hose or the formation of a siphon in the residual water hose.
- It must be possible to ventilate and evacuate air from the hose. This is achieved by an open, unpressurised connection between the residual water hose and the waste water pipe.
- There should be a siphon in the waste water pipe installed on site.

Installation of permanent water connection

Fitting the residual water hose

- Remove the drip tray.
- Carefully lay the X10c/X4c on its side.

- Press the residual water hose into the recess on the underside of the appliance. The two clips (○) engage audibly.




- Stand the X10c/X4c up again.

Prepare and connect the metal hose

i Depending on the nature of the installation site, the metal hose can be used in both directions.

In the following example, the straight end is fitted to the X10c/X4c.


- Insert the blue sealing ring.



- Remove the yellow protective cap from the permanent water connection of the X10c/X4c.
- Screw the hose onto the permanent water connection. CAUTION! Do not overtighten the thread.




- Insert the filter.



- Screw the hose onto the on-site permanent water connection.

202507

Documents / Resources

	jura X10c Professional Automatic Coffee Machine [pdf] Installation Guide Type 780, X10c Professional Automatic Coffee Machine, X10c, Professional Automatic Coffee Machine, Automatic Coffee Machine, Coffee Machine
---	--

References

- [User Manual](#)

■ Jura

■ Automatic Coffee Machine, Coffee Machine, Jura, Professional Automatic Coffee Machine, Type 780, X10C, X10c Professional Automatic Coffee Machine

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.