



257286 Kandao Meeting S All In one Conference Camera User Guide

[Home](#) » [KANDAO](#) » 257286 Kandao Meeting S All In one Conference Camera User Guide 


257286 Kandao Meeting S All In one Conference Camera User Guide




Contents

- [1 PACKING LIST](#)
- [2 PARTS DESCRIPTION](#)
- [3 BUTTON](#)
- [INSTRUCTIONS](#)
- [4 Instructions for Use](#)
- [5 System Update](#)
- [6 Statement](#)
- [7 Camera Security](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)


PACKING LIST




CAMERA



REMOTE CONTROL




STORAGE BAG




QUICK
GUIDE



WARRANTY
CARD




18w ADAPTER



USB-A TO USB-C(2m)


PARTS DESCRIPTION



1. Lens
2. ON/OFF Button
3. Volume Button
4. Lens Cover
5. Mode Button
6. Mute/Rec Button

7. USB-C OUT
8. USB-A (for mouse/keyboard (for power input) connection)
9. SD card slot
10. HDMI
11. USB-C IN
12. LAN (for internet connection)
13. LED

BUTTON INSTRUCTIONS



ON/OFF Button

Long press 3s to turn ON/OFF; Short press to switch sleeping mode, another short press to wake up.

Volume Button

Control volume up/down for loudspeaker.

HDMI 1080P ra 720p

Long press “VOL+” and “VOL-” for 3s to switch HDMI output resolution (1080p/720p).



Muting/Recording Button

Short press to mute microphone; Long press to record video. (SD card needed to be inserted. Its not allowed to start recording during a meeting.)

Mode Button

Short press to switch different mode; Long press 3s to lock screen FOV.


Instructions for Use

Connect to TV/displayer:

1. Use the 2m USB Cable to connect Kandao Meeting S with the power adapter.
2. Use HDMI cable to connect the TV/displayer with Kandao Meeting S. (HDMI cable is not provided.)
3. Long press the power button, 0)to turn it on. When the led light Aup in green, can use the remote to operate.
4. Network connecting through a network cable or through WIFI which can be chosen in the network setting page.
Besides this, Win can also be connected in setting menu. (If your displayer does not support 1080p 30Hz, please simultaneously press “VOL+” and “VOL-” button to switch to 720p.
5. Use mouse or the remote to choose the App store ‘0 Download and install video conferencing software (UM Skype, ZOOM, Google Meet and so on). Return to the home page to run a software and start a meeting. The



led light will light up in blue when running a meeting.

6. Short press the power button(to enter “sleep mode” after a meeting, while short press again to wake up. Long press the power button to turn off Kandao Meeting S.



Connect to computer:

1. Use a two-meter USB cable to connect Kandao Meeting S and the adapter.
2. Use a 1.5-meter USB cable to connect Kandao Meeting S and a computer.
3. Long press the power button Q to turn on Kandao Meeting S, with the led lighting up in green.
4. Start a video conferencing software on the computer (Ding Talk, Skype, ZOOM, Google Meet and soon).
Choose Kandao Meeting S as the microphone/loudspeaker/camera device in the conferencing software. When connecting successfully the led will light up in blue. The remote can be used to control Kandao Meeting S after successful connecting.
5. Short press the power button to enter “sleep mode” after a meeting, while short press again to wake it up. For turning off Kandao Meeting S, long press the power button co for 3s until the led light off.



System Update

Use HDMI cable to connect Kandao Meeting S with 1V/displayer. After connected an available network, Kandao Meeting S will pop up an update notification if there is a new firmware. Click "Update" on the prompt, or choose system update in the setting page to update.




Remote Controller

1. Use with two MA batteries to get start.
2. Short press the power button GD on remote controller to enter “sleep mode” or wake it up. Long press the power button for 3s on remote controller to turn off Kandao Meeting S. If want to reboot, press the power button for 3s on the camera, Kandao Meeting S.
3. Short press mouse arrow button R< on the upper right of the remote controller, a mouse arrow It will show on the screen. Use the mouse arrow with the OK button to control the system.

Two methods of pairing the unpaired remote controller and Kandao Meeting S:

1. Automatically pairing: Simultaneously press the “OK” and ‘VOL” for 3 seconds. The led will flash when pairing. Once paired successfully, the screen will show “Controller connected”.
2. Manually pairing(connect to TV/displayer): Simultaneously press the “OK” and “VOL-” for 3 seconds. The led will flash when pairing. Connect a mouse with Kandao Meeting S. Go to setting page, and enter Bluetooth menu to choose “Kandao Meeting” Once paired successfully, the screen will show “Controller connected”.



Statement

1. Please read and follow all the instructions carefully.
2. Please note of all the warnings.
3. Please follow all the instructions.
4. Do not use it near heat sources such as radiators, electric heaters, stoves, or other heat producing equipment.
5. Use only Kandao provided components and accessories.
6. Please refer all maintenance work to qualified person. No matter what kind of damage the equipment suffers, such as the broken of power cable or plug, liquid penetration or objects falling into the equipment, rain or damp, unable to work normally or fall, maintenance is required.

Camera Security

Warning: If you fail to take the following precautions, you may be seriously injured or killed by the electric shock or fire disaster, or your Intelligent Kandao Meeting S Conferencing Camera may be damaged: Please check before using the camera and accessories to make sure they are intact. For security, only Kandao accessories that are provided with the device or genuine ones purchased can be used. Damage caused by the use of unauthorized accessories or parts is not covered by the warranty.


1. Do not place or fix the product on an unstable surface. Failure to follow this precaution may cause the product to loosen or fall off, causing an accident or damage to device.
2. When using external power supply connection, please observe all safety rules of.
3. The lens of Kandao Meetings Conferencing Camera is made of glass. If the lens is damaged, be sure to handle it carefully to avoid being scratched by the broken lens/glass.
4. The temperature of the camera may rise during normal usage. If this occurs, turn off the device and leave it to cool before using again.
5. This product is not a toy and you are solely responsible for complying with all local laws, ID regulations and restrictions.
6. Please do not use Kandao Meeting S Conferencing Camera for unauthorized monitoring, candid shooting or in any way that violates personal privacy regulations.

7. Precautions: do not put the camera in extremely cold or hot environment. Extremely cold or hot conditions may cause the camera to temporarily stop working properly.
8. **Warning:** there is no protection for two lenses of Kandao Meeting S Conferencing Camera after taking off the lens cover. Please use it carefully to avoid lens scratches. Avoid placing the lens directly on any surface. Lens scratches are not covered by the warranty.



This symbol indicates that your product should be handled separately from household waste according to local laws and regulations. When the product life ends, please take it to the collection site designated by the local authority. The separate collection and recycling of discarded products are helpful to the protection of natural resources. Besides, please make sure that they are recycled in ways that are beneficial to the human health.

Documents / Resources

	KANDAO 257286 Kandao Meeting S All In one Conference Camera [pdf] User Guide 257286, Kandao Meeting S All In one Conference Camera, 257286 Kandao Meeting S All In one Conference Camera, All In one Conference Camera, Conference Camera, Camera
---	--