



Karibu 33102 Octagonal Pool Model 1X (set) Instructions

[Home](#) » [Karibu](#) » Karibu 33102 Octagonal Pool Model 1X (set) Instructions 

Contents

- [1 Karibu 33102 Octagonal Pool Model 1X \(set\)](#)
- [2 Product Information](#)
- [3 Usage Instructions](#)
- [4 TOOL AND PARTS INCLUDED](#)
- [5 OVERVIEW](#)
- [6 INSTALLATION INSTRUCTION](#)
- [7 Inventory of the skimmer](#)
- [8 QR SCAN](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)



Karibu 33102 Octagonal Pool Model 1X (set)



Product Information and Usage Instructions

Product Information

The product is a wooden pool from Karibu Holztechnik GmbH. It includes various parts with unique IDs, such as planks (W1-W8), beams (B1-B2), laths (L1-L4), and screws of different sizes. The package also contains instructions for assembly and safety warnings.

Usage Instructions





Before starting assembly, compare the list of materials with the package contents to ensure all parts are available. Any complaints should be made before assembly. The length of some parts needs to be determined and sawn.







































It is recommended to secure access to the swimming pool with a protective device to prevent drowning of children.

Assembly instructions

1. Start by assembling the frame using planks (W1-W8), beams (B1-B2), and laths (L1-L4).
2. Fix the frame temporarily using screws of different sizes.
3. Attach the remaining planks (W2-W7) to the frame vertically to form the pool walls.
4. Install the remaining laths (L4) horizontally to reinforce the walls.
5. Install the pool liner and secure it using screws and laths.
6. Install the pool support posts (A1-A2) and secure them with screws.
7. Finally, fill the pool with water and enjoy!

TOOL AND PARTS INCLUDED




  <table> <tr> <td>1 x W1</td> <td>304 x 121 x 38 mm</td> <td>ID 39808</td> </tr> <tr> <td>78 x W2</td> <td>1450 x 121 x 38 mm</td> <td>ID 20318</td> </tr> </table>	1 x W1	304 x 121 x 38 mm	ID 39808	78 x W2	1450 x 121 x 38 mm	ID 20318	 <table> <tr> <td>16 x M1</td> <td>170 x 140 x 26 mm</td> <td>ID 42932</td> </tr> </table>	16 x M1	170 x 140 x 26 mm	ID 42932	 <table> <tr> <td>1 x L1</td> <td></td> <td>ID 39258</td> </tr> </table>	1 x L1		ID 39258			
1 x W1	304 x 121 x 38 mm	ID 39808															
78 x W2	1450 x 121 x 38 mm	ID 20318															
16 x M1	170 x 140 x 26 mm	ID 42932															
1 x L1		ID 39258															
  <table> <tr> <td>7 x W3</td> <td>1450 x 86 x 38 mm</td> <td>ID 20319</td> </tr> </table>	7 x W3	1450 x 86 x 38 mm	ID 20319	 <table> <tr> <td>2 x M2</td> <td>400 x 155 x 55 mm</td> <td>ID 72767</td> </tr> </table>	2 x M2	400 x 155 x 55 mm	ID 72767	 <table> <tr> <td>1 x L2</td> <td></td> <td>ID 39880</td> </tr> </table>	1 x L2		ID 39880						
7 x W3	1450 x 86 x 38 mm	ID 20319															
2 x M2	400 x 155 x 55 mm	ID 72767															
1 x L2		ID 39880															
  <table> <tr> <td>1 x W4</td> <td>567 x 121 x 38 mm</td> <td>ID 20321</td> </tr> </table>	1 x W4	567 x 121 x 38 mm	ID 20321	 <table> <tr> <td>1 x A1</td> <td>348 x 38 x 61 mm</td> <td>ID 26205</td> </tr> </table>	1 x A1	348 x 38 x 61 mm	ID 26205	 <table> <tr> <td>1 x L3</td> <td></td> <td>ID 39881</td> </tr> </table>	1 x L3		ID 39881						
1 x W4	567 x 121 x 38 mm	ID 20321															
1 x A1	348 x 38 x 61 mm	ID 26205															
1 x L3		ID 39881															
  <table> <tr> <td>1 x W5</td> <td>567 x 121 x 38 mm</td> <td>ID 20320</td> </tr> </table>	1 x W5	567 x 121 x 38 mm	ID 20320	 <table> <tr> <td>1 x A2</td> <td>800 x 60 x 40 mm</td> <td>ID 54881</td> </tr> </table>	1 x A2	800 x 60 x 40 mm	ID 54881	 <table> <tr> <td>4 x L4</td> <td></td> <td>ID 39883</td> </tr> </table>	4 x L4		ID 39883						
1 x W5	567 x 121 x 38 mm	ID 20320															
1 x A2	800 x 60 x 40 mm	ID 54881															
4 x L4		ID 39883															
  <table> <tr> <td>1 x W6</td> <td>567 x 86 x 38 mm</td> <td>ID 23710</td> </tr> </table>	1 x W6	567 x 86 x 38 mm	ID 23710	 <table> <tr> <td>8 x B1</td> <td>1536 x 140 x 26 mm</td> <td>ID 42933</td> </tr> <tr> <td>8 x B2</td> <td>1656 x 140 x 26 mm</td> <td>ID 42939</td> </tr> </table>	8 x B1	1536 x 140 x 26 mm	ID 42933	8 x B2	1656 x 140 x 26 mm	ID 42939	 <table> <tr> <td>8 x D1</td> <td>1500 x 33 x 17 mm</td> <td>ID 26979</td> </tr> </table>	8 x D1	1500 x 33 x 17 mm	ID 26979			
1 x W6	567 x 86 x 38 mm	ID 23710															
8 x B1	1536 x 140 x 26 mm	ID 42933															
8 x B2	1656 x 140 x 26 mm	ID 42939															
8 x D1	1500 x 33 x 17 mm	ID 26979															
  <table> <tr> <td>1 x W7</td> <td>567 x 86 x 38 mm</td> <td>ID 23709</td> </tr> </table>	1 x W7	567 x 86 x 38 mm	ID 23709	 <table> <tr> <td>16 x C1</td> <td>1186 x 95 x 18 mm</td> <td>ID 20325</td> </tr> </table>	16 x C1	1186 x 95 x 18 mm	ID 20325	 <table> <tr> <td>1 x</td> <td></td> <td>ID 85302</td> </tr> </table>	1 x		ID 85302						
1 x W7	567 x 86 x 38 mm	ID 23709															
16 x C1	1186 x 95 x 18 mm	ID 20325															
1 x		ID 85302															
  <table> <tr> <td>1 x W8</td> <td>1450 x 121 x 38 mm</td> <td>ID 20322</td> </tr> </table>	1 x W8	1450 x 121 x 38 mm	ID 20322	 <table> <tr> <td>65 x</td> <td>4 x 25 mm</td> <td>ID 5841</td> </tr> <tr> <td>160 x</td> <td>4 x 35 mm</td> <td>ID 3687</td> </tr> </table>	65 x	4 x 25 mm	ID 5841	160 x	4 x 35 mm	ID 3687	 <table> <tr> <td>350 x</td> <td>6 x 35 mm</td> <td>ID 20324</td> </tr> </table>	350 x	6 x 35 mm	ID 20324			
1 x W8	1450 x 121 x 38 mm	ID 20322															
65 x	4 x 25 mm	ID 5841															
160 x	4 x 35 mm	ID 3687															
350 x	6 x 35 mm	ID 20324															
 <table> <tr> <td>1 x</td> <td></td> <td>*</td> </tr> </table>	1 x		*	 <table> <tr> <td>60 x</td> <td>4 x 35 mm</td> <td>ID 39398</td> </tr> <tr> <td>4 x</td> <td>4 x 70 mm</td> <td>ID 50169</td> </tr> <tr> <td>40 x</td> <td>6 x 80 mm</td> <td>ID 39397</td> </tr> </table>	60 x	4 x 35 mm	ID 39398	4 x	4 x 70 mm	ID 50169	40 x	6 x 80 mm	ID 39397	 <table> <tr> <td>4 x</td> <td></td> <td>ID 46360</td> </tr> </table>	4 x		ID 46360
1 x		*															
60 x	4 x 35 mm	ID 39398															
4 x	4 x 70 mm	ID 50169															
40 x	6 x 80 mm	ID 39397															
4 x		ID 46360															
 <table> <tr> <td>8 x E1</td> <td></td> <td>ID 20323</td> </tr> </table>	8 x E1		ID 20323	 <table> <tr> <td>75 x</td> <td>5 x 50 mm</td> <td>ID 57137</td> </tr> </table>	75 x	5 x 50 mm	ID 57137	 <table> <tr> <td>4 x</td> <td></td> <td>ID 46361</td> </tr> </table>	4 x		ID 46361						
8 x E1		ID 20323															
75 x	5 x 50 mm	ID 57137															
4 x		ID 46361															
	 <table> <tr> <td>4 x</td> <td>4 x 16 mm</td> <td>ID 47581</td> </tr> <tr> <td>25 x</td> <td>4 x 25 mm</td> <td>ID 39437</td> </tr> </table>	4 x	4 x 16 mm	ID 47581	25 x	4 x 25 mm	ID 39437	 <table> <tr> <td>4 x</td> <td></td> <td>ID 46362</td> </tr> </table>	4 x		ID 46362						
4 x	4 x 16 mm	ID 47581															
25 x	4 x 25 mm	ID 39437															
4 x		ID 46362															
		 <table> <tr> <td>2 x</td> <td></td> <td>ID 3709</td> </tr> </table>	2 x		ID 3709												
2 x		ID 3709															
		 <table> <tr> <td>8 x</td> <td></td> <td>ID 47926</td> </tr> </table>	8 x		ID 47926												
8 x		ID 47926															


First compare the list of materials with your package contents! Please understand that complaints can be

processed in the non-built status only!


OVERVIEW



- Not included
- Length must be determined and sawn




- Not needed
- Fixed temporarily



To prevent the drowning of children, it is recommended to secure access to the swimming pool with a protective device!

Not included



INSTALLATION INSTRUCTION

Installing skimmers in the main wind direction




01 4x

Ø5 mm 6x35



16x


Ø3 mm 4x35

16x








Top view







Look for the same height










Select the position of the stairs









Thread sealing tape







Ø4 mm 6x80
38x
VA


This diagram shows a screw and a drill bit. The screw is labeled with its dimensions: Ø4 mm, 6x80, and 38x. The drill bit is labeled with its dimensions: 38x and VA.









11




12




13




13.1-1




8x 5
VA





13.1-2






Ø3 mm
4x
VA




Fleece





-  Vlles
-  Fleece
-  Membrane pour piscine
-  Vlles
-  Fleece
-  Vellón
-  Vello
-  Fleece






Pool liner



-  Poolfolie
-  Pool liner
-  Feutre de protection du sol
-  Zwembadfolie
-  Pulje liner
-  Lona de la piscina
-  Liner
-  Pool liner







Thread sealing tape




Inventory of the skimmer




Pool inset foil



- bellmouth
- rubber gasket ring
- cork ring




Installation of the pool filter




Inventory of the skimmer

18.1-1


Ø3 mm 4x25
4x 5
VA



18.1-2




18.1-3



cover


Ø3 mm 4x25
18x 5
VA

cover




rubber seal
pool liner




18.1-6





Installation of the pool filter











A



B











Dear customer, pay attention to the design variant!

Pool maintenance in autumn and winter


- If the pool is surrounded by many plants and trees, it must be regularly removed from the leaves. nevertheless leaves are dropped to the ground, they must be removed promptly due to sludge formation. For the appropriate protection, we recommend the cover from our range!
- In winter, the pool should not be completely drained, because lateral ice pressure may arise. The water level should be lowered to below the upper enemas (About 10-15 cm below the nozzle) and held constant at this level are!
- Empty all frost exposed pipes and the fi lter system completely, clean and dry / store frost. This applies to all components of plastic and those which are immersed fi lters (The 6-way valve of the fi lter system to EMPTY. Next the sand fi lter cover should be opened to allow air into the system arrives. By opening the drain screw on the fi lter vessel and the fi lter pump the water can run now.)
- The preliminary fi lter, the fi lter pump and then clean sieve.
- Set all the power switch off and disconnect the mains cable. Remove the fuses



QR SCAN



Documents / Resources

	<p>Karibu 33102 Octagonal Pool Model 1X (set) [pdf] Instructions</p> <p>33102 Octagonal Pool Model 1X set, 33102, Octagonal Pool Model 1X set, Pool Model 1X set, Model 1X set</p>
---	--