



# Keelson Technology RF404A Automatic Programmable Cycling Remote Instructions


[Home](#) » [Keelson Technology](#) » Keelson Technology RF404A Automatic Programmable Cycling Remote Instructions 

## Keelson Technology RF404A Automatic Programmable Cycling Remote Instructions

### Contents

- [1 Instructions](#)
- [2 FCC](#)
- [3 Documents / Resources](#)
- [4 Related Posts](#)

### Instructions



## Bed lamp 14

Click the bed lamp button to open or shut the light under the bed.

## Rec 1

Click the Rec button for 5 seconds to set the circle.

## Pause 2

Click the Pause button for pause the circle.

## Circle 3

Click the Circle button for 5 seconds to start the circle.

## LUMBAR UP 15

Press and hold LUMBAR UP button, Lumbar actuator moves out, stop when released.

## LUMBAR DOWN 16

Press and hold LUMBAR DOWN button, Lumbar actuator moves in, stop when released.

## Tilt UP 11

Press and hold Tilt UP button, Tilt actuator moves out, stop when released.

#### **Tilt down 12**

Press and hold Tilt down button, Tilt actuator moves in, stop when released.

#### **M1 19**

Click the M1 button, the bed moves to M1 position, press and hold M1 button for 5s until backlight flashes, the control set the current position as M1 position

#### **M2 18**

Click the M2 button, the bed moves to M2 position, press and hold M2 button for 5s until backlight flashes, the control set the current position as M2 position

#### **HEAD UP 7**

Press and hold HEAD UP button, head actuator moves out, stop when released.

#### **HEAD DOWN 8**

Press and hold HEAD DOWN button, head actuator moves in, stop when released.

#### **FOOT UP 9**

Press and hold FOOT UP button, foot actuator moves out, stop when released.

#### **FOOT DOWN 10**

Press and hold FOOT DOWN button, foot actuator moves in, stop when released.

#### **3 ZG 13**

Click the ZG button, the bed moves to zeroG position, press and hold zeroG button for 5s, until backlight flashes, the control set the current position as zeroG position

#### **HEAD MESSAGE 4**

Click the HEAD MESSAGE button, head message motor switches message intensity, message intensity switches among 0-1-2-3

#### **FOOT MESSAGE 6**

Click the FOOT MESSAGE button, foot message motor switches message intensity, message intensity switches among 0-1-2-3

#### **ALL MESSAGE 5**

Click the ALL MESSAGE button, head and foot massage motor switches massage intensity, massage intensity switches among 0-1-2-3

## **FLAT 17**

Click the FLAT button, the bed goes flat.

## **FCC**

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

### **FCC Radiation Exposure Statement:**

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### **ISED RSS Warning:**

This device complies with Innovation, Science and Economic Development Canada licence exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

### **RF exposure warning:**

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. The device has been evaluated to meet general RF exposure requirement.

## **Documents / Resources**

KEESON TECHNOLOGY	RF404A Automatic Programmable Cycling Remote	Rev. 1.0
Model: RF404A	Part No: RF404A	Page: 1 of 1



**[Keeson Technology RF404A Automatic Programmable Cycling Remote](#)** [pdf] Instructions  
 RF404A, 2AK23RF404A, RF404A Automatic Programmable Cycling Remote, Automatic Programmable Cycling Remote