



Kestrel CLR 2 Screen Material Installation Guide

[Home](#) » [Kestrel](#) » Kestrel CLR 2 Screen Material Installation Guide 

Kestrel CLR 2 Screen Material



Contents

1 CLR® 2 Screen Material Installation Tip

1.1 How the CLR® 2 Screen Material Performs and Rejects Ambient Light

2 Documents / Resources

3 Related Posts

CLR® 2 Screen Material Installation Tip

Notice To Installer: Please use the following installation instructions to obtain superior optical performance from Elite Projector Screens innovative CLR® 2 (Ceiling Light Rejecting) screen materials.


The CLR® 2 is exclusively for table-mounted ultra/short throw projectors as illustrated in the Example diagram below.

Please use the following installation instructions to obtain superior optical performance from the Retro-Reflective ALR (Ambient Light Rejecting) Screen.

Example: Proper Projector Installation

How the CLR® 2 Screen Material Performs and Rejects Ambient Light


90% Ambient Light Rejection. Compatible with both UST and Short-Throw Projectors.



Images are not up to scale and are for illustration purposes only.



Documents / Resources



[Kestrel CLR 2 Screen Material](#) [pdf] Installation Guide
CLR 2 Screen Material, Screen Material, Material

Manuals+.