



Keychron Q0 Plus Customizable Keyboard User Manual

[Home](#) » [Keychron](#) » Keychron Q0 Plus Customizable Keyboard User Manual 

Contents


- [1 Keychron Q0 Plus Customizable Keyboard](#)
- [2 Fully Assembled Version](#)
- [3 Barebone Version](#)
- [4 Factory Reset](#)
- [5 DEFAULT KEY LAYOUT](#)
- [6 KEY DESCRIPTION](#)
- [7 Safety Precaution](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)



Keychron Q0 Plus Customizable Keyboard



Fully Assembled Version




Keyboard

- 1x Fully Assembled Keyboard

Including

- 1x Aluminum Case
- 1x PCB
- 1x Steel Plate
- 1x Sound Absorbing Foam
- 3 Sets x Stabilizers
- 1 Set x Keycaps (PBT Double-shot)
- 1 Set x Switches

Cable




- 1x Type-C to Type-C Cable
- 1x Type-A to Type-C Adapter

Tools

- 1x Switch Puller
- 1x Keycap Puller
- 1x Screwdriver
- 1x Hex Key

Barebone Version




Keyboard Kit

- 1x Keyboard Kit (Without Keycaps & Switches)

Including

- 1x Aluminum Case
- 1x PCB
- 1x Steel Plate
- 1x Sound Absorbing Foam
- 3 Sets x Stabilizers

Cable



- 1x Type-C to Type-C Cable
- 1x Type-A to Type-C Adapter

Tools

- 1x Switch Puller
- 1x Keycap Puller
- 1x Screwdriver
- 1x Hex Key

The VIA Key Remapping Software



Please visit caniusevia.com to download the latest VIA software to remap the keys. If the VIA software cannot recognize your keyboard, please reach out to our support to get the instruction.


Warranty The keyboard is highly customizable and easy to be rebuilt. If anything goes wrong with any of the keyboard components of keyboard during the warranty period, we will only replace the defective parts of the keyboard, not the whole keyboard.

Watch The Building Tutorial On Our Website



If you are building the keyboard for the first time, we highly recommend you watch the building tutorial video on our website first, then start building the keyboard yourself.

Factory Reset





Troubleshooting? Don't know what's going on with the keyboard?

1. Try factory reset by pressing O+9 +1 (for 4 seconds)
2. Download the right firmware for your keyboard from our website. Remove the power cable from the keyboard.
3. Remove the "0" and "" keycap to find the reset button on the PCB.
4. Hold the reset key while plugging in the power cable and then release the reset key. The keyboard now will enter DFU mode.
5. Flash the firmware with the QMK Toolbox.
6. Factory reset the keyboard again by pressing O +9 +1 (for 4 seconds)

*** Step by step guide can be found on our website**

PLUS CUSTOMIZABLE KEYBOARD SPECIFICATIONS




① Type-C Port

Specifications	
Layout	Numpad
Switch type	Mechanical
Width	137mm
Length	118.2 mm
Front height	20.1 mm (without keycaps)
	30 mm (with keycaps installed)
Back height	32.6 mm (without keycaps)
	41.5 mm (with keycaps installed)
Keyboard feet height	1.9mm
Angle	5.26 degree


PLUS MECHANICAL KEYBOARD OVERVIEW

DEFAULT KEY LAYOUT

- **LAYER 0:** This layer will be activated when your keyboard is connected.



- **LAYER 1:** This layer will be activated when you press the fn/MO(1) key.




KEY DESCRIPTION

Key Description	
Ser-	Screen Brightness Decrease
Ser+	Screen Brightness Increase
Bright-	Backlight Decrease
Bright+	Backlight Increase
Prvs	Previous
Play	Play/Pause
Next	Next
Mute	Mute
Vol-	Volume Decrease
Vol+	Volume Increase
RGBToggle	Turn Backlight on/off

Key Description	
RGBMd+	RGB Mode Next
RGBMd-	RGB Mode Previous
Hue+	Hue Increase
Hue-	Hue Decrease
RGB SPI	RGB Speed Increase
RGB SPD	RGB Speed Decrease
MO(l)	Layer 1 will be activated when holding this key

Third-party input tools are not compatible with the keyboard. Due to compatibility, versions, brands and drivers of Windows/macOS, functionalities of third-party input tools may be affected while using the keyboard. Please make sure your operating system and drivers are up to date.

Certain multimedia keys or function keys do not work. Functions of certain multimedia keys may be disabled due to compatibility, versions, brands, and drivers of devices.



- ***Multimedia keys**

F1 / F2 / F3 / F4 / F5 / F6 / F7 / F8 / F9 / F10 / F11 / F12

- **Function keys**


Safety Precaution

Keep the product, accessories and packaging parts out of the reach of children to prevent any accidents and

choking hazards. Always keep the product dry to avoid corrosion. Do not expose the product to extreme temperatures below -10°C(5°F) or above 50°C(131°F) to preserve the lifespan of the keyboard.

Keychron, Inc. Dover, DE 19901, United States Find us at: <https://www.keychron.com>
Support@keychron.com

Documents / Resources

	Keychron Q0 Plus Customizable Keyboard [pdf] User Manual Q0 Plus Customizable Keyboard, Q0 Plus, Customizable Keyboard, Customizable Keyboard, Keyboard
---	--