### **Keychron Q1 HE Wireless Custom Keyboard**



# Keychron Q1 HE Wireless Custom Keyboard User Guide

Home » Keychron » Keychron Q1 HE Wireless Custom Keyboard User Guide T

#### **Contents**

- 1 Keychron Q1 HE Wireless Custom Keyboard
- **2 Connect Bluetooth**
- **3 Connect Cable**
- 4 Switch To The Right System
- 5 The Keychron Launcher App
- **6 The Layers**
- 7 The Backlight
- 8 Adjust The Backlight Brightness
- 9 Warranty
- **10 Factory Reset**
- 11 Troubleshooting
- 12 Documents / Resources
  - 12.1 References




**Keychron Q1 HE Wireless Custom Keyboard** 






## **Connect 2.4 GHz Receiver**


1. Connect the 2.4 GHz receiver to my device's usa port



Switch toggle to 2.4GHz mode




G = 2.4 GHz




## **Connect Bluetooth**




# Switch toggle to Bluetooth




Press fn + 1 (for 4 seconds) and pair with device named Keychron Q1 HE.



## **Connect Cable**



Please make sure the system toggle on the top left corner has been switched to the same system as your computer's operating system.



## The Keychron Launcher App

Please visit <u>launcher.keychron.com</u> to access the Keychron online launcher app. This app enables users to remap keys, adjust key actuation points, assign multiple commands to a single key, enter game controller mode, and more.

If it cannot recognize your keyboard, please reach our support to get instructions.

- The online launcher App can only run on the latest version of Chrome, Edge, and Opera browsers yet.
- The online launcher App only works when the keyboard is connected by wire to the computer.




## The Layers

- There are four layers of key settings on the keyboard. Layer 0 and layer 1 are for the
- Mac system. Layer 2 and layer 3 are for the Windows system.
- If your system toggle is switched to Mac, then layer 0 will be activated.
- If your system toggle is switched to Windows, then layer 2 will be activated. Remember that if you are using it in Windows mode, please make changes to layer 2 instead of the top layer (layer 0).
- This is a common mistake people are making.




#### The Backlight

Press fn + Q to change the lighting effect




Press fn + tab to turn the backlight on/off




## **Adjust The Backlight Brightness**

Press fn + W to increase the backlight brightness




Press fn + S to decrease the backlight brightness



# Warranty

- The keyboard is highly customizable and easy to rebuild.
- If anything goes wrong with any of the keyboard components of the keyboard during the warranty period, we will only replace the defective parts of the keyboard, not the whole keyboard.

## **Factory Reset**



#### **Troubleshooting**

Don't know what's going on with the keyboard?

1. Download the right firmware and QMK Toolbox from our website.

- 2. Unplug the power cable and switch the keyboard to Cable mode.
- 3. Remove the space bar keycap to find the reset button on the PCB.
- 4. Hold the reset key first, then plug the power cable into the keyboard. Release the reset key after 2 seconds, and the keyboard will now enter DFU mode.
- 5. Flash the firmware with the QMK Toolbox.
- 6. Factory reset the keyboard by pressing fn + J + Z (for 4 seconds).

Step by step guide can be found on our website.

### **Not Happy**

support@keychron.com

#### **Documents / Resources**



Keychron Q1 HE Wireless Custom Keyboard [pdf] User Guide

Q1 HE Wireless Custom Keyboard, Q1 HE, Wireless Custom Keyboard, Custom Keyboard, Keyboard

#### References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.