



Keychron Q1 Pro Wireless Custom Mechanical Keyboard User Guide

[Home](#) » [Keychron](#) » Keychron Q1 Pro Wireless Custom Mechanical Keyboard User Guide 


Keychron Q1 Pro Wireless Custom Mechanical Keyboard User Guide




Contents

- [1 Product Overview](#)
- [2 Connect Bluetooth](#)
- [3 Connect Cable](#)
- [4 The VIA Key Remapping Software](#)
- [5 The Layers](#)
- [6 The Backlight](#)
- [7 Adjust The Back light Brightness](#)
- [8 Adjust The Back light Speed](#)
- [9 Warranty](#)
- [10 Watch The Building Tutorial On Our Website](#)
- [11 Factory Reset](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)
- [13 Related Posts](#)


Product Overview




Connect Bluetooth




Switch toggle o Bluetooth




Press -+ 1 (for 4 seconds) and pair with device named Keychron Q1 Pro.



Connect Cable



Switch toggle to Cable




The VIA Key Remapping Software

Please visit caniusevia.com to download the latest VIA software to remap the keys. If the VIA software cannot recognize your keyboard, please reach out to our support to get the instruction. (VIA only works when the keyboard is connected by wire to the computer.)




The Layers


There are four layers of key settings on the keyboard. The layer 0 and layer 1 are for the Mac system. The layer 2 and layer 3 are for the Windows system.



If your system toggle is switched to Mac, then the layer 0 will be activated.




If your system toggle is switched to Windows, then the layer 2 will be activated. Remember that if you are using it in Windows mode, please make changes to the layer 2 instead of the top layer (the layer 0). This is a common mistake people are making.




The Bacidight

Press fn + Q to change the lighting effect




fn + Q

Press fn + tab to turn the backlight on/off




Adjust The Back light Brightness

Press fn + W to increase the back light brightness




Press fn + S to decrease the back light brightness




Adjust The Back light Speed

Press fn + T to increase the light effect speed



Press fn + G to decrease the light effect speed



Warranty

The keyboard is highly customizable and easy to be rebuilt. If anything goes wrong with any of the keyboard components of keyboard during the warranty period, we will only replace the defective parts of the keyboard, not the whole keyboard.




Watch The Building Tutorial On Our Website

If you are building the keyboard for the first time, we highly recommend you watch the building tutorial video on our website first, then start building the keyboard yourself.

TUTORIAL

Factory Reset



Troubleshooting? Don't know what's going on with the keyboard?

1. Plug in the power cable and switch the keyboard to Cable mode.
2. Factory reset the keyboard by pressing fn +J+Z (for 4 seconds).
3. Download the right firmware and QMK Toolbox from our website.
4. Switch the keyboard to OFF mode and remove the space bar keycap to find the reset button on the **PCB**.
5. Hold the reset key first, then switch the keyboard to Cable mode. Release the reset key, and the keyboard will now enter DFU mode.
6. Flash the firmware with the QMK Toolbox.
7. Factory reset the keyboard again by pressing fn +J+Z (for 4 seconds).

Step by step guide can be found on our website.

Download the JSON file in the link below if VIA does not automatically recognize keymap of the Q1 Pro:
<https://www.keychron.com/blogs/archived/how-to-factory-reset-or-flash-your-qmk-via-enabled-keychron-q1-pro-keyboard>

VIA Software for macOS, Windows, Linux: <https://usevia.app/#/>

How to Use VIA on Your Keychron Q Pro Series Keyboard:
<https://www.keychron.com/blogs/archived/how-to-use-via-to-program-your-keyboard>


Q1 Pro Source Code, please search "source code" on the product pigeon our official website.

Please find the appropriate keycaps in the box, then follow the instructions below to find and replace the following




key caps.



Documents / Resources

	<p>Keychron Q1 Pro Wireless Custom Mechanical Keyboard [pdf] User Guide Q1 Pro Wireless Custom Mechanical Keyboard, Q1 Pro, Wireless Custom Mechanical Keyboard, Custom Mechanical Keyboard, Mechanical Keyboard, Keyboard</p>
---	--

References

-  [VIA](#)
-  [How to Factory Reset or Flash Your QMK/VIA enabled Keychron Q1 Pro key](#)
-  [How to use VIA to program your keyboard – Keychron | Wireless Mechanical Keyboards for Mac, Windows and Android](#)
- [User Manual](#)