



KingDian DDR High Quality Memoria User Manual

[Home](#) » [KingDian](#) » KingDian DDR High Quality Memoria User Manual 

Contents

- 1 KingDian DDR High Quality Memoria
- 2 About Us
- 3 Our vision
- 4 DDR5 SODIMM Series(R51 Series)
- 5 DDR4 RGB With Heatsink UDIMM Series(R11 Series)
- 6 DDR5 UDIMM Series
- 7 International Branches
- 8 Documents / Resources
 - 8.1 References

KingDian®

KingDian DDR High Quality Memoria



About Us

- Shenzhen KingDian Technology Co., Ltd. was founded in 2010. It is one of the earliest high-tech Companies

engaged in SSD Solid State Drive, DDR Memories R&D, production and marketing in China.

- From the date of its establishment, Our company has been devoted to the intensive cultivation of the SSD Solid State Drive and DDR Memory industry, providing inexpensive and quality storage solutions for all walks of life.
- So far, we have set up branch offices in Korea, Latin America, North America, Mexico, Indonesia, Malaysia, the Philippines and Vietnam. Provide customers with more professional, timely and comprehensive localization services!
- In China mainland, we have our distribution channels in 28 provinces! We always put the quality of products in the most important position, we firmly believe that: The quality of the product is the life of a company! Our company have many professional engineers, and advanced equipment, to ensure that our products can be tested by the strictest and effective industry standards from a series of strict procedures like material inspection, production process control, product testing, and quality risk control, thereby to ensure provided the most satisfaction products to the users!
- We are committed to providing customers with high quality, the most cost-effective products, and constantly improve the intimate pre-sale, sale, and after-sales service, we strive to continue to create value for our customers!



Our vision

- To make “KingDian SSD” become a famous storage brand in the world!

Our mission


- Provide customers with high-quality products and services!
- Provide a positive growth platform for employees!
- To create a sustained return on investment for the shareholders!
- To create the value of justice and honesty for society!

Our view of quality

- Quality is the life of an enterprise because remedies need to pay much more.

Our values

- Pragmatism, innovation, upwards, diligence!



DDR5 SODIMM Series(R51 Series)

Series	DDR5 SODIMM Series{RSI Series)			
Brand	KingDian			
Capacity	16GB		32GB	
Model Number	R51-DDR5-PC-16GB		R51-DDR5-PC-32GB	
Memory Speed /Frequency	4800MHz	5600MHz	4800MHz	5600MHz
Memory Bandwidth(GB/s)	38400	44800	38400	44800
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency	40-40-40-77	47-47-47-90	40-40-40-77	47-47-47-90
Operating Voltage	1.1V	1.1V	1.1V	1.1V
No. of Memory IC	8/16			
Power Consumption	3W			
Controller IC	NO			
Overclock Support (YES/NO)	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Net Weight (g)	20g			
Gross Weight(g)	45g			
Pin Count	262			
OEM/ODM Support	YES			
Heat Sink/ Heat Spreader	YES			
RGB lights	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SDRAM)	DRAM			
Operating Temperature	0~70°C			
Storage Temperature	-40~85°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x D x H)in mm	69x30x4.0mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			



DDR4 RGB With Heatsink UDIMM Series(R11 Series)

Series	DDR4 RGB With Heatsink UDIMM Series(11 Serie)			
Brand	KingDian			
Capacity	8GB	16GB	32GB	
Model Number	R11 DDR4 – PC – 8GB	R11 DDR4 – PC – 16GB	R11 DDR4 – PC – 32GB	
Memory Speed /Frequency	2666/3000/3200/3600MHz	2666/3000/3200/3600MHz	2666/3000/3200/3600MHz	
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	

	CAS Latency-2666MHz	9-19-19-43	19-19-19-43	19-19-19-43	
	CAS Latency-3000MHz	19-19-19-43	19-19-19-43	19-19-19-43	
	CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	
	CAS Latency-3600MHz	18-22-22-42	18-22-22-42	18-22-22-42	
	No. of Memory IC	4 // 8 // 16			
	Operating Voltage	1.2V			
	Power Consumption	3W			
	Net Weight (g)	44g			
	Gross Weight(g)	80g			
	Controller IC	NO			
	ECC(Error Correction Code)(YES/NO)	NO			
	Overclock Support (YES/NO)	NO			
	Heat Sink/ Heat Spreader	YES			
	RGB lights	YES			
	OEM/ODM Support	YES			
	Pin Count	288			
	Form Factor	UDIMM			
	Computer Memory Type(DRAM/SD RAM)	DRAM			
	Operating Temperature	0~85°C			
	Storage Temperature	-40~100°C			
	Warranty	3 Years			

No. of Memory Channels (Single/Dual)	(Single/Dual)	
Product Dimension (W x D x H)in mm	145x46x5.5mm	
Buffered /Un-buffered Memory	Un-buffered Memory	
Memory IC Brand	Micron/Samsung/Sk Hynix	



DDR4 With Heatsink UDIMM Series (H11 Series)

Series	DDR4 With Heatsink UDIMM Series (HII Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	HII DDR4-PC-4 GB	HII DDR4-PC-8 GB	HII DDR4-PC-1 6GB	HII DDR4-PC-3 2GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Power Consumption	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Controller IC	3W			
ECC(Error Correction Code)(YES/NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	NO			
OEM/ODM Support	YES			
Pin Count	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SDR AM)	DRAM			
Operating Temperature	0~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	145x43x5mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			



DDR4 With Heatsink UDIMM Series(H12 Series)

Series	DDR4 With Heatsink UDIMM Series (HI2 Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	HI2 DDR4-PC-4 GB	HI2 DDR4-PC-8 GB	HI2 DDR4-PC-1 6GB	HI2 DDR4-PC-3 2GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/ NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	o~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/D ual)	(Single/Dual)			
Product Dimension (W x Dx H)in m m	139x38x7mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series(H12 Series)



DDR4 With Heatsink UDIMM Series(H13 Series)

Series	DDR4 With Heatsink UDIMM Series (H13 Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	HI3 DDR4-PC-4 GB	HI3 DDR4-PC-8 GB	HI3 DDR4-PC-1 6GB	HI3 DDR4-PC-3 2GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	228			
Net Weight (g)	36g			
Gross Weight{g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/ NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	0~80°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/D ual)	(Single/Dual)			
Product Dimension (W x Dx H)in m m	135x38x7mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series(H13 Series)



DDR4 With Heatsink UDIMM Series (H14 Series)

Series	DDR4 With Heatsink UDIMM Series(H14 Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	H14 DDR4-PC-4 GB	H14 DDR4-PC-8 GB	H14 DDR4-PC-16GB	H14 DDR4-PC-32GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	0~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x D x H)in mm	139x41x7mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series (H14 Series)



DDR4 With Heatsink UDIMM Series(H15 Series)

Series	DDR4 With Heatsink UDIMM Series(HIS Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	HI5DDR4-PC-4GB	HI5DDR4-PC-8GB	HI5DDR4-PC-16GB	HI5DDR4-PC-32GB
Memory Speed /Frequency	2400/2666/3200MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SDRAM)	DRAM			
Operating Temperature	0~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	133x35x5mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series(H15 Series)



DDR4 With Heatsink UDIMM Series (H16 Series)

Series	DDR4 With Heatsink UDIMM Series(H16 Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	H16 DDR4-PC-4GB	H16 DDR4-PC-8GB	H16 DDR4-PC-16GB	H16 DDR4-PC-32GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	0~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	138x36x7mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series (H16 Series)



DDR4 With Heatsink UDIMM Series(H17 Series)

Series	DDR4 With Heatsink UDIMM Series(HI7 Series)			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	HI7 DDR4-PC-4 GB	HI7 DDR4-PC-8 GB	HI7 DDR4-PC-16GB	HI7 DDR4-PC-32GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200M Hz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	0~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	133X33X7mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series(H17 Series)



DDR4 With Heatsink UDIMM Series(H18 Series)

Series	DDR4 With Heatsink UDIMM Series(H18 Series)			
Brand	KianDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	H18 DDR4-PC-4 GB	H18 DDR4-PC-8 GB	H18 DDR4-PC-1 6GB	H18 DDR4-PC-3 2GB
Memory Speed /Frequency	2400/2666/3200 MHz	2666/3200MHz	2666/3200MHz	2666/3200MHz
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39			
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz	22-22-22-52	22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Pin Count	288			
Net Weight (g)	36g			
Gross Weight(g)	72g			
Power Consumption	3W			
Controller IC	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Overclock Support (YES/NO)	NO			
Heat Sink/ Heat Spreader	YES			
OEM/ODM Support	YES			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	0~85°C			
Storage Temperature	-40~100°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	133x33x7			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 With Heatsink UDIMM Series(H18 Series)



DDR5 UDIMM Series

Series	DDRS UDIMM Series			
Brand	KingDian			
Capacity	16GB		32GB	
Model Number	DDRS-PC-16GB		DDRS-PC-32GB	
Memory Speed /Frequency	4800MHz	5600MHz	4800MHz	5600MHz
Memory Bandwidth(GB/s)	38400	44800	38400	44800
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency	40-40-40-77	47-47-47-90	40-40-40-77	47-47-47-90
Operating Voltage	1.1V	1.25V	1.1V	1.25V
No. of Memory IC	8/16			
Power Consumption	3W			
Controller IC	NO			
Overclock Support (YES/NO)	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Net Weight (g)	20g			
Gross Weight(g)	45g			
Pin Count	288			
OEM/ODM Support	YES			
Heat Sink/ Heat Spreader	NO			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SDRAM)	DRAM			
Operating Temperature	0~70°C			
Storage Temperature	-40~85°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x D x H)in mm	133X30X4.0mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR5 UDIMM Series



DDR5 SODIMM Series

Series	DDRS SODIMM Series			
Brand	KingDian			
Capacity	16GB		32GB	
Model Number	DDR5-NB-16GB		DDRS-NB-32GB	
Memory Speed /Frequency	4800MHz	5600MHz	4800MHz	5600MHz
Memory Bandwidth(GB/s)	38400	44800	38400	44800
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency	40-40-40-77	47-47-47-90	40-40-40-77	47-47-47-90
Operating Voltage	1.1V	1.1V	1.1V	1.1V
No. of Memory IC	8/16			
Power Consumption	3W			
Controller IC	NO			
Overclock Support (YES/NO)	NO			
ECC(Error Correction Code)(YES/NO)	NO			
Net Weight (g)	20g			
Gross Weight(g)	45g			
Pin Count	262			
OEM/ODM Support	YES			
Heat Sink/ Heat Spreader	NO			
Form Factor	SODIMM			
Computer Memory Type(DRAM/SD RAM)	DRAM			
Operating Temperature	0~70°C			
Storage Temperature	-40~85°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	69x30x4.0mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR5 SODIMM Series



DDR4 UDIMM Series

Series	DDR4 UDIMM Series			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	DDR4-PC-4GB	DDR4-PC-8GB	DDR4-PC-16GB	DDR4-PC-32GB
Memory Speed /Frequency	2400/2666MHz	2400/2666/3200MHz	2666/3200MHz	2666/3200MHz
Memory Bandwidth(GB/s)	19200	21300	21300	21300
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39	17-17-17-39		
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz		22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Power Consumption	3W			
Controller IC	NO			
Overclock Support (YES/NO)	NO			
ECC(Error Correction Code)(YES/NO }	NO			
Net Weight (g)	20g			
Gross Weight(g)	45g			
Pin Count	288			
Operating Voltage	1.2V			
OEM/ODM Support	YES			
Heat Sink/ Heat Spreader	NO			
Form Factor	UDIMM			
Computer Memory Type(DRAM/SDRAM)	DRAM			
Operating Temperature	0~70°C			
Storage Temperature	-40~85°C			
Warranty	3 Years			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	133x30x4.0mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 UDIMM Series



DDR4 SODIMM Series

Series	DDR4 SODIMM Series			
Brand	KingDian			
Capacity	4GB	8GB	16GB	32GB
Model Number	DDR4-NB-4GB	DDR4-NB-8GB	DDR4-NB-16GB	DDR4-NB-32GB
Memory Speed /Frequency	2400/2666MHz	2400/2666/3200MHz	2666/3200MHz	2666/3200MHz
Memory Bandwidth(GB/s)	19200	21300	21300	21300
Rank(1Rx8/2Rx8/8Rx4}	1Rx8	1Rx8	2Rx8	2Rx8
CAS Latency-2400MHz	17-17-17-39	17-17-17-39		
CAS Latency-2666MHz	19-19-19-43	19-19-19-43	19-19-19-43	19-19-19-43
CAS Latency-3200MHz		22-22-22-52	22-22-22-52	22-22-22-52
No. of Memory IC	4//8//16			
Operating Voltage	1.2V			
Power Consumption	3W			
Net Weight (g)	15g			
Gross Weight(g)	40g			
Controller IC	NO			
Overclock Support (YES/NO}	NO			
Heat Sink/ Heat Spreader	NO			
ECC(Error Correction Code)(YES/NO }	NO			
Pin Count	260			
OEM/ODM Support	YES			
Computer Memory Type(DRAM/SDRAM}	DRAM			
Operating Temperature	0~70°C			
Storage Temperature	-40~85°C			
Warranty	3 Years			
Form Factor	SODIUM			
No. of Memory Channels (Single/Dual)	(Single/Dual)			
Product Dimension (W x Dx H)in mm	70x30x3.5mm			
Buffered /Un-buffered Memory	Un-buffered Memory			
Memory IC Brand	Micron/Samsung/Sk Hynix			

DDR4 SODIMM Series



DDR3 UDIMM Series

Series	DDR3 UDIMM Series		
Brand	KingDian		
Capacity	2GB	4GB	8GB
Model Number	DDR3-PC-2GB	DDR3-PC-4GB	DDR3-PC-8GB
Memory Speed /Frequency	1333MHz	1333/1600MHz	1333/1600MHz
Memory Bandwidth (GB/s)	10700	12800	12800
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8/2Rx8	2Rx8
CAS Latency-1333MHz	9-9-9-24	9-9-9-24	9-9-9-24
CAS Latency-1600MHz		11-11-11-28	11-11-11-28
No. of Memory IC	8	8/16	8/16
Pin Count	240		
Net Weight (g)	17g		
Gross Weight(g)	42g		
ECC(Error Correction Code)(YES/NO)	NO		
Overclock Support (YES/NO)	NO		
Heat Sink/ Heat Spreader	NO		
OEM/ODM Support	YES		
Operating Voltage	1. SV		
Controller IC	None		
Computer Memory Type(DRAM/SDRAM)	DRAM		
No. of Memory Channels (Single/Dual)	Single		
Operating Temperature	0~70°C		
Storage Temperature	-40~85°C		
Form Factor	UDIMM		
Warranty	3 Years		
Power Consumption	6W Max		
Product Dimension (W x Dx H)in mm	133x30x4.0mm		
Buffered /Un-buffered Memory	Un-buffered Memory		
Memory IC Brand	Micron/Samsung/Sk Hynix		

DDR3 UDIMM Seires




DDR3 SODIMM Series

Series	DDR3 SODIMM Series		
Brand	KingDian		
Capacity	2GB	4GB	8GB
Model Number	DDR3-NB-2GB	DDR3-NB-4GB	DDR3-NB-8GB
Memory Speed /Frequency	1333MHz	1333/1600MHz	1333/1600MHz
Memory Bandwidth (GB/s)	10700	12800	12800
Rank(1Rx8/2Rx8/8Rx4)	1Rx8	1Rx8/2Rx8	2Rx8
CAS Latency-1333MHz	9-9-9-24	9-9-9-24	9-9-9-24
CAS Latency-1600MHz		11-11-11-28	11-11-11-28
No. of Memory IC	8	8/16	8/16
Pin Count	204		
Overclock Support (YES/NO}	NO		
Heat Sink/ Heat Spreader	NO		
ECC(Error Correction Code)(YES/NO }	NO		
OEM/ODM Support	YES		
Net Weight (g)	13g		
Gross Weight(g)	38g		
Operating Voltage	1.35V		
Controller IC	None		
Computer Memory Type(DRAM/SDR AM)	DRAM		
Operating Temperature	0~70°C		
Storage Temperature	-40~8s0c		
No. of Memory Channels (Single/Dual)	Single		
Warranty	3 Years		
Power Consumption	6W Max		
Form Factor	SODIUM		
Product Dimension (W x Dx H)in mm	68x30x3.2mm		
Buffered /Un-buffered Memory	Un-buffered Memory		
Memory IC Brand	Micron/Samsung/Sk Hynix		



KingDian International Branches



International Branches

HQ: Shenzhen KingDian Technology Co., Ltd.

- Address: 6th Floor, Block B2, Fuxinlin Industrial Park, Hangcheng
- Industrial Zone, Xixiang Street, Baoan District, Shenzhen, Guangdong,
- China(518102)
- Customer Service: +860755-85281822
- Fax:+860755-85281822-608
- www.kingdianssd.com

Latin America Branch Office

- Address: Rua marquesa de santos, 27 apt 410 – Rio De Janeiro-Brazil
- North America Branch Office
- Address:2651 S Course Dr #205 Pompano Beach-Miami-FL F33069

Indonesia/Malaysia Branch Office

- Address: Jl.Suryo No.137,Jagalan, Kecamatan Jebres, Kota
- Surakarta, Jawa Tengah,Indonesia

Vietnam Branch Office

- Address:220 Xo Viet Nghe Tinh Street, Ward 21, Binh ThanhDistrict,
- Ho Chi Minh City, Vietnam

Korea Branch Office

- Address:934 Dong, Gwanak-ro Gwanak-gu Seoul, Korea

Philippine Branch Office

- Address:169 P. Parada St., Brgy. Sta Lucia, San Juan City 1500
- Philippines

Mexico Branch Office

- Address:Calle Jacarsndas Mz 156 LT 29 Hacienda Ojo de Agua,
- Tecamac – Estado de Mexico 55770

Documents / Resources



[KingDian DDR High Quality Memoria](#) [pdf] User Manual
DDR High Quality Memoria, DDR, High Quality Memoria, Quality Memoria, Memoria

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.