



# KLARK TECKNIK Remote Control for Volume and Source Selection User Guide

[Home](#) » [KLARK TECKNIK](#) » KLARK TECKNIK Remote Control for Volume and Source Selection User Guide 

## KLARK TECKNIK Remote Control for Volume and Source Selection User Guide



### Contents

- [1 Introduction](#)
- [2 Front Panel](#)
- [3 Assembly and Mounting](#)
- [4 Specifications](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

## Introduction

### Welcome!

Thank you for purchasing the CP8000UL remote control panel for the DM8000 Digital Audio Processor. In conjunction with DM8000, the CP8000UL panel provides easy control over volume and source selection. All illuminated soft-touch controls are remotely powered by DM8000 via CAT5/6 cabling, or any 5-conductor cable. The CP8000UL will fit in most standard-depth installation enclosures and will blend with any décor.


## Front Panel




1. **AUXILIARY INPUT LABELING** area provides space to note the name of the assigned audio source. You may write directly on the surface or apply sticky labels.
2. **SOFT TOUCH BUTTONS** can each be assigned to a separate audio input. Press the button to activate the audio input assigned to that button. When a button is active, the embedded LED lights up.
3. **VOLUME KNOB** controls the output level. The volume control can be assigned to the auxiliary input section or main input bus.




## Assembly and Mounting

The CP8000UL fastens into the installation enclosure with two screws beneath the front plate. Remove the front panel, and fasten the main unit into the enclosure with the provided mounting screws. When the unit is securely fastened, replace the front panel.



## Dimensions





## Specifications

### Power supply

Input selection	6 x soft touch buttons
Volume	1 x rotary control
Connector	5-pin euroblock
Cable	Cat5/6
Cable length	Up to 100 m (300 ft)

## Dimensions / Weight

Dimensions (H x W x D)	x 70 x 37 mm (4.5 x 2.8 x 1.5") 114
Weight	0.08 kg (0.176 lbs)


## LEGAL DISCLAIMER

MUSIC Group accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARK TEKNIK, LAB GRUPPEN, LAKE, TANNOY, TURBOSOUND, TC ELECTRONIC, TC HELICON, BEHRINGER, BUGERA and DDA are trademarks or registered trademarks of MUSIC Group IP Ltd. © MUSIC Group IP Ltd. 2017 All rights reserved.

## LIMITED WARRANTY

For the applicable warranty terms and conditions and additional information regarding MUSIC Group's Limited Warranty, please see complete details online at [music-group.com/warranty](https://music-group.com/warranty)

## Documents / Resources

	<p><a href="#">KLARK TEKNIK Remote Control for Volume and Source Selection</a> [pdf] User Guide CP8000UL, Remote Control for Volume and Source Selection</p>
---	--