




SMART⁺ WIFI CUBE



	EAN	W	lm	K	ⓘ (°C)	V~	mA	Hz	DF
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	14	950	3000	-20...+40	220-240	96	50/60	≥0.7
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	10	500	3000	-20...+40	220-240	70	50/60	≥0.7
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	10	500	3000	-20...+40	220-240	70	50/60	≥0.7
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	10	500	3000	-20...+40	220-240	70	50/60	≥0.7


1x


630 g
 4058075478077



900 g
 4058075478152


540 g
 4058075478114


1200 g
 4058075478176



2x


2x




4x

4x


mm


L



W


H

	L	W	H
WIFI CUBEUPDOWN	110	80	205
WIFI CUBE WALL	110	80	116
WIFI CUBE 50CM	120	120	500
WIFI CUBE 80CM	120	120	800

1






ON

OFF


2

(b)






(a)





3











4





	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	F	
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	F	
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	F	
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	F	



C10449057

G11124430

07.07.2021



LEDVANCE GmbH

Steinerne Furt 62

86167 Augsburg, Germany

www.ledvance.com