



Knightsbridge SFR9LOCKMB 13A 1G DP Lockable Socket User Manual

[Home](#) » [Knightsbridge](#) » Knightsbridge SFR9LOCKMB 13A 1G DP Lockable Socket User Manual 

Knightsbridge SFR9LOCKMB 13A 1G DP Lockable Socket User Manual



THESE INSTRUCTIONS SHOULD BE READ CAREFULLY AND RETAINED AFTER INSTALLATION BY THE
END USER FOR FUTURE REFERENCE AND MAINTENANCE
THESE INSTRUCTIONS SHOULD BE USED TO AID THE INSTALLATION OF THE FOLLOWING PRODUCTS
CU9LOCK / CL9LOCKXX / SFR9LOCKXX / MR9LOCK

Contents


- [1 SAFETY](#)
- [2 INSTALLATION](#)
- [3 WARRANTY](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)


SAFETY

- This product must be installed in accordance with the latest edition of the IEE Wiring Regulations (BS7671) and current Building Regulations. If in any doubt, consult a qualified electrician
- Please isolate mains prior to installation or maintenance
- Check the total load on the circuit (including when this product is fitted) does not exceed the rating of the circuit cable, fuse, or circuit breaker
- • Please note the IP (Ingress Protection) rating of this product when deciding the location for installation
- Do not overload this accessory or subject it to conditions outside its rating
- This product is for indoor use only
- This product is IP20 rated

INSTALLATION

- Always ensure the wall surface is flat and smooth for optimum installation
- Provide power to the required point of installation
- Connect the socket to the mains supply ensuring the correct polarity is observed (see Fig. 1): L1 – Live (Brown), E – Earth (Green/Yellow), N1 – Neutral (Blue)
- An earth connection must be made to the earth terminal of the socket. Use green/yellow sleeving on earth conductors that are not insulated
- Check all electrical connections are secure with all exposed copper within the terminal and no loose strands of cable
- Fit the unit into a suitable wall box taking care not to compress, damage, or trap any cables, and secure with the screws provided
- Switch on and check for correct operation





WARNING

Please note that we do not recommend our 13A sockets be used for Electric Vehicle (EV) charging for prolonged periods

GENERAL

Clean with a soft dry cloth only, do not use aggressive cleaning products or solvents that may damage the product.

This product should be recycled in the correct manner when it reaches the end of its life. Check local authorities for where facilities exist.

WARRANTY

This product has a warranty of 15 years from the date of purchase. Failure to install this product in accordance with the current edition of the IEE Wiring Regulations (BS7671), improper use, or removal of the batch code will invalidate the warranty. If this product should fail within its warranty period, it should be returned to the place of purchase for a free of charge replacement. ML Accessories does not accept responsibility for any installation costs associated with the replacement product. Your statutory rights are not affected. ML Accessories reserve the right to alter product specification without prior notice.

SUPPLIED BY: (UK) MANUFACTURER ML ACCESSORIES

**230V
50Hz**

IP20

TD, UNIT E CHILTERN PARK, BOSCOMBE
ROAD, DUNSTABLE LU5 4LT, WWW.MLACCESSORIES.CO.UK



(EU) SLV LIGHTING GROUP, DAIMLERSTRASSE 21-23,
52531 ÜBACH-PALENBERG, GERMANY
EMAIL: EPREL@GROUP.SLV.COM

MADE IN CHINA



Documents / Resources

	<p>Knightsbridge SFR9LOCKMB 13A 1G DP Lockable Socket [pdf] User Manual SFR9LOCKMB 13A 1G DP Lockable Socket, SFR9LOCKMB, 13A 1G DP Lockable Socket, Lockable Socket, Socket</p>
--	--

References

- [SLV - Erlebe Licht.](#)
- [ML Accessories](#)
- [User Manual](#)