



KOLINK ARGB Observatory HF Mesh Midi Tower Case User Manual

[Home](#) » [KOLINK](#) » KOLINK ARGB Observatory HF Mesh Midi Tower Case User Manual 

Contents

- 1 KOLINK ARGB Observatory HF Mesh Midi Tower Case User Manual \
- 2 ACCESSORY PACK CONTENTS
- 3 PANEL REMOVAL
- 4 MOTHERBOARD INSTALLATION
- 5 POWER SUPPLY INSTALLATION
- 6 GRAPHICS CARD/PCI-E CARD INSTALLATION
- 7 2.5" SDD INSTALLATION (REAR)
- 8 2.5" SSD INSTALLATION (REAR)
- 9 3.5" HDD INSTALLATION
- 10 TOP FAN INSTALLATION
- 11 FRONT/REAR FAN INSTALLATION
- 12 WATER COOLING RADIATOR INSTALLATION
- 13 I/O PANEL INSTALLATION
- 14 Read More About This Manual & Download PDF:
- 15 Documents / Resources

KOLINK ARGB Observatory HF Mesh Midi Tower Case User Manual




ACCESSORY PACK CONTENTS

- Motherboard/SSD Screws x14



- Motherboard Stand-off x3




- PSU Screw x8




- 3.5" Drive Screw x4



- Add-on Screw x2




PANEL REMOVAL



- Left Panel – Pull the tab to open the hinged glass panel and lift off the hinges
- Right Panel – Unscrew the two thumbscrews and slide off.
- Front Panel – Find the bottom cut out, stabilise the chassis with one hand, and pull from the cutout with a little force until the clips release


MOTHERBOARD INSTALLATION



- Align your motherboard with the chassis to locate where the stand-offs should be installed.
- Once done, remove the motherboard and fasten stand-offs accordingly.
- Insert your motherboard I/O plate into the cutout at the rear of the case.
- Place your motherboard into the chassis, making sure the rear ports fit into the I/O plate.


- Use the provided motherboard screws to attach your motherboard to the chassis.

POWER SUPPLY INSTALLATION



- Place PSU in the bottom rear of the case, within the PSU shroud.
- Align the holes and secure with screws.


GRAPHICS CARD/PCI-E CARD INSTALLATION



VIDEO CARD/PCI-E CARD INSTALLATION


- Remove the rear PCI-E slot covers as necessary (depending on the slot size of your card)
- Carefully position and slide your PCI-E card into place, then secure with the add-on card screws supplied.

2.5" SDD INSTALLATION (REAR)




- Remove the bracket from the rear of the motherboard plate, attach your 2.5" drives and then screw back into place.

2.5" SSD INSTALLATION (REAR)




- Place the 2.5" HDD/SSD into/on top of the HDD bracket and screw in if required.

3.5" HDD INSTALLATION




TOP FAN INSTALLATION



- Remove the dust filter from the top of the case.
- Align your fan(s) to the screw holes on the top of the chassis and secure with screws.
- Replace your dust filter once secured.

FRONT/REAR FAN INSTALLATION



- Align your fan to the screw holes on the chassis and secure with screws.

WATER COOLING RADIATOR INSTALLATION

- Secure the fans to the radiator, then fasten the radiator inside the chassis by securing with screws from the outside.


I/O PANEL INSTALLATION

- Carefully check the labelling of each connector from the I/O panel to identify their function.
- Cross reference with the motherboard manual to locate where each wire should be installed, then secure one at a time. Please ensure they are installed in the correct polarity to avoid non-function or damage.



Read More About This Manual & Download PDF:

Documents / Resources

	<p>KOLINK ARGB Observatory HF Mesh Midi Tower Case [pdf] User Manual ARGB Observatory HF Mesh Midi Tower Case, ARGB, Observatory HF Mesh Midi Tower Case, HF Mesh Midi Tower Case, Mesh Midi Tower Case, Midi Tower Case, Tower Case</p>
---	--