



KOLINK Unity Arena Argb Installation Guide

[Home](#) » [KOLINK](#) » KOLINK Unity Arena Argb Installation Guide 



VERTIKAL GPU BRACKET INSTALLATION MANUAL



Contents


[1 Unity Arena Argb](#)

[2 Documents /
Resources](#)

[2.1 References](#)

[3 Related Posts](#)


Unity Arena Argb



The vertical GPU bracket is included in the delivery.



Remove 6 of the expansion slot covers at the preferred mounting position.



Mount the graphics card on the vertical GPU bracket in the preferred position.
Connect the GPU riser cable (not included) to the graphics card and the PCIe slot on the mainboard.



Mount the vertical GPU bracket with the graphics card attached to it onto the expansion slots.

	<p>PCIE 5.0 RISER-CABLE 90° X16 300MM PGW-RC-MRK-010 EAN 5999094006362</p>
	<p>PCIE 5.0 RISER-CABLE 180° X16 300MM PGW-RC-MRK-011 EAN 5999094006379</p>
	<p>PCIE 4.0, RISER-CABLE 90° X16 220MM PGW-AC-KOL-066 EAN 5999094004696</p>
	<p>PCIE 4.0, RISER-CABLE 180° X16 300MM MPN: PGW-AC-KOL-065 EAN 5999094004689</p>



Please ensure that you use the correct riser cable that matches the PCIE version of your graphics card and mainboard. You can find various PCIE riser cables in the Kolink portfolio.

www.kolink.eu

Documents / Resources

	<p>KOLINK Unity Arena Argb [pdf] Installation Guide Unity Arena Argb, Arena Argb, Argb</p>
---	---

References

-  [Home](#)
-  [Home](#)
- [User Manual](#)

Manuals+, **Privacy Policy**

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.