



Kramer KC-Virtual Brain1 Hardware Platform with 1 Instance Owner's Manual

[Home](#) » [Kramer](#) » Kramer KC-Virtual Brain1 Hardware Platform with 1 Instance Owner's Manual 

Kramer KC-Virtual Brain1 Hardware Platform with 1 Instance Owner's Manual



KC–Virtual Brain1 is a hardware platform with 1 instance of Kramer Brainwaves software already installed on the device. KC–Virtual Brain1 is designed to maximize the features and benefits of Kramer Brainwaves for controlling 1 standard space (e.g. a standard space could include a scaler, monitor, lighting system, touch panel and keypad). Kramer BRAINware is an enterprise–class, revolutionary, user–friendly, software application that enables you to execute all your room control actions straight from a computer without installing a physical Brain between the user interface and the controlled devices. Using the power of Kramer Control cloud–based control & space management platform, Kramer BRAINware enables you to operate multiple devices over Ethernet such as scalers, video displays, audio amplifiers, Blu–ray players, sensors, screens, shades, door locks, and lights. Designing a system was never easier, with Kramer Control's intuitive drag & drop Builder. Install, configure and modify your control system without any prior knowledge in programming

Contents

- [1 FEATURES](#)
- [2 TECHNICAL SPECIFICATIONS](#)
- [3 PRODUCT OVER VIEW](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)

FEATURES

Simplified AV Installation – Control a room without installing a physical Brain

Format Conversion – Use Kramer FC family of control format converters to enable controlling almost any device

Fully Customizable UI – Using Kramer Control, easily personalize your control interface any way you like




Space Controller – Controls any AV device with its corresponding logic
Simple Configuration – Install and start using the platform in minutes with easy configuration

TECHNICAL SPECIFICATIONS


Ports	3 USB: On 2 USB 3.0 connectors and 1 USB connector 1 LAN: On an RJ-45 connector
Inputs	1 HDMI: On a female HDMI connector
Outputs	1 HDMI: On a female HDMI connector
General	Processor: Intel® Gemini Lake QC SOC Main Memory: 4GB LPDDR4 (2400) Storage: 32GB eMMC Networking: 1 x Gigabit LAN Wi-Fi 802.11 ac/b/g/n dual band Operating System Linux
Power	Source: 12V DC Consumption: 1.7A
Environmental	Operating Temperature 0° to +40°C (32° to 104°F)
Conditions	Storage Temperature -40° to +70°C (-40° to 158°F) Humidity 10% to 90%, RHL non-condensing
Extended USB	Safety: CE
Enclosure	Type: Aluminum Cooling Fan with sink
Accessories	Included: Power adapter, Video Switching control cable, VESA mount
PHYSICAL	Product Dimensions 7cm x 7cm x 3.3cm (2.8" x 2.8" x 1.3") W, D, H Product Weight 0.2kg (0.4lbs) approx Shipping Dimensions 15.7cm x 12cm x 8.7cm (6.2" x 4.7" x 3.4") W, D, H Shipping Weight 0.6kg (1.3lbs) approx.
Product Dimensions	7.30cm x 7.30cm x 3.34cm (2.87" x 2.87" x 1.31") W, D, H
Product Weight	0.2kg (0.4lbs) approx.
Shipping Dimensions	15.70cm x 12.00cm x 8.70cm (6.18" x 4.72" x 3.43") W, D, H
Shipping Weight	0.6kg (1.3lbs) approx



PRODUCT OVER VIEW



Documents / Resources

	<p>Kramer KC-Virtual Brain1 Hardware Platform with 1 Instance [pdf] Owner's Manual Kramer KC-Virtual Brain1 Hardware Platform with 1 Instance, KC-Virtual, Brain1 Hardware Platform with 1 Instance, Hardware Platform with 1 Instance, Platform with 1 Instance, with 1 Instance, 1 Instance, Instance</p>
---	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.