



KRUX KRX0102 USB and USB C Hub Instructions

[Home](#) » [KRUX](#) » KRUX KRX0102 USB and USB C Hub Instructions 

KRUX KRX0102 USB and USB C



Contents

[1 CONNECTION](#)

[2 PARTS DESCRIPTION](#)

[3 TECHNICAL SPECIFICATION](#)


[4 WARRANTY](#)

[4.1 KRUX USS 3.0 HUB USB-C](#)


[5 Documents / Resources](#)

[6 Related Posts](#)

CONNECTION



PARTS DESCRIPTION



1. Type-C™ Input
2. 4x USS Type-A 3.0
3. Optional Micro usb power supply

TECHNICAL SPECIFICATION

SIZE:	96x30x20 mm
CABLE:	300 mm
TRANSFER RATE UP TO:	5 Gb/s
COMPATIBLE SYSTEM:	WINDOWS ME/ XP /VISTA/ 7 / 8 / 8.1 / 10 / 11
WINDOWS SERVER:	2000 / SERVER 2003 OR NEWER, LINUX; MAC OS 10 OR NEWER.
COMPATIBLE WITH	USB STANDARD, USB TYPE A PLUG. FOR AN OLDER DEVICES READING/ WRITING SPEED MAY BE WORSE.
SOFTWARE	NO EXTRA DRIVE, SUPPORT PLUG AND PLAY.

WARRANTY

KRUX USS 3.0 HUB USB-C

2 -year manufacturer warranty

Use and warranty limitations

- The product should be used according to its intended purpose. Incorrect use can damage the product and endanger the life of the user;
- Excessive humidity, dust and other contaminations can result in product damage which is not covered by the warranty;
- The warranty does not cover mechanical damage to the product;
- Avoid exposure to rapid changes in ambient temperature. Should they occur, wait approx. 30 minutes before using the product until the temperature is leveled;
- You can find the Warranty Terms and Conditions in “Support” at <https://krux.tech/>

ENTITY RESPONSIBLE/
 PODMIOT DDP □ WI EDZ IALNY:
 CODLING SP. Z O .O .
 UL. SDK □ t..DWSKA 24
 05- 806 S □ K □ t..DW, POLSKA
 TEL. +48 22 292 01 30
 BDD: 000020025



Documents / Resources

	KRUX KRX0102 USB and USB C Hub [pdf] Instructions KRX0102, USB and USB C Hub, KRX0102 USB and USB C Hub, USB C Hub, USB Hub
---	---