



KRUX KRX0136 Force100 USB-C Adapter User Guide

[Home](#) » [KRUX](#) » KRUX KRX0136 Force100 USB-C Adapter User Guide 




KRX0136 Force100 USB-C Adapter
User Guide




Contents

- [1 KRX0136 Force100 USB-C Adapter](#)
- [2 TECHNICAL SPECIFICATION](#)
- [3 WARRANTY](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)

KRX0136 Force100 USB-C Adapter



1. Type-C™ Input
2. Power Delivery USB Type-C™ [100 W PD Charging]
3. Port HDMI 1.4b
4. USB Type-A 3.1
5. 2x USB Type-A 2.0
6. SD card slot



TECHNICAL SPECIFICATION

SIZE: 109x40x12 mm

CABLE: 160 mm

COMPATIBLE SYSTEM: WINDOWS ME / XI= / VISTA / 7 / 13/13.1/10 /11,

WINDOWS SERVER: 2000 / SERVER 2003 OR NEWER, LINUX; MAC 05 10 OR NEWER. COMPATIBLE WITH USB STANDARD, USB TYPE A PLUG. FOR AN OLDER DEVICES READING / WRITING SPEED MAY BE WORSE.

SOFTWARE: NO EXTRA DRIVE, SUPPORT PLUG AND PLAY.

USB PORT VERSION:	USB TYPE CTM 2AN D OLDER	USB TYPE ETM 3 0 O R NEWER
AXIMUM SPEED OF TATA TRANSFER:	480 Mbit/s [80 MB/s]	4000 Mbit/s [S00 MB/s]
MAXIMUM OUTPUT POWER:	2.5 W	100 W
MicroSO / SO CARD SUPPORT:	YES	YES
HDMI SUPPORT:	NO	YES

WARRANTY

KIRUX FDRCE100 U5B-CTM ADAPTER

2-year manufacturer warranty

Use and warranty limitations

- The product should be used according to its intended purpose. Incorrect use can damage the product and endanger the life of the user;
- Excessive humidity, dust and other contaminations can result in product damage which is not covered by the warranty;
- The warranty does not cover mechanical damage to the product;
- Avoid exposure to rapid changes in ambient temperature. Should they occur, wait approx. 30 minutes before using the product until the temperature is leveled;
- You can find the Warranty Terms and Conditions in “Support” at <https://krux.tech/>



ENTITY RESPOSNSIBLE

TEL. +49 22 292 0130



MADE IN CHINA

Documents / Resources

 FORCE100 USB-C™ ADAPTER KRX0136 WWW.KRUXTECH	KRUX KRX0136 Force100 USB-C Adapter [pdf] User Guide KRX0136 Force100 USB-C Adapter, KRX0136, Force100, USB-C Adapter, Adapter
--	---