



KWIKOOL 6021-3 Low Pressure Switch Owner’s Manual

[Home](#) » [KwiKool](#) » KWIKOOL 6021-3 Low Pressure Switch Owner’s Manual 



Contents

1 SPECIFICATIONS





2 Documents / Resources

2.1 References

SPECIFICATIONS

COOLING CAPACITY	BTU/hr @ 95F at 60% RH	60,000 (5-Ton)
COMPRESSOR DATA	Compressor Type	Scroll
	Operating Temperatures	60-110 F 50%RH
	Refrigerant	R 454 B
FAN DATA Evaporator	Fan Type (Centrifugal)	Direct Drive
	Air Flow (CFM)	2000/3 Speed
	Supply Air Device	Adjustable Vent
	Supply Air Chute Kit (optional)	2 – 10" Dia. x 24" Length

Condenser	I/O Integral Condenser	Balanced Air Flow
	Fan Type (Centrifugal)	Direct Drive
	Air Flow (CFM)	3500
	Condenser Duct Specs (optional)	2 – 18" Dia.x8' Length
	Condenser Duct Max. Length	65'
ELECTRICAL DATA	Power Supply (Volts)	230 Single Phase
	Current Consumption (Amps)	38.5
	Power Consumption (kW)	7.97
	Maximum Circuit Breaker (Amps)	60
	Recommended Breaker Size (Amps)	50
	Minimum Circuit Ampacity(Amps)	44.675
	Min./Max. Voltage	195-250
	Power Cord Gauge/Length	6 AWG/10'
	Plug Configuration	Field Supplied
DIMENSIONAL DATA	Width x Depth x Height (Inches)	27" x 50" x 54"
	Weight (Lbs.)	523
	Shipping Weight (Lbs.)	573
	Ceiling Kit Weight (Lbs.)	56
	Shipping Weight w/ Ceiling Kit	629
SAFETY DEVICE DATA	Compressor Overload	Internal
	Fan Motor Overload	Automatic Internal
	Evaporator Freeze Protection	Hot Gas Bypass
	High Pressure Switch	Manual
	Low Pressure Switch	Automatic
	Compressor Short Cycle	Yes
	Automatic Restart	Yes
	Thermostat Type	Microprocessor/Digital
	Condensate Pump Overflow	Yes
	Condensate Tank Overflow	Yes



KIB6021-3

- | | |
|-------------------------|--------------------------|
| 1. Cold Air Supply | 6. Condensate Nipple |
| 2. Kool Pad Control Pad | 7. Condensate Alarm Jack |
| 3. Cold Air Return | 8. Cord Storage |
| 4. Vent Control | 9. Condenser Air Inlet |
| 5. Access Door | 10. Condenser Air Outlet |



KWIKOOL.COM

Documents / Resources

Specifications	Model
Model	KIB 6021-3
Manufacturer	Kwikool
Part Number	6021-3
Weight	15.0 lbs
Dimensions	27.0" x 54.0" x 20.0"
Capacity	1500 BTU
Power	115V, 60Hz
Warranty	1 Year
Accessories	Remote Control, Filter, Cord
Notes	See Owner's Manual for details.

[KWIKOOL 6021-3 Low Pressure Switch](#) [pdf] Owner's Manual
6021-3, KIB6021-3, 6021-3 Low Pressure Switch, 6021-3, Low Pressure Switch, Pressure Switch, Switch

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.