

Kzzi Z98 Mechanical Keyboard User Guide

Home » Kzzi » Kzzi Z98 Mechanical Keyboard User Guide 🖺

Contents

- 1 Kzzi Z98 Mechanical Keyboard
- **2 BLUETOOTH CONNECTIVITY**
- 3 FUNCTION KEYS / TOGGLE SWITCH/ DISPLAY OPERATION
- 4 Documents / Resources
- **5 Related Posts**



Kzzi Z98 Mechanical Keyboard



BASIC INFORMATION













WIRED CONNECTIVITY




Recommend: Using 5V 1A Rated power to charge keyboard

PUSH BUTTON/TOGGLE SWITCH FUNCTIONS




BLUETOOTH CONNECTIVITY



- 1. Use the toggle to select BT1/BT2/BT3 icon, and connect any group of Bluetooth devices. Pairing setting: for example.select BT1, then press and hold "OK" until it shows BT1 is paring, which means that the pairing is in progress. Re-connection setting: for example, select BT1, then click 'OK', and it shows BT1 is linking, which means that you have entered the reconnecting state.
- 2. Turn on the Bluetooth settings of your device then search and connect"Kzzi Z98".
- 3. Once it's done, the display shows "BT1 success!" and back to the Home Screen. Similarly follow the steps above to store 3 groups of different BT devices.


(Kind Reminder: Please store 3 groups of BT device before switching.)


2.4G CONNECTIVITY




- 2.4G mode: use the toggle to select the 2.4G icon,and click the push button. Keyboard is switched to 2.4G mode and the display shows "2.4G linking".
- 2.4G pairing: use the toggle switch to select the 2.4G icon,and press and hold the push button until the display shows "2.4G pairing"; then insert receiver and the display shows "2.4G success".

(**Kind Reminder**: The receiver has been paired before delivery, no need to pair 2.4G again. This method is only used when 2.4G cannot be connected, you can set it for the first time, no need to set it every time.)






WINDOWS MULTIMEDIA KEYS




MAC MULTIMEDIA KEYS




SPECIAL FUNCTION KEYS



CUSTOMIZED BACKLIGHT




Repeat key presses can change backlit colors



The display is not operational when the keyboard is recording with a backlight effect.

FULL POWER-OFF RESTART FUNCTION



This feature allows you to completely power off the device and then initiate a fresh restart when needed. Simply hold the button located below the space key and on the left side of the switch for 3 seconds to activate this function.

Note: It is useful for troubleshooting technical issues and restoring default settings.

Is there a problem with our kzzi products?

Please contact us and we will respond as soon as possible to ensure that all your needs are addressed.

Service Hotline: 400-0221-288

Executive standard: GB/T 14081-2010

Manufacturer: Kezhi (HuiZhou) Electronic Technology Co., Ltd.

For more product details, driver, firmware updating, please visit KZZI official website: www.kzzi.com Made in China

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the

• Reorient or relocate the receiving antenna.

interference by one or more of the following measures:

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

 The device has been evaluated to meet general RF expective requirement. The device can

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Documents / Resources



Kzzi Z98 Mechanical Keyboard [pdf] User Guide 2BBA6-Z98, 2BBA6-Z98, Z98, Z98 Mechanical Keyboard, Mechanical Keyboard, Keyboard

Manuals+,