

Laerdal SimPad PLUS 2 Simulation SW for SimPad License Instructions

Home » Laerdal » Laerdal SimPad PLUS 2 Simulation SW for SimPad License Instructions

Lardil Skimped PLUS 2 Simulation SW for Skimped License Instructions



Contents

- 1 Skimped PLUS 2 / Link Box PLUS Regulatory Information
- **2 Operating Conditions**
- 3 Cleaning and Maintenance
- 4 Internal Battery Pack in Skimped PLUS 2
- **5 Power Connection and Hazardous Voltage**
- 6 Commission (FCC) Statement
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**

Skimped PLUS 2 / Link Box PLUS – Regulatory Information

Read these instructions thoroughly before connecting the equipment to the power source. Observe all warnings cautions and instructions on the Skimped PLUS 2, in the User Guide and in this Important Product Information booklet. Retain this booklet for future reference



Warnings and Caution

A Warning states a condition, hazard, or unsafe practice that can result in serious personal injury or death. A Caution states a condition, hazard, or unsafe practice that can result in minor personal injury or damage to the product.



Note

A note states important information about the product or it's operation.

Operating Conditions

Water and Moisture



Cautions

- Do not operate the device under or near water for example near a bathtub, kitchen sink, or laundry tub, in a wet basement, near a swimming pool or in other areas with high humidity.
- Never install Jacksboro communication cablese wet locations.
- Do not operate the product with wet hands.



Warning

Do not operate the device in areas with a high concentration of dust.

Cleaning and Maintenance

Cleaning

- Unplug the device from communication lines, mains power outlet or any power source before cleaning or polishing.
- Do not use liquid cleaners or aerosol cleaners. Use a lint-free cloth lightly moistened with water for cleaning the
 exterior of the device.

Servicing

Refer all servicing to qualified service personnel.



Warning

Do not attempt to service the device yourself. Opening or removing covers may expose you to dangerous voltages or other hazards, and will void the warranty

WiFi Connections

Please ensure that your settings of the device adhere to any regional restrictions on the use of WIFI channels.hannels 12 and 13 will not work on both the Skimped PLUS 2 and the Link Box PLUS.

Accessories

- Use only accessories specified by the manufacturer or sold with the apparatus.
- Do not use the RJ-45 as a telephone line connection.

Internal Battery Pack in Skimped PLUS 2



Warnings

- Do not disassemble, crush, puncture, or short external contacts and do not allow metal objects to come into contact with the battery terminals.
- Do not try to repair the battery; it may cause an explosion.
- Do not incinerate or dispose of in fire, the battery may explode or release toxic materials.
- Risk of explosion if battery is replaced by an incorrect type.
- If the internal battery pack in SimPad PLUS 2 is mishandled, it can burst, cause a fire or even chemical burns



Cautions

Use only the Skimped battery with Skimped PLUS 2.

- Do not expose to high temperatures, such assign direct sunlight Orin a car parked in the sun.
- Only charge SimPadPLUS 2using the supplied battery charger or a recommended charging device that can charge the battery.
- Dispose of used battery pack promptly and according tolocallegislations.
- Do not dispose of in water.

Power Connection and Hazardous Voltage



Warnings

- The product orits accessories may have a hazardous voltage inside.
- · Always power the product from an earthed power outlet.
- If the provided plug does not fit into your outlet, consult an electrician.



Cautions

- Never attempt to open this product, or any peripherals connected to it, if this action requires a tool.
- If any parts of the product have visual damage, never attempt to connect main power, or any other powersource, before consulting service personnel.
- Route the power cord to avoid it being walked on or pinched by items placed upon or against it. Pay particular
 attention to the plugs, receptacles and the point where the cord exits from the device.
- Do not tug the power cord.

Commission (FCC) Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmfnterference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference communication's. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Consult the dealer or an experienced radio/TV technician for help.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

SimPadPLUS2 ContainsFCCID: QHQ-LB1YM

LinkBoxPLUS ContainsFCCID:QHQ-LB1YM



Cautions

- This transmitter must not be co-located or operating in conjunction with any other antenna oansmitter.
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

he use of shielded I/O cables is required when connecting this equipment to any and all optional peripheral or host devices. Failure to do so may violate Accrues

For Portable Device Usage (<20cm from body/Specific Absorption Rate (SAR) needed)) Radiation Exposure Statement.

This device meets the government's requirements for exposure to radio waves. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the FCC of the U.S. Government. The exposure standard for wireless device employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6W/kg. Tests for SAR are conducted using standard operating positions accepted by the FCC with the device transmitting at its highest certified power level in all tested frequency bands.

For Country Code Selection Usage (WLAN Devices)



- The country code selection is for non-US models only and is not available to all USmodels. Coregulation, all WIFI products marketed in US must be fixed to US operation channels only.
- Changes or modifications not covered in this manual must be approved in writing by the manufacturer's Regulatory Engineering Department. Changes or modifications made without written approval may void the user's authority to operate this equipment.

Canada Industry Canada Rules

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following Tw conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.



Cautions for WLAN 5GHZ Device:

- The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.
- The maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall comply with the e.i.r.p. limit.
- The maximum antenna gain permitted for devices in the band 5725-5850 MHz shall comply with the e.i.r.p. limits specified for point-to-point and non point-to-point operation as appropriate.
- The worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in Section 6.2.2(3) shall be clearly indicated
- Users should also be advised that high-power radars are allocated as primary users (i.e. priority users) of the bands 5250-5350 MHz and 5650-5850 MHz and that these radars could cause interference and/or damage to LE-LAN devices.

Radio Frequency (RF) Exposure Information The radiated output power of the Wireless Device is below the Innovation, Science and Economic Development Canada (ISED) radio frequency exposure limit reels Device should be used in such a manner such that the potential for human contact during normal operation inmixed.

This device has been evaluated for and shown compliant with the ISED Specific Absorption Rate ("SAR") limits when operated in portable exposure conditions. (Antennas are greater than 5mm from a person's body). Information's concern ant exposition aux frequencies radio (RF)

Symbol Glossary

CE	CE Mark
CA	UKCA Mark
Li-lon	Li-lon batteries recycling logo
A	Waste of Electronic and Electrical Equipment Mark
<u></u>	Australia RCM Mark

CUL US	UL Listing Mark
FC	FCC Declaration of Conformity label
S	Korea Certification Mark
(2)	JapaneseMIC Certification Mark
(W)	ChinaCompulsory Certification Mark
V€I	Japanese Voluntary Control Council for Interference by Information Technology Equipment Mark
(!)	Alert symbol for a Class 2 radio apparatus which employs a frequency band that is not har monised throughout the European Community and/or that potential restrictions on the use of the apparatus exist in one or more member states
SN	Serial numbe
Æ	Warning/Caution

Safety

SimPad PLUS 2 has IP32 protection rating as defined by standard IEC 60529. Link Box PLUS has IP30 protection rating as defined by standard IEC 60529.



This appliance is marked according to the European directive 2012/19/EC on Waste Electrical and Electronic Equipment

(WEEE).

By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. The symbol on the product, or on the documents accompanying the product, indicates that this appliance may not be treated as household waste. Instead it shall be handed over to the applicable collection point for the recycling

of electrical and electronic equipment. Disposal must be carried out in accordance with local environmental regulations for waste disposal. For more detailed information about treatment, recovery and recycling of this product, please contact your local city office, your household waste disposal service or Laerdal representative.

Warranty

Refer to the Laerdal Global Warranty for terms and conditions. For more information visit www.laerdal.com

perating temperature (0 °C to 40 °C (32 °F to 104 °F), Humidity 5 to 90% RH non-condensing
orage temperature -	-20 °C to 60 °C (-4 °F to 140 °F)
ze 1	158 x 126 x 25 mm (6.22 x 4.96 x 0.98 in)
perating Altitude 3	3500 m Maximum
eight 2	450 g (11b)
CD display	High Resolution Color LCD display, 5.7 in, 480 x 640 pixels
ttery type L	Li-Ion 3.8 V, capacity: 16 Wh
attery time 3	3 – 4 hours continuous use with 50% display brightness
ttery charging [DC input 12V 0.7A max. USB OTG input, 5V 500 mA max
narging time 1	10 — 80%, approximately 50% / hour from DC input 80% – 100%, 1 hour
ommunication \	WiFi 802.11 a/b/g/n/ac Bluetooth
eight 2 D display Hattery type Lattery time 3 attery charging Energing time 1	450 g (11b) High Resolution Color LCD display, 5.7 in, 480 x 640 pixels Li-lon 3.8 V, capacity: 16 Wh 3 – 4 hours continuous use with 50% display brightness DC input 12V 0.7A max. USB OTG input, 5V 500 mA max 10 — 80%, approximately 50% / hour from DC input 80% – 100%, 1 hour

DC input	12V DC, 3.33 A minimum. (for power adapter*), or 7.2V DC, 4.4A (for battery)	
Ethernet	RJ45 connector, 10 Mbps / 100 Mbps / 1Gbps	
USB	USB C on the go input/output	
Audio	3.5 mm audio jack with TRRS input. Microphone on sleeve (compatible with iPhone headset)	

Link Box PLUS		
Operating temperature	0 °C to 40 °C (32 °F to 104 °F), Humidity 5 to 90% RH non-condensing	
Size	140 x 90 x 30 mm (5.51 x 3.54 x 1.18 in)	
Operating Altitude	3500 m Maximum	
Weight	200 g (0.44 lb)	
Communication	WiFi 802.11 a/b/g/n/ac Bluetooth	

This product is intended to be supplied by a Listed Power Adapter. Contact Laerdal for furtheassistance with purchasing the power source.

Link Box PLUS Connect	ions
DC input	12V DC, 3.33 A minimum. (for power adapter**), or 7.34V DC, 5.7A (for battery)
Ethernet	RJ45 connector, 10 Mbps / 100 Mbps / 1Gbps
Future	Connector for future use
Manikin	Power and signals to manikin. Pulse, sounds etc
Battery #1	Connector for Laerdal Li-lon Battery
Battery #2	Connector for Laerdal Li-lon Battery
Blood Pressure	Cuff pressure input: 0 – 300 mm Hg
USB	USB A input / output
Audio in	3.5 mm jack with TRS input. Line in or microphone level
Audio out	3.5 mm jack with TRS output. Line out level
Li-Ion Battery	
Battery type	Li-lon, 4 cells
Cell type	LIC 18650-M29B
Voltage	7.34 V nominal
Capacity	5.7 Ah typical
Size	98 x 78 x 29.7 mm (3.86" x 3.07" x 1.11")
Weight	280 g (0.6 lb) approximately
Battery Charging	
Charging voltage input	9 – 16 V DC
Charging method	Constant Current + Constant Voltage
Constant current	1.33A typ.
Charging time:	0 – 80%: 30% per hour. 80% – 100%: 1 hour
Charging Indicator	The charging indicator is only active when there is a charging voltage present2. Charging: Steady yellow light3. Charged: Light off

This product is intended to be supplied by a Listed Power Adapter or DC power source, rate12Vdc, 3.33A minimum, Tma = 35 degree C, and the altitude of operation = 3500m. ContacLaerdal for further assistance with purchasing the power source



Documents / Resources



<u>Laerdal SimPad PLUS 2 Simulation SW for SimPad License</u> [pdf] Instructions LB1YM, QHQ-LB1YM, QHQLB1YM, SimPad PLUS 2, SimPad PLUS 2 Simulation SW for SimPad License, SimPad License, License

References

- <u>Welcome to Laerdal Medical Helping Save Lives | Laerdal Medical</u>
- User Manual

Manuals+, Privacy Policy