

LAVABO®
**IST169 Retro Two
Handle Basin Mixer**



LAVABO IST169 Retro Two Handle Basin Mixer Installation Guide

[Home](#) » [LAVABO](#) » LAVABO IST169 Retro Two Handle Basin Mixer Installation Guide 

Contents

- [1 LAVABO IST169 Retro Two Handle Basin Mixer](#)
- [2 Installation instruction](#)
- [3 Dimension](#)
- [4 Contents of the package](#)
- [5 Installation](#)
- [6 Replacement of the ceramic cartridge](#)
- [7 Maintenance](#)
- [8 Product Specifications](#)
- [9 Product Usage Instructions](#)
- [10 Frequently Asked Questions](#)
- [11 Documents / Resources](#)
 - [11.1 References](#)

LAVABO®


LAVABO IST169 Retro Two Handle Basin Mixer



Installation instruction


- Art. No: 51011, 51014, 51014BR
- VVS: 701852104, 701852105
- RSK: 5258002, 8258003
- EDITION: 2024-03-15 Lavabo

Dimension




Contents of the package

- Water tap




- Mounting kit



- Bottom valve with lift-up function
- Flex hoses for water connection G3/8"

Installation

- Flush the water pipes. Turn off the water



$65 \pm 5^{\circ}\text{C}$




$15 \pm 5^{\circ}\text{C}$




MIN - MAX




OK



- Max. 45 mm bassin / worktop Hole drilling $\varnothing 35$ mm



Replacement of the ceramic cartridge



- Turn off the water

Maintenance



Product Specifications

- **Product Name:** Retro
- **Art. No:** 51011, 51014, 51014BR
- **VVS:** 701852104, 701852105
- **RSK:** 5258002, 8258003
- **Edition:** 2024-03-15
- **Certifications:** KIWA 1813, SINTEF 3792
- **Manufacturer:** Lavabo A/S

- **Address:** Neptunvej 17, DK-6000 Kolding
- **Contact:** +45 75 55 88 66, info@lavabo.dk
- **Website:** www.lavabo.dk

Product Usage Instructions

Flush the Water Pipes

Before installation, ensure to flush the water pipes. Follow these steps:

1. Turn off the water supply.
2. Schalten Sie das Wasser aus.
3. Spola vattenledningarna.

Hot and Cold Water Control

The product allows control over hot and cold water. Follow these guidelines:

- DK Varm / EN Hot / DE Heiss / SE Varmvatten – Adjust for hot water.
- DK Kold / EN Cold / DE Kalt / SE Kallvatten – Adjust for cold water.
- Maximum Temperature: 45 degrees Celsius.

Frequently Asked Questions


Q: How do I clean the product?

A: Use a mild soap solution and a soft cloth to clean the product. Avoid abrasive cleaners that may damage the surface.

Q: Can I install the product myself?

A: We recommend professional installation to ensure proper setup and avoid any issues with the product.

Documents / Resources



[LAVABO IST169 Retro Two Handle Basin Mixer](#) [pdf] Installation Guide
 IST169, IST169 Retro Two Handle Basin Mixer, Retro Two Handle Basin Mixer, Two Handle Basin Mixer, Handle Basin Mixer, Basin Mixer

References

- [Find håndvaske, armaturer, toiletter til bad og køkken](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.