



LC-POWER LC-HUB-C-MULTI-6-RGB USB-C Multi Hub User Manual

[Home](#) » [LC-POWER](#) » LC-POWER LC-HUB-C-MULTI-6-RGB USB-C Multi Hub User Manual 

LC-POWER LC-HUB-C-MULTI-6-RGB USB-C Multi Hub User Manual




Contents

- [1 Features](#)
- [2 Connectors](#)
- [3 Examples](#)
- [4 Support](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Features


- **Compatible to:** Windows 7, Mac OS 10.2, Linux 2.6.2 or higher /
- **Material:** Aluminium alloy; plastic
- **Dimensions:** 117,6 x 48 x 14,3 mm
- **Cable length:** 150 mm

Connectors



- **1. USB-C input**
- **2. USB-C Power Delivery (PD 3.0):** 5,0-20,0 V, 3,0 A, max. 100 W
- **3. HDMI:** 4K@30Hz (3840 x 2160 @ 30 Hz) max.;
Display mode: main, extended, mirror, rotation
- **4.5.6. USB-A (USB 3.2 Gen 1×1):** 5 Gb/s, 480 Mb/s, 12 Mb/s
- **7.8. Micro-SD (TF) / SD/MMC card reader**
- **9. RJ45 Gigabit LAN:** 1000/100/10 Mb/s
- **10. 3,5mm Audio**

Examples




Support

In case you need any assistance, please visit www.lc-power.com or write us: support@lc-power.com.

Thank you.

Silent Power Electronics GmbH,
Formerweg 8, 47877 Willich, Germany

Documents / Resources

	LC-POWER LC-HUB-C-MULTI-6-RGB USB-C Multi Hub [pdf] User Manual LC-HUB-C-MULTI-6-RGB USB-C Multi Hub, LC-HUB-C-MULTI-6-RGB, USB-C Multi Hub, Multi Hub, Hub
---	--