



Leading Solutions Tab Secure Instruction Manual

[Home](#) » [Leading Solutions](#) » **Leading Solutions Tab Secure Instruction Manual** 

Contents

- [1 Leading Solutions Tab Secure](#)
- [2 Key Features](#)
- [3 What's In The Box](#)
- [4 Dimension Enclosures](#)
- [5 Dimension WallMount](#)
- [6 Installation Guide](#)
- [7 Insert Ipad or Tablet](#)
- [8 Attach The Faceplate](#)
- [9 Push To Lock](#)
- [10 Screw To Wall](#)
- [11 Charging Cable Option](#)
- [12 Documents / Resources](#)
- [13 Related Posts](#)



Leading Solutions Tab Secure



Secure your tablet in style with the Tab Secure Tablet stands. This wall mounted solution allows you to mount any tablet to your wall. Help your customers to help themselves when things get busy; put your tablets to work as an engaging tool and let it interact with your clients.

- Internal specific tablet fitting kit
- Can be mounted in landscape or portrait mode.
- Tamper-proof tubular lock with 2 keys.
- Kensington lock point for optional extended security. Radio-transparent chassis for Wi-Fi, Bluetooth, 3/4G, and NFC.
- Available in Both Black and White.



Key Features

- **Secure Enclosure**


Each enclosure is secured together by a high quality key and barrel.

- **Wall Support**

Built from strong high grade aluminium alloy to support and secure your tablet.

- **Future Proofing**


Easily accommodate new tablet models by replacing the “old” blue rubber kits (and acrylic faceplate).



What's In The Box



Pair of Keys




8x Bolts



4x Mounting Screws



Washer Plate




Mounting Plate




Table Fit Kits




Metal Face Cover



Acrylic Faceplate




Enclosure




Stalk


Dimension Enclosures



Enclosure 7"-9"




Enclosure 9" - 11"



Enclosure 12.9

Dimension WallMount


The measurements below are for 9-11 enclosures.



Maximum Mounting Surface Thickness : 30mm



Installation Guide

- STEP 1: Attach the Case to the Stem by using the four bolts and the mounting washer to join together.
- STEP 2: Firmly insert each of the four Fit Kit rubber corner pieces into the case by aligning with the Positioning Pins.




Insert Ipad or Tablet

- STEP 1: Connect the charge cable to the tablet, then insert your tablet into the Fit Kit corner pieces. It should sit neat and snug.
- STEP 2: First, peel the brown protective seal from one side of the Access Cover. Then insert the Access Cover over the top of your tablet with the black, shiny side facing up.




Attach The Faceplate

The last step is to lock-down the Metal Face Cover to secure and protect your tablet. First, position the two Fixing Hooks into the Case (opposite side of the Key Lock). Then pop in the other end. The Faceplate should Click into the Case and sit flush.



Example




Push To Lock

To complete the setup of your kiosk and ensure your device is secure, make sure to push in the lock-pin. To unlock use the 2 keys provided.

When the lock-pin stands out, it means your kiosk is open



To secure your kiosk, push in the lock-pin




Please note: The Pair of Keys are use to unlock the kiosk.

Screw To Wall

Box Inclusion



- STEP 1: Connect the Base Plate to the Stem using the four bolts provided, tightening from underneath
- STEP 2: Secure the Base Plate to your wall using the four screws.





Charging Cable Option


Box Inclusion



- STEP 1: Feed charging cable through the counter to complete
- STEP 2: The charge cable can exit out of the base and plugged to the nearest power supply.



Documents / Resources

| | |
|---|--|
|  | <p>Leading Solutions Tab Secure [pdf] Instruction Manual Tab Secure, Tab, Secure</p> |
|---|--|

Manuals+.