



# LEDISONS LDT50-A15040-BASIC LED Linear Basic 150 CM Instruction Manual

[Home](#) » [LEDISONS](#) » LEDISONS LDT50-A15040-BASIC LED Linear Basic 150 CM Instruction Manual 

*LEDISONS LDT50-A15040-BASIC LED Linear  
Basic 150 CM Instruction Manual*



www.ledisons.com  
Rendementstraat 5  
8094 RA Hattemerbroek  
The Netherlands

## MANUAL

**LED LINEAR BASIC 150 CM**

LDT50-A15040-BASIC

[www.ledisons.com](http://www.ledisons.com)

### Contents

- [1 INSTALLATION](#)
- [2 WARNINGS](#)
- [3 Documents / Resources](#)
  - [3.1 References](#)
- [4 Related Posts](#)

## INSTALLATION

This fixture is for indoor use and must be installed on flat surfaces.

## WALL OR CEILING INSTALLATION

1. Determine where the lighting is to be placed.
2. Attach the locking clips to the surface with the included hardware (Fig. 1).
3. Once the clips have been placed, the lighting is placed by applying slight pressure to the base (Fig. 2).
4. Connect the light to the power supply (Fig. 3) You can either use the 15 cm connection cable or a plug.
5. Turn on electricity.

## SERIAL CONNECTION

This fixture has male and female terminals for be able to make serial connections (Fig. 4).

## ENERGY CONSUMPTION

Per length

Per length

30 cm	5 Watt
60 cm	9 Watt
90 cm	14 Watt

120 cm	18 Watt
150 cm	23 Watt





## CAUTION

Do not connect too many lights in the same connection network. Do not use the lighting in a high temperature area or moisture to avoid damage. It works properly in a temperature range of -20 °C to 40 °C. For indoor use. Keep out of reach of children.

Maximal number of lights in same connection network

30 cm	20 pcs
60 cm	11 pcs
90 cm	7 pcs

120 cm	12 pcs
120 cm Ultra	9 pcs
150 cm	10 pcs
150 cm Ultra	8 pcs




## WARNINGS

1. Retain for future reference.
2. The fixing point(s) selected must be capable of supporting the full weight of the light fitting.
3. All fittings must be installed by a competent person in accordance with local regulation.
4. The product is not suitable for covering with thermally insulating material.
5. This product is suitable for indoor use only and not for areas constantly subject to moisture such as bathroom.
6. Always refer to the installation drawing for the orientation of the product.
7. Wiring diagram is for reference only. Always refer to the terminal marking for wiring and ensure that all electrical connections are tight and that no loose strands are left out of the terminal block.
8. Never put anything on the product or hang anything on any part of this product.
9. Never use the terminal cables to bear the product weight.
10. What to do if the product does not light up after installation? 1: Ensure there is no electricity failure. 2: Ensure all the connections are secured.
11. If you have any doubt about installation/use of this product, consult a qualified electrician.
12. Always disconnect the product from mains at least 10 minutes allowing it to cool down before any maintenance or adjustment.
13. It is recommended to have a regular schedule of care and maintenance to keep the surface condition well.



## Documents / Resources

	<p><a href="#">LEDISONS LDT50-A15040-BASIC LED Linear Basic 150 CM</a> [pdf] Instruction Manual LDT50-A15040-BASIC LED Linear Basic 150 CM, LDT50-A15040-BASIC, LED Linear Basic 150 CM, Linear Basic 150 CM, Basic 150 CM</p>
---	--

## References

- [www.Ledisons.com](http://www.Ledisons.com)